

REVIEWER REQUIREMENTS FOR eDAS
Format/Edits

Section/Attribute	Description/Edit
REVIEWER	<p>“REVIEWER” is the title of this section. It identifies the opening and closing of the xml transaction for a reviewer. This document provides additional reporting requirements of data under this section.</p> <p>Reviewer precedes Premium if applicable.</p>
CHANGE_FLAG (ATTRIBUTE)	<p>If Process Flag = 2 or 5 certain data will be allowed to change after initial acceptance. Tags have been identified by flags below. Flag of ‘1’ will only be allowed to change data identified by ‘1’. Flag of ‘2’ will be allowed to change data identified by ‘1 or 2’. Flag of ‘3’ will be allowed to change any data.</p> <p>Valid flags: 1 = general 2 = company approval 3 = RMA approval</p> <p>Change flag will default to 2 unless otherwise indicated.</p>
PROCESS_FLAG (ATTRIBUTE)	<p>Valid flags: 1 = original 2 = modify 3 = delete 4 = validate (original) 5 = validate (modify) 6 = quote (only applicable for premium) 7 = retrieve 8 = cancel (not applicable for AGR/AGR-L) 9 = delete of a policy (& crop, if applicable) if no premium</p> <p>Process flag will default to 1 unless otherwise indicated.</p>

Exhibit 116
REVIEWER REQUIREMENTS FOR eDAS
 Format/Edits

No.	Tag	Key	Level of Change	IN/OUT	REQ/OPT/CON	Max Size	Picture	Description/Edit
1	<INSURANCE_PROVIDER>	Y	3	Y/Y	REQ	2	X(02)	Edit with Insurance Provider/Company table.
2	<REINSURANCE_YEAR>	Y	NA	Y/Y	REQ	4	9(04)	Must = Reinsurance Year.
3	<REVIEWER_SSN>	Y	2	Y/Y	REQ	9	X(09)	A valid SSN for the Reviewer. Validate to SSA file and ITS file. Must be 9 digits.
4	<REVIEWER_ID>		1	Y/Y	OPT	9	X(09)	Reviewer ID can only reference one SSN. Alpha/numeric.
5	<ACTIVE_FLAG>		1	Y/Y	REQ	1	X(01)	Must be: Y = Yes, active N = No, inactive
6	<INACTIVE_DT>		1	Y/Y	CON	10	X(10)	Inactive Date required if field 5 (Active Flag) = N. Format MM/DD/YYYY. Numeric with slashes. Must be \geq processing date but \leq 06/30 for the reinsurance year submitted.
7	<LAST_NAME>		1	Y/Y	REQ	20	X(20)	Reviewer Last Name. Requires a minimum of 2 characters, alpha only (except – space, period, dash).
8	<FIRST_NAME>		1	Y/Y	REQ	10	X(10)	Reviewer First Name. Must not be blank, alpha only (except – space, period, dash).
9	<MIDDLE_NAME>		1	Y/Y	OPT	10	X(10)	Reviewer Middle Name. Alpha only (except – space, period, dash).
10	<SUFFIX>		1	Y/Y	OPT	5	X(05)	Reviewer Name Suffix (e.g. SR, JR, II, etc.). Alpha only (except – space, period, dash).
11	<TITLE>		1	Y/Y	OPT	4	X(04)	Reviewer Title (i. e. Dr, etc.). Alpha only (except – space, period, dash).
12	<ADDRESS_STATE>		1	Y/Y	REQ	2	X(02)	Enter alpha state abbreviation for zip code submitted. If a foreign country, enter ‘ZZ’.
13	<AUTHORIZATION_NUM>		2	Y/Y	CON	5	9(05)	Authorization Number provided by Reinsurance Services Division (RSD) approving the original, change or deletion. Change Flag must = 3 and Process Flag must = 1, 2, 3, 4 or 5. If changing a “Key” field with Level of Change = 2, Authorization Number assigned by administrative screen and Change Flag must = 2.

REVIEWER REQUIREMENTS FOR eDAS
Format/Edits

No.	Tag	Key	Level of Change	IN/OUT	REQ/OPT/CON	Max Size	Picture	Description/Edit
14	<FCIC_DT_TM>		NA	N/Y	REQ	19	X(19)	FCIC Control Date and Time of process, format MM/DD/YYYY HH:MM:SS. There is a space between the YY and HH.
15	<TRANS_SEQUENCE_NUM>		NA	N/Y	REQ	8	9(08)	Transaction Sequential Number assigned to each transaction number processed by eDAS.
16	<TRANS_RECORD_NUM>		NA	N/Y	REQ	6	9(06)	Transaction Record Number
17	<TRANSACTION_FLAG>		NA	N/Y	REQ	1	X(01)	If transaction accepted, flag = Y. If rejected, flag = N. If deleted, flag = D. If cancel, flag = C.

Notes: Key fields are: Insurance Provider (field 1), Reinsurance Year (field 2), and Reviwer SSN (field 3)

Key fields with Level of Change = 3 will be allowed with RMA approval. When a company submits this information, eDAS will change all other associated data to the new information.

Key fields with Level of Change = 2 requiring a change to that field, company will use an administrative screen to identify this change. eDAS will use this information to verify the data when submitted.

Information regarding column headers:

- 1) 'Tag' identifies the naming convention used in creation of XML.
- 2) 'Key' identifies the tags that are key to the validation/storage of data.
- 3) 'Level of Change' identifies the data that's allowed to change and at what level according to Change Flag.
- 4) 'IN/OUT' identifies the direction of data, IN for input and OUT for output with flags 'N' (NO) and 'Y' (YES).
- 5) 'REQ/OPT/CON' identifies if the data is required (REQ), optional (OPT), or conditional (CON), if optional or conditional and there's no data to report the tag is not used.
- 6) 'Max Size' is the maximum size of data allowed for that tag.
- 7) 'Picture' identifies the type of data expected.
- 8) 'Description/Edit' gives additional information.

On an update, only the key fields that define the sections are required plus any changed fields or new section(s).