

United States Department of Agriculture



Federal Crop Insurance Corporation

FCIC-25080 (11-2013)

CORN LOSS ADJUSTMENT STANDARDS HANDBOOK

2014 and Succeeding Crop Years

RISK MANAGEMENT AGENCY KANSAS CITY, MO. 64133

TITLE: CORN LOSS ADJUSTMENT	NUMBER: 25080
STANDARDS HANDBOOK	
EFFECTIVE DATE: 2014 and Succeeding	ISSUE DATE: November 25, 2013
Crop Years	
SUBJECT:	OPI: Product Administration and Standards
	Division
Provides the procedures and instructions	APPROVED:
for administering the Corn crop insurance	
program	/S:/ Tim B Witt
	Deputy Administrator for Product Management

REASON FOR ISSUANCE

Major changes: See changes or additions in text which have been highlighted. Three stars (***) identify information that has been removed.

- 1. Revised the handbook to incorporate the most recent FCIC loss adjustment handbook standards format and standard language. Many paragraphs and sections within the handbook were rewritten or relocated to increase clarity and understanding. Throughout the handbook, references were revised to reflect the new handbook format, removal and rearrangement of various sections and tables. Throughout the amended pages, changes were made to correct spelling, punctuation, formatting and to correct subparagraph and section numbering.
- 2. Reformatted the handbook into Parts, paragraphs, subparagraphs, sections, subsections and exhibits in accordance with the new handbook standards format.
- **3.** Subparagraph 13 A (10): Added language to describe quality adjustment for high amylase and blue types of corn.
- 4. Subparagraph 21 (3): Added language for replanting procedures for specialty types of corn.
- 5. **Exhibit 8:** Updated the quality adjustment factors on the PWs examples.
- 6. Exhibit 12: Added a new corn stand reduction chart for percent of potential remaining for the 11th leaf through 17th leaf stages of growth. Updated instructions throughout handbook where these new chart factors would be used.
- 7. **Exhibit 14:** Added a new hail stand reduction loss chart for 11th leaf through 17th leaf stages of growth. Updated instructions throughout handbook where these new chart factors would be used.

CORN LOSS ADJUSTMENT STANDARDS HANDBOOK

CONTROL CHART

	Corn Loss Adjustment Standards Handbook						
	TP Page(s)	TC Page(s)	Text Page(s)	Exhibit Number	Exhibit Page(s)	Date	Directive Number
Insert				Entire Ha	andbook		
Insert Current Index	1-2	1-2	1-29	$ \begin{array}{c} 1\\2\\3\\4\\5\\6\\7\\8\\9\\10\\11\\12\\13\\14\\15\\16\\17\\18\\19\\20\\21\\22\\23\end{array} $	$\begin{array}{c} 30\\ 31\\ 32-34\\ 35-38\\ 39-41\\ 42-44\\ 45-47\\ 48-77\\ 78\\ 79\\ 80\\ 81\\ 82\\ 83\\ 84\\ 85\\ 86\\ 87\\ 88\\ 89-90\\ 91\\ 92\\ 93\\ \end{array}$	11-2013 11-2013	FCIC-25080 FCIC-25080
				24 25 26	94-95 96-97 98	11-2013 11-2013 11-2013	FCIC-25080 FCIC-25080 FCIC-25080

FILING INSTRUCTIONS

This handbook replaces the 2011 Corn Loss Adjustment Standards Handbook, FCIC-25080 (11-2010). This handbook is effective for the 2014 and succeeding crop years and is not retroactive to any 2013 or prior crop year determinations.

CORN LOSS ADJUSTMENT STANDARDS HANDBOOK TABLE OF CONTENTS

PAGE NO.

PART 1 GENERAL INFORMATION AND RESPONSIBILITIES

1	Purpose and Objective 1
	AIP Responsibilities
	(Reserved)

PART 2 POLICY INFORMATION

11	Insurability	3
	Unit Division	
13	Corn Quality Adjustment	6
	Calculating Quantity of Corn Silage	
	0 (Reserved)	

PART 3 REPLANTING PAYMENT PROCEDURES

21	Replanting Payment Procedures	11
22	Qualifications for Replanting Payment	12
	Maximum Replanting Payment	
	Replanting Payment Inspections	
	(Reserved)	

PART 4 APPRAISALS

31	General Information	15
32	Selecting Representative Samples	15
	Measuring Row Width for Sample Selection	
34	Stages of Growth	16
	Appraisal Methods	
36	Deviations and Modifications	23
37	General Information for Appraisal Worksheet Entries and Completion Procedures	27
38-50	(Reserved)	

CORN LOSS ADJUSTMENT STANDARDS HANDBOOK TABLE OF CONTENTS

PART 5 PRODUCTION WORKSHEET

PAGE NO.

EXHIBITS

1	Acronyms and Abbreviations	.30
2	Definitions	.31
3	Form Standards – Appraisal Worksheet for Stand Reduction	.32
4	Form Standards – Appraisal Worksheet for Hail Damage	.35
5	Form Standards – Appraisal Worksheet for Maturity Line Weight	.39
6	Form Standards – Appraisal Worksheet for Weight	.42
7	Form Standards – Appraisal Worksheet for Corn Tonnage	.45
8	Form Standards – Production Worksheet	.48
9	Minimum Representative Sample Requirements	.78
10	Row Length Factors	
11	Corn Stand Reduction – Percent of Potential Remaining From Emergence Through 10 th	Leaf
	Stages of Growth	.80
12	Corn Stand Reduction – Percent of Potential Remaining 11th Leaf through 17th Leaf	
	Stages of Growth	81
13	Hail Stand Reduction Loss – Corn for 7th Leaf Through 10th Leaf Stages of Growth	.82
14	Hail Stand Reduction Loss – Corn for 11th Leaf Through 17th Leaf Stages of Growth	.83
15	Leaf Loss Chart	.84
16	Stage Modification	.85
17	Shelling Percentage Factors – Ear Corn	.86
18	Silage Test Weight Factors	.87
19	Unpacked, Settled Corn Silage Conversion (Round Structures)	.88
20	Unpacked, Unsettled Silage Capacity of Round Upright Silos (Tons)	.89
21	Silage Moisture Factors	.91
22	Grain Deficient Silage – Appraisal Factors	.92
23	Corn Moisture Adjustment Factors	.93
24	Corn – Combined Test Weight and Pack Factors	
25	Corn Stage Characteristics	.96
26	Corn Plant and Kernel Characteristics	.98

1 General Information

A. Purpose and Objective

The RMA issued loss adjustment standards for this crop are the official standard requirements for adjusting losses in a uniform and timely manner. The RMA issued standards for this crop and crop year are in effect as of the signature date for this crop handbook located at <u>www.rma.usda.gov/handbooks/25000/index.html</u>.

This handbook remains in effect until superseded by reissuance of either the entire handbook or selected portions (through amendments, bulletins, or FADs). If amendments are issued for a handbook, the original handbook as amended shall constitute the handbook. A bulletin or FAD can supersede either the original handbook or subsequent amendments.

B. Related Handbooks

The following table identifies handbooks that shall be used in conjunction with this handbook.

Handbook	Relation/Purpose
CIH	Provides overall general underwriting (not crop specific) process.
DSSH	Provides the form standards and procedures for use in the sales and service of crop insurance contracts.
LAM	Provides overall general loss adjustment (not crop-specific) process.

- (1) Terms, abbreviations, and definitions general (not crop specific) to loss adjustment are identified in the LAM.
- (2) Terms, abbreviations, and definitions specific to Corn loss adjustment and this handbook are in exhibits 1 and 2, herein.

C. CAT Coverage

Refer to the CIH and LAM for provisions and procedures not applicable to CAT coverage.

2 **AIP Responsibilities**

A. Utilization of Standards

All AIPs shall utilize these standards for both loss adjustment and loss training for the applicable crop year. These standards, which include crop appraisal methods, claims completion instructions, and form standards, supplement the general (not crop-specific) loss adjustment standards identified in the LAM.

B. Form Distribution

The following is the minimum distribution of forms completed by the adjuster and signed by the insured (or the insured's authorized representative) for the loss adjustment inspection.

- (1) One legible copy to the insured; and
- (2) The original and all remaining copies as instructed by the AIP.

C. Record Retention

It is the AIPs responsibility to maintain records (documents) as stated in the SRA and described in the LAM.

D. Form Standards

- (1) The entry items in exhibits 3 8 are the minimum requirements for the Appraisal Worksheets and Claim Form (hereafter referred to as "Production Worksheet"). All entry items are "Substantive", (they are required).
- (2) The Privacy Act and Non-Discrimination statements are required statements that must be printed on the form or provided to the insured as a separate document. These statements are not shown on the example form(s) in exhibits 3 - 8. The current Non-Discrimination Statement and Privacy Act Statement can be found on the RMA website at: <u>http://www.rma.usda.gov/regs/required.html</u> or successor website.
- (3) The certification statement required by the current DSSH must be included on the Production Worksheet directly above the insured's signature block immediately followed by the statement below:

"I understand the certified information on this Production Worksheet will be used to determine my loss, if any, to the above unit. The insurance provider may audit and approve this information and supporting documentation. The Federal Crop Insurance Corporation, an agency of the United States, subsidizes and reinsures this crop insurance."

(4) Refer to the DSSH for other crop insurance form requirements (such as point size of font, and so forth). The current DSSH can be found on the RMA website at: http://www.rma.usda.gov/handbooks/24000/index.html or successor website.

3-10 (Reserved)

PART 2 POLICY INFORMATION

The AIP determines the insured has complied with all policy provisions of the insurance contract. The Coarse Grains CP, which are to be considered in this determination include (but are not limited to):

11 Insurability

The following may not be a complete list of insurability requirements. Refer to the BP, the Coarse Grains CP, and the SP for a complete list.

- (1) The insured must elect to insure all Corn with either revenue protection or yield protection by the sales closing date.
- (2) The crop insured will be all Corn in the county in which the insured has a share, for which premium rates are provided by the actuarial documents; and
 - (a) That is planted for harvest either as grain or as silage (Refer to the Coarse Grains CP);
 - (b) That is adapted to the area based on days to maturity and is compatible with agronomic and weather conditions in the area;
 - (c) That is yellow dent or white corn, including mixed yellow and white, waxy, or highlysine corn, high-oil corn blends containing mixtures of at least 90 percent high yielding yellow dent female plants with high-oil male pollinator plants, or commercial varieties of high-protein hybrids.
- (3) Unless allowed in the SP or a written agreement, corn is not insurable if it is:
 - (a) Interplanted with another crop, except a mixture of corn and sorghum (grain or forage-type) will be insured as corn silage if the sorghum does not constitute more than twenty percent (20%) of the plants.
 - (b) Planted into an established grass or legume.
 - (c) High-amylose, high-oil or high-protein (except as allowed in 11 (2) (c)), flint, flour, Indian, or blue corn, or a variety genetically adapted to provide forage for wildlife or any other open pollinated corn.
 - (d) A variety of corn adapted for silage use only, when the corn is reported for insurance as grain, e.g., TMF (Totally Managed Feedstuffs) corn, etc.
- (4) Any acreage of the insured crop damaged before the final planting date, to the extent that the majority of producers in the area would normally not further care for the crop, must be replanted unless the AIP agrees that it is not practical. Refer to the LAM for replanting provision issues. Refer to Part 3 of this handbook for replanting payment procedures.

11 Insurability (Continued)

- (5) Basis of insurance: Generally, if the actuarial documents for the county provide a premium rate for:
 - (a) Grain but not silage, all insurable acreage will be insured, appraised, and adjusted on a grain basis. Corn harvested as silage must be appraised as grain prior to harvest. Failure to give notice so the AIP can appraise the acreage before harvesting the acreage for silage will result in a declaration that such acreage is destroyed without consent and an appraisal of not less than the production guarantee for yield protection, or for revenue protection, not less than the amount of production that when multiplied by the harvest price equals the revenue protection guarantee (per acre), will be assessed for those acres.
 - (b) Silage, but not grain, all insurable acreage will be insured, appraised, and adjusted on a silage basis. Corn harvested as grain must be appraised as silage prior to harvest. The silage appraisal will be eligible for grain deficiency quality adjustment, as applicable, and will be adjusted for low silage moisture as required. Failure to give notice so the AIP can appraise the acreage before harvesting the acreage for grain will result in a declaration that such acreage is destroyed without consent and an appraisal of not less than the production guarantee for yield protection, or for revenue protection, not less than the amount of production that when multiplied by the harvest price equals the revenue protection guarantee (per acre), will be assessed for those acres.
 - (c) Grain and silage:
 - (i) For all insurable acreage which will remain unharvested or is harvested as the type reported on the acreage report, all insurable corn will be insured, appraised and adjusted on the basis shown on the acreage report (exception – a silage-only corn variety is insurable only as silage). Normal quality adjustment procedures apply.
 - (A) In counties for which the actuarial documents provide a non-irrigated silage premium rate but not a non-irrigated grain premium rate, if the insured reports acreage for non-irrigated silage but plans to harvest such acreage for grain, silage appraisals are required. Failure to give notice so the AIP can appraise the acreage before harvesting the acreage for grain will result in a declaration that such acreage is put to other use without consent and an appraisal of at least the production guarantee for yield protection, or for revenue protection, not less than the amount of production that when multiplied by the harvest price equals the revenue protection guarantee (per acre), will be assessed for those acres.

- (B) The production may be corrected to standard moisture (harvested and appraised silage is adjusted up to at least 65 percent moisture if the normal silage harvesting period for the area (as determined by the AIP) has ended, or for any acreage harvested as silage or appraised as silage after the calendar date for the end of the insurance period (unless a different date is indicated in the SP), while grain is adjusted down to 15.0 percent moisture).
- (C) Unharvested production (that will remain unharvested) is adjusted appropriately for the type reported on the acreage report.
- (ii) APH yields are to reflect the reported type.
- (iii) Acreage reports are not to be revised to change corn types after the final acreage reporting date.
- (iv) Corn planted for silage which produces few or no ears due to UNINSURED causes (i.e., growing season length requirements longer than that normally available in the area, varieties genetically selected to not produce grain, etc.) is NOT eligible for adjustment for grain deficiency.
- (v) Refer to the SP for additional information.
- (5) In certain situations, producers may be granted approval from AIP's to leave representative samples when an accurate appraisal cannot be made at the time of release. Refer to the LAM for appraisals of representative samples.
- (6) The SP contain criteria including specific skip-row planting patterns that must be met to insure skip-row planted non-irrigated corn for grain without an unrated practice, type or variety written agreement in certain counties in Colorado, Kansas, and Nebraska. The following provides guidelines when determining the number of acres planted in a skip-row pattern:
 - (a) For skip-row planted non-irrigated corn for grain acres insured without a written agreement (skip-row planted non-irrigated corn for grain that meets all requirements of the SP), the number of acres considered planted to the crop will not be determined using the Farm Service Agency (FSA) percent planted factor (factor used to determine the number of acres considered planted to the crop).
 - (b) For skip-row planted corn insured under a written agreement, if the written agreement requires use of the FSA percent planted factor to determine the number of acres planted to the crop, the percent plant factor will be specified in the written agreement.

12 Unit Division

Refer to the insurance contract for unit provisions. Unless limited by the CP or SP, a basic unit, as defined in the BP, may be divided into optional units if, for each optional unit, all the conditions stated in the applicable provisions are met.

For information on Enterprise and Whole-Farm units, refer to the LAM.

13 Corn Quality Adjustment

A. General Information

- (1) Refer to the LAM for information on speculative type contract prices in quality adjustment. THE QUALITY ADJUSTMENT FACTOR CANNOT BE GREATER THAN 1.000 or less than zero (.000).
- (2) Corn production will be eligible for quality adjustment if:
 - (a) Deficiencies in quality (due to insurable causes of loss), in accordance with the Official United States Standards for Grain, result in corn not meeting the grade requirements for U.S. No. 4 (grades U.S. No. 5 or worse) because of test weight or kernel damage (excluding heat damage) or having a musty, sour, or commercially objectionable foreign odor, or
 - (b) Substances or conditions are present that are identified by the Food and Drug Administration or other public health organization of the United States as being injurious to human or animal health.

Refer to the LAM for instructions on who can obtain samples for grading, and who can make determinations of deficiencies, conditions, and substances that would cause the crop to qualify for quality adjustment.

(3) The adjuster must refer to the SP if production is eligible for quality adjustment as identified in the Coarse Grains CP.

A. General Information (continued)

- (4) When due to insurable cause(s), use of quality adjustment for corn is handled by determining the appropriate discount factors from the SP, summing them together, if applicable, and subtracting from 1.000 to obtain the applicable Quality Adjustment Factor (percent of production to count). Refer to the SP for chart discount factors, instructions for calculating non-chart discount factors, and other discounts allowed. Also, refer to the LAM for examples and guidance in determining reduction in values (RIV's) to determine non-chart discount factors.
- (5) Moisture adjustment is applied prior to applying any qualifying quality adjustment factors such as test weight, kernel damage, etc. A corn moisture adjustment chart is in Exhibit 23. Moisture adjustment results in a reduction in production to count of 0.12 percent for each 0.1 percent moisture in excess of 15 percent through 30 percent and 0.2 percent reduction for each 0.1 percent above 30 percent.
- (6) If a local market cannot be found for the damaged corn, refer to the LAM.
- (7) Refer to the LAM for special instructions regarding mycotoxin infected grain (quality adjustment is not allowed for corn silage).
- (8) Document quality adjustment information as described in the instruction for the Narrative section of the PW (exhibit 8), or on a Special Report.
- (9) For additional quality adjustment definitions, instructions, sampling requirements, graders, qualifications, and testing requirements; refer to the LAM and the Official United States Standards for Grain.
- (10) For high amylase corn, quality adjustment will be provided as specified in the CP and SP. Blue type corn is not eligible for quality adjustment.

B. Federal or State Ordered Destruction

Under section 15 (j) of the BPs, if due to insured causes, a Federal or State agency has ordered the appraised insured crop or production to be destroyed, on the PW enter the factor ".000" in column 35 for appraised production or column 65 for harvested production, as applicable. Instruct the insured to complete and submit a Certification Form stating the date the crop or production WAS DESTROYED and the method of destruction (refer to item 40 and the Narrative in the PW instructions). Also, refer to the LAM for additional information. Otherwise, MAKE NO ENTRY.

WARNING: THERE IS DANGER OF GASES IN TIGHTLY CONSTRUCTED SILOS. The AIP shall establish methods to be used, depending on the TYPE OF STRUCTURE INVOLVED.

Quantity of silage in storage is calculated by determining the volume, in cubic feet, occupied by the silage, correcting for packing depth (sample weight factor in exhibit 18) and test weight per cubic foot. The silage test weight corrects the gross weight to reflect the individual character of the silage (fineness of chop, moisture, leaf percent, ear percent, etc.). Exhibits 19 and 20 provide the gross weight of silage in upright silos according to diameter and depth. For other structures:

- (1) Determine volume, in cubic feet, occupied by the silage.
- (2) Multiply the volume, in cubic feet, by the silage weight factor, then divide by 2000 to determine tons.
- (3) Silage factors are determined as follows:
 - (a) For PACKED silage such as that in a trench, bunker or mechanically packed piles, use the factor of 40 POUNDS per cubic foot.
 - **Example:** Trench silage storage with a top width 12.0 ft., bottom width 8.0 ft., depth 8.0 ft., and a length of 50.0 ft.

The gross tonnage of packed silage is: $8.0 \text{ ft.} + 12.0 \text{ ft.} \times 8.0 \text{ ft.} \times 50.0 \text{ ft.} = 4000.0 \text{ cu. ft.}$ 2

 $\frac{4000.0 \text{ cu. ft. x } 40 \text{ lb./cu. ft.}}{2000 \text{ lbs./ton}} = 80 \text{ tons}$

Short Method

 $\frac{8.0 \text{ ft.} + 12.0 \text{ ft.} \text{ x } 8.0 \text{ ft. x } 50.0 \text{ ft. x } .02 = 80 \text{ tons}}{2}$

 $(40 \text{ lbs./cu. ft.} \div 2000 \text{ lbs./ton} = .02 \text{ tons/cu. ft.})$

- (b) For UNPACKED, UNSETTLED silage in round structures, use the tonnage recorded for depth from exhibit 20. If only part of the unmeasured silage has been stored for two weeks in the structure, defer measurement until all silage in the structure has been undisturbed for at least two weeks. Item (c) is then applicable.
- (c) For UNPACKED, SETTLED silage in round structures, use the silage weight factor for the silage depth from exhibit 19. Silage is to be considered settled if it is of normal silage moisture and the silage has been undisturbed for at least two weeks.

14 Calculating Quantity of Corn Silage (Continued)

- (d) For FRESH CHOPPED SILAGE not going into storage:
 - (i) Use weight records, if satisfactory weight records were maintained.
 - (ii) Use number of loads fed if satisfactory records have been maintained. Determine the cubic foot volume per load and multiply by;
 - (A) 10 pounds per cubic foot for corn that was under 4 feet tall, drought stricken, or frozen.
 - (B) 15 pounds per cubic foot for corn that was of uneven height, partially dry or frozen, and contained few ears.
 - (C) 20 pounds per cubic foot for all other corn.
- (e) For upright silos containing other production.
 - **Example:** An upright silo has a diameter of 20.0 ft. and a filled depth of 30.0 ft. Prior measurement determined 5.0 ft. of old silage in the silo. The gross tonnage in the silo is 223 tons (from exhibit 20):

30 ft. total depth (223 tons) - 5 ft. depth (old silage) = 25 ft. depth (181 tons new silage)

223 tons - 181 tons = 42 tons production not to count.

Gross production recorded on the PW could be new silage with a depth of 25-ft. (181 tons) OR old-and-new silage with a depth of 30-ft. (223 tons) with 42 tons listed as production not to count. ACTUAL old silage tonnage will be greater than 42 tons (due to pack) but by listing 42.0 tons, we effectively remove old silage VOLUME from the total silage volume.

Where new silage is stored on premeasured, unpacked new silage (from another unit, etc.), compute gross tonnage using the unpacked silage method. THE ENTIRE SILO WILL BE MEASURED AND THE EARLIER SILAGE WILL BE SHOWN AS PRODUCTION NOT TO COUNT.

14 Calculating Quantity of Corn Silage (Continued)

- (4) All gross weight silage determinations involving structure measurements will be adjusted by use of a silage test weight factor.
 - (a) If the insured refuses to permit test weight sampling, or it is not possible to determine the test weight, record the test weight factor as "1.00" in item 60b of the PW.
 - (b) If the insured chooses to harvest "low moisture" silage, record the test weight factor as "1.00" in item 60b of the PW.

Low moisture silage may be adjusted to 65 percent moisture by a factor from exhibit 21 (recorded in item 59b of the PW) if the normal silage harvesting period for the area (as determined by the AIP) has ended, or for any acreage harvested as silage or appraised as silage after September 30 of the crop year (unless a different date is indicated in the SP).

(c) The actual test weight factor is determined from representative silage samples. It is especially important that freshly chopped silage is representative of the production.

To determine the test weight factor:

Weigh an empty FIVE-gallon bucket. Fill the bucket to slightly more than level with FLUFFED silage (DO NOT PACK). Using a yardstick or similar object, level with zigzag sweeps and weigh the full bucket. Subtract weight of the empty bucket, determine test weight factor from exhibit 18, and record, to hundredths, in item 60b of the PW.

15-20 (Reserved)

PART 3 REPLANTING PAYMENT PROCEDURES

21 Replanting Payment Procedures

- (1) Replanting payments made on acreage replanted using a practice that was uninsurable as an original planting will require the deduction of the replanting payment for such acreage from the original unit liability. If the unit dollar loss (final claim) is less than the original unit liability minus such replanting payment, the actual indemnity dollar amount will not be affected by the replanting payment. The premium will not be reduced.
- (2) No replanting payment will be made on acreage on which a prior replanting payment has been made during the current crop year.

(3) SPECIALTY TYPE CORN (High Amylase and Blue Corn)

- (a) For specialty type corn insured under contract, it will not be considered practical to replant unless production from the replanted acreage can be delivered under the terms of the contract or the business enterprise has agreed to accept the production.
- (b) When it is practical to replant the specialty type corn originally planted, the acreage must be replanted to the specialty type corn originally planted on the acreage.
- (c) When it is **NOT** practical to replant to the same specialty type corn originally planted on the acreage, the policyholder may (1) choose to not replant and may receive an indemnity based on a crop appraisal; (2) not replant the same specialty type corn originally planted on the acreage and plant to another crop, in which case the first/second crop rules apply; or (3) replant to another specialty type corn or commodity type, provided it is practical to replant such type. The replanted type will be considered a replanted crop. If it is not practical to replant to another specialty type corn or commodity type and any other type of corn is planted, the crop planted will be considered a second crop.

If it is practical to replant to a different corn specialty type and the insured elected to replant to a different specialty type (provided all insurability requirements are met), or a commodity type, a revised acreage report (if previously filed) must be processed **PRIOR** to processing a replant claim.

- (i) Standard rules for acreage report revision apply (refer to the LAM).
- (ii) The applicable projected price of the replanted corn specialty type will be used to determine any replanting payment and to establish the premium and liability for the replanted acreage.
- (iii) Acreage that is replanted to a different specialty type may have an increase or decrease in liability from that originally reported.

To qualify for a replanting payment the:

- (1) insured crop must be damaged by an insurable cause;
- (2) AIP must determine that it is practical to replant (refer to the LAM);
- (3) acres being replanted must have been initially planted on or after the "Earliest Planting" date established by the SP;
- (4) per acre appraisal (or appraisal plus any appraisals for uninsured causes of loss) must be less than 90 percent of the per acre production guarantee for the acreage the insured intends to replant (refer to Part 4 "Appraisals");
- (5) acreage replanted must be AT LEAST the lesser of 20 acres or 20 percent of the insured **planted** acreage for the unit (as determined on the final planting date or within the late planting period if a late planting period is applicable); (Any acreage planted after the end of the late planting period will not be included when determining if the 20 acres or 20 percent qualification is met. Refer to the LAM); and
- (6) AIP has given consent to replant.

In the Narrative of the PW or on Special Report, show the per acre appraisal for each field or subfield and the calculations to document that qualifications for a replanting payment have been met.

The maximum amount of the replanting payment per acre will be the LESSER OF:

- (1) 20 percent of the production guarantee times projected price times the insured's share; or
- (2) the product of multiplying the maximum bushels allowed in the policy (8 bushels for grain, 1 ton for silage) by the projected price, times the insured's share in the crop.

Compute the number of bushels (tons for silage) per acre allowed for a replanting payment as follows. Show all calculations in the Narrative of the PW or on a Special Report.

The following illustrate replant examples for grain corn:

Example 1:Owner/operator (100 percent share)
25 acres replanted
20% of prod. guar. (100.0 bu. x 20%) = 20.0 bu. x 1.000 (share) = 20.0 bu.
8.0 bu. (Maximum bu. allowed in policy) x 1.000 (share) = 8.0 bu.
The lesser of 20.0, and 8.0 is 8.0
Bushels per acre allowed = 8.0 bu.

Enter the number of bushels per acre allowed (8.0 bu.) in Section 1, column 31, "Appraised Potential" of the PW.

Example 2:Landlord/tenant on (50/50 percent share)
25 acres replanted
20% of prod. guar. (100.0 bu. x 20%) = 20.0 bu. x .500 (share) = 10.0 bu.
8.0 bu. (Maximum bu. allowed in policy) x .500 (share) = 4.0 bu.
The lesser of 10.0 and 4.0 is 4.0
Bushels per acre allowed = 4.0 bu.

Enter the number of bushels allowed (4.0 bu.) if share has been applied, or the number of bushels allowed (8.0 bu.) if share has yet to be applied, in Section I, column 31, "Appraised Potential" of the PW. (Follow individual AIP guidelines). Indicate in the Narrative if the bushels allowed for replanting have/have not been reduced for share on the PW according to AIP guidelines.

The following illustrate replant examples for corn silage:

Example 3:	Owner/operator (100 percent share) 25 acres replanted 20% of prod. guar. (15.0 ton x 20%) = 3.0 ton x 1.000 (share) = 3.0 ton 1.0 ton (Maximum tons allowed in the policy) x 1.000 (share) = 1.0 ton The lesser of 3.0 and 1.0 is 1.0 Tons per acre allowed = 1.0 ton
	Enter the number of tons per acre allowed (1.0 ton) in Section I, column 31, "Appraised Potential" of the PW.
Example 4:	Landlord/tenant (50/50 percent share) 25 acres replanted 20% prod. guar. (15.0 tons x 20%) = 3.0 tons x .500 (share) = 1.5 tons 1.0 ton (Maximum tons allowed in policy) x .500 (share) = .5 tons The lesser of 1.5 and .5 is .5 Tons per acre allowed = .5 tons
	Enter the number of tons allowed (.5 ton) if share has been applied, or the number of tons allowed (1.0 tons) if share has yet to be applied, in Section I, column 31, "Appraised Potential" of the PW. (Follow individual AIP

24 Replanting Payment Inspections

Replanting payment inspections are to be prepared as final inspections on the **PW** only when qualifying for a replanting payment. Non-qualifying replanting-payment inspections (**unless the claim is withdrawn by the insured**) are to be handled as preliminary inspections. If qualified for a replanting payment, a Certification Form may be prepared on the initial farm visit. Refer to the LAM.

guidelines). Indicate in the Narrative if the tons allowed for replanting

have/have not been reduced for share on the PW according to AIP guidelines.

For replanting payments, in grain and silage counties where both grain and silage types have been reported, the type applicable to the replanted acreage is to be provided by the insured. The adjuster is cautioned to ensure the stated replanting payment acreage for a type does not exceed the reported acreage for the type for the field and unit.

25-30 (Reserved)

PART 4 APPRAISALS

31 General Information

Potential production for all types of inspections will be appraised in accordance with procedures specified in this handbook and the LAM. Appraisals are to be made on the basis of the type (grain or silage) reported on the acreage report.

32 Selecting Representative Samples

A. Determine Minimum Samples

Determine the minimum number of required samples for a field or subfield by the field size, the average stage of growth, age (size); general capabilities of the plants, variability of potential production, and plant damage within the field or subfield.

B. Splitting Fields


- (1) Split the field into subfields when:
 - (a) Variable damage causes the crop potential to appear to be significantly different within the same field; or
 - (b) The insured wishes to destroy a portion of a field.
- (2) Each field or subfield must be appraised separately.
- (3) Take not less than the minimum number (count) of representative samples required in exhibit 9 (Minimum Representative Sample Requirements) for each field or subfield.

33 Measuring Row Width for Sample Selection

Use these instructions for all appraisal methods that require row width determinations.

- (1) Use a measuring tape marked in inches or convert a tape marked in tenths, to inches, to measure row width (refer to the LAM for conversion table).
- (2) Measure across three OR MORE row spaces, from the center of the first row to the center of the fourth row (or as many rows as needed), and divide the result by the number of row spaces measured across, to determine an average row width to the nearest one-half inch.

EXAMPLE:



- (3) Where rows are skipped for tractor and planter tires, refer to the LAM.
- (4) Apply average row width in exhibit 10 to determine the factor required for the sample row.
- (5) When two or more rows are used for a required sample row, divide the required sample row length when conducting crop appraisals by the number of rows being used. The combined length of all rows must equal the single row length.

34 Stages of Growth

Corn growth stages identify the time interval to next stage in relation to appraisal methods.

- (1) Actual leaf count is used to determine stages of growth from emergence to tasseling.
 - (a) Starting with the rounded tip leaf, count all leaves developed up to, and including, the stage indicator leaf. The stage indicator leaf is that leaf which is at least 40 to 50 percent exposed. It is usually the uppermost leaf that is pointing below a horizontal line.
 - (b) If the rounded tip leaf cannot be determined, the node identification system will be used as follows (refer to exhibit 26, Figure A):
 - (i) Pull up the entire plant and carefully split stalk to expose stalk nodes and root whorls.
 - (ii) The FIFTH leaf attaches to the top of the first noticeable elongation between the stalk nodes (an internode).
 - (iii) After the fifth leaf node is identified, count upward to the stage indicator leaf.
 - (iv) In the early stages of the plant's development, the internodes are very compact and, therefore, difficult to distinguish. By the seventh or eighth leaf stage, the internode elongation should be easily found.

34 Stages of Growth (Continued)

- (2) Ear development is used to determine stage of growth from tassel to maturity (100 percent stage).
- (3) Stage Definitions. The definitions listed in exhibit 25 are based on normal or average conditions in the Corn Belt Area for 120-day or full season corn. There are approximately 7 days from planting to emergence, and 21 days from emergence to the 7th leaf stage.

35 Appraisals Methods

A. General Information

Refer to exhibits 25 - 26 for explanation of growth stages for Corn.

These instructions provide information on the following appraisal methods:

Appraisal Method	Use
Stand Reduction Method	for planted acreage with no emerged seed, and from emergence to the milk stage.
Hail Damage Method	for hail damaged corn beginning with the 7 th leaf stage and until the corn reaches the milk stage.
Maturity Line Weight Method	For corn grain appraisals, from the milk stage until kernels are fully mature and moisture drops below 40 percent.
Weight Method	for all corn appraisals after the corn kernels are fully mature and kernel moisture drops below 40 percent.

B. Stand Reduction

- (1) Use for all appraisals from emergence to the milk stage (stand reduction appraisals for hail damage begin with the 7th leaf stage). This method is based on the number of surviving plants in a designated sample row length.
- (2) If the reduction in stand is partly due to non-emerged seed due to insufficient soil moisture, do not complete appraisals prior to the time specified in the LAM. Refer to the paragraph in the LAM regarding deferred appraisals and non-emerged seed.
 - (a) Surviving plant counts at the time of appraisal are converted to bushels or tons per acre by multiplying the percent of potential remaining by the base yield.Base yield is the appropriate verified yield for the acreage from the APH form.

B. Stand Reduction (Continued)

- (b) Prior to the 11th leaf stage, the "Corn Stand Reduction-Percent of Potential Remaining Chart from Emergence through 10th Leaf Stages" (exhibit 11) is used to determine the percent of potential remaining.
- (c) From the 11th leaf stage to the 17th leaf stage, the "Corn Stand Reduction-Percent of Potential Remaining Chart from 11th through 17th Leaf Stages of Growth" (exhibit 12) is used to determine the percent of potential remaining.
- (d) From the 18th leaf stage to the milk stage, the yield and stand reductions are counted on a one-to-one basis. (Example: 80 percent stand = 80 percent potential.
- (e) Sample size is 1/100 acre.

C. Hail Damage

(1) Use for hail-damaged corn appraisals beginning with the 7th leaf stage and until the corn reaches the milk stage. This method is based on the calculation of direct and indirect damage from hail to determine percent of potential remaining, converted to a bushel or ton-per-acre appraisal.

For damage due to hail, inspections shall be delayed a minimum of 7 days after damage for a more accurate damage assessment.

- (2) Direct damage includes loss from stand reduction, crippled plants, and damage to the ear and stalk.
 - (a) Stand Reduction:
 - (i) Prior to the 11th leaf stage, the "Hail Stand Reduction Loss Corn for 7th Leaf through 10th Leaf Stages of Growth" (exhibit 13) is used to determine percent of damage due to stand reduction.
 - (ii) From the 11th leaf stage through the 17th leaf stage the "Hail Stand Reduction Loss – Corn for 11th Leaf through 17th Leaf Stages of Growth", (exhibit 14) is used to determine the percent of damage due to stand reduction.
 - (iii) From the 18th leaf stage to the milk stage the damage due to stand reduction is counted on a one-for-one basis.

C. Hail Damage (Continued)

- (b) Crippled Plants:
 - (i) Cripples are plants which grow to approximately normal height or less but do not produce a normal, harvestable ear. Naturally barren stalks should not be counted as cripples.
 - (ii) Crippled plants must be individually evaluated to determine their contribution to potential yield. CRIPPLES ARE NOT COUNTED AS TOTALLY DESTROYED PLANTS. For example, in a particular sample it may take three ears from crippled plants to make an average ear (3-for-1). If 30 cripples were counted out of 100 remaining plants and evaluated on a 3-for-1 basis (.67 factor, since 2 of every 3 plants are considered damaged), the gross cripple damage would be 20 percent (.67 x 30).
- (c) Ear Damage:

Ear damage is determined by comparing the number of damaged kernels to the number of total kernels, in a sample of all ears from 10 consecutive representative plants.

(d) Stalk Damage:

Plants having bruises on the stalk should not be counted as destroyed until such time as they actually fall over and become unharvestable. Young bruised plants usually will produce a normal (or near normal) ear. When considerable bruising is evident, the adjustment should be deferred until the actual loss can be determined.

- (3) Indirect damage is caused by defoliation (the loss of leaf area) due to hail. To determine defoliation or leaf destruction:
 - (a) select representative plants;
 - (b) remove the leaves which were exposed at the time of damage;
 - (c) determine the percent of leaf area destroyed (missing or brown areas) for each leaf;
 - (d) total the percentages; and
 - (e) divide by the number of leaves to determine the average percent. Apply the percent to the Leaf Loss Chart, (exhibit 15).
- (4) Stage Modification Procedure:

C. Hail Damage (Continued)

Plant stages may not be accurate for leaf area determination when short season (short statured) field varieties which produce less than 19-21 actual leaves in a season are appraised. The stages used for defoliation determination are modified to reflect this lower potential leaf area. Determine the ultimate number of leaves to be produced by tearing the plant down. After the stage indicator leaf has been identified, dissect the plant and count the nodes or leaves not yet emerged to determine the ultimate number.

- (a) If the actual number of leaves to be produced cannot be determined, defer the appraisal until the actual number of leaves can be determined. AT THE TIME OF DEFERRAL, ACCURATELY DETERMINE PERCENT OF DEFOLIATION AS OF DATE OF LOSS.
- (b) When the actual leaves to be produced can be determined, refer to exhibit 16, to obtain the modified stage for use with the Leaf Loss table (exhibit 15).

No further determination of defoliation should be made at the time of a later inspection unless further damage occurs.

D. Maturity Line Weight

(1) Use for all grain appraisals from the milk stage until kernels are fully mature and moisture drops below 40 percent. If possible, defer appraisal to the weight method.

Select representative samples of:

- (a) 1/100 acre if potential appears to be 20 bushels per acre or less.
- (b) 1/1000 acre if potential appears to be in excess of 20 bushels per acre.
- (2) This method is based on weighing ear samples which are grouped according to maturity and converting this production to bushels per acre.
- (3) The stage of maturity is established by determining where the line separating the solids and the liquid is located in the grain kernel. The solids start to form at the end opposite the kernel tip. The five stages of maturity and the number of pounds of immature ear corn required to make a bushel of mature shelled corn are as illustrated in exhibit 26, Figure C.
- (4) Pick and husk all harvestable ears in the sample area. Discard portions of ears without kernels.

D. Maturity Line Weight (Continued)

- (5) Break the ears in half and with the exposed kernels on the tip end of the cob, use a pen/pencil to determine which quarter of the kernel the maturity (solids) line is located. To locate the maturity line, apply moderate pressure at the top of the kernel and draw the pencil toward the bottom of the kernel. Place both parts of each ear in an appropriate stage pile to determine the stage weights. In most samples, the ears will be in only two stages. (Refer to exhibit 26, Figure C.)
- (6) Use the appropriate factor on the appraisal worksheet for converting the stage weight to bushels per acre of mature potential production.

E. Weight Method

- (1) Use for all corn grain appraisals after the corn kernels are physiologically mature (some kernels have developed the black or brown abscission layer in the kernel tip, signifying the end of dry matter accumulation) and kernel moisture drops below 40 percent.)
 - (a) This method is based on weighing the ears in a fraction of an acre, then converting this production to bushels per acre.
 - (b) Select representative samples of:
 - (i) 1/100 acre if potential appears to be 20 bushels per acre or less.
 - (ii) 1/1000 acre if potential appears to be in excess of 20 bushels per acre.
 - (c) Pick and husk all harvestable ears in the sample area. Weigh production.
 - (d) Multiply average sample weight by:
 - (i) 1.43 if sample size selected was 1/100 acre.
 - (ii) 14.3 if sample size selected was 1/1000 acre.

The results will be the bushels-per-acre of potential production (not corrected for moisture, test weight, etc.).

- (e) Determine shelling percentage factor for ear corn as follows:
 - (i) Select and husk a **five**-pound representative ear corn sample, shell, and weigh grain.

E. Weight Method (Continued)

- (ii) Divide the weight of the shelled corn by 4 and round to two decimal places; or
- (iii) Determine in accordance with exhibit 17.

Shelling percent (and shelling factor) is ONLY applicable to corn in the EAR such as weight-method appraisals (or stored as ear corn). The standard shelling percent assumes 70 lbs. per bushel of ear corn equals 56 lbs. per bushel of shelled corn (80 percent shell, 100 percent shelling factor). If the corn is already shelled, no shelling percent or shelling factor is used.

F. Tonnage Method of Appraising Silage

- (1) Use for silage appraisals of field corn from the milk stage to maturity when silage is indicated as the basis of insurance on the acreage report and silage production will not be determinable later. Refer to Subparagraph G, below, to determine when to make silage appraisals.
 - (a) This method is based on weighing the production in a fraction of an acre, then converting this production to tons per acre.
 - (b) Select representative samples of:
 - (i) 1/2000 acre if the stand is uniform and high tonnage is expected.
 - (ii) 1/1000 acre for other silage.
 - (c) Measure all production in the sample area by cutting the stalks at normal machine harvesting height for silage, and weighing.
 - (d) Multiply average sample weight by:
 - (i) 1.0 if sample size selected was 1/2000 acre.
 - (ii) 0.5 if sample size selected was 1/1000 acre.

The result will be tons per acre of potential production.

(e) For silage appraisals made after the normal time of harvest or after September 30, determine the tonnage appraisal and convert to equivalent tons of 65 percent moisture silage, utilizing factors from exhibit 21.

F. Tonnage Method of Appraising Silage (Continued)

(f) Concurrent grain and silage appraisals or grain appraisals from representative sample areas for fields otherwise harvested for silage MUST be used if adjustments to production are to be allowed for GRAIN DEFICIENT SILAGE. If, due to insurable causes, the silage contains less than 4.5 bushels of grain per ton of silage, apply the appropriate factor from exhibit 22. Adjustment for grain-deficient silage is allowed ONLY FOR CORN INSURED AS SILAGE (including corn appraised as silage and the silage tonnage will not be determinable later) with grain production based upon maturity-line or weightmethod appraisals, as appropriate.

G. Determining Whether to Make Corn Grain or Silage Appraisals

- (1) The acreage report will be the primary tool for determining when to appraise as grain or silage. The crop will be appraised on the basis of type reported on the acreage report. Refer to the SP for additional guidance.
- (2) In a "grain and silage" county, if a pre-harvest release of acreage to another use is required, the insured must designate which areas within the unit were planted for grain and which were planted for silage. The adjuster is cautioned to ensure the stated acreage for a type does not exceed the reported acreage for the type for the field and unit.

36 Deviations and Modifications

Deviations in appraisal methods require FCIC written authorization (as described in the LAM) prior to implementation.

Modifications in appraisal methods require AIP authorization (as described in the LAM).

When applicable, with AIP approval, use the following instructions in conjunction with the appropriate appraisal methods for damage due to insurable causes.

(1) No Pollination Due To Drought, Heat, Hot Winds, And/Or Insects (For corn insured as grain):

Appraise corn insured as grain as "0" (for the actual acreage so affected) if, after a general survey of the crop, the adjuster finds:

- (a) Ear shoots, and the pollination period:
 - (i) Has ended. Blisters on the cob are enlarged (wart-like); or

36 Deviations and Modifications (Continued)

- (ii) Is in progress. Blisters on the cob are not enlarged, and all the silk has been eaten below the husk by insects.
- (b) No ear shoots, and the pollination period:
 - (i) Is in progress or has ended; or
 - (ii) Has not begun. The tassel is exposed and the still unexposed ear bud is less than 2 inches in length.
- (2) Poor Pollination Due To Drought, Heat, Hot Winds, And/Or Insects (For corn insured as grain):

Appraise corn insured as grain based upon stand reduction ONLY if the appraisal cannot be deferred. After normal silking to milk stage, stalks with partial pollination are considered surviving plants but only to the extent they contribute to the production of a normal 1/2 pound ear of corn, i.e., if 3 ears are required to produce the grain equivalent of one normal ear, count only 1/3 of such plants. Barren stalks are not counted as surviving. Individually evaluate ears to determine total surviving plants to be entered on the appraisal worksheet. Document adjustment in the "Notes and Calculation Section" of the stand reduction appraisal worksheet or on an attached Special Report.

(3) Severely Drought-Stunted Corn (For corn insured as grain or silage):

Defer the appraisal until the milk stage, at which time the maturity line method or tonnage method may be used. The appraisal method must agree with the type reported on the acreage report. If the insured does not wish to leave representative sample areas for this appraisal or it is impractical to do so, use the stand reduction method.

(4) Permanently Wilted Corn (For corn insured as grain or silage):

Note on appraisal worksheet "no production potential due to permanent wilt" and enter a zero appraisal for the affected acres. For acreage with no or minimal damage due to permanent wilt, but wilt conditions have been determined to be in the area, appraise in the normal manner unless the insured agrees to leave representative sample areas for later appraisal. Inform insured to request another appraisal within 30 days of this inspection. If a zero appraisal has been entered for corn insured as silage, the production must be destroyed as described in the LAM. Any acreage insured as silage and cut for silage must be appraised using the silage tonnage method.

36 Deviations and Modifications (Continued)

Permanent wilt is caused by extremely dry soil conditions and can occur at any stage of growth. Permanent wilt is a condition where plants are stressed from lack of moisture to the extent that all leaves remain tightly rolled throughout the night. Lower plant leaves become dry and brittle and will crumble when rolled between the hands. Permanently wilted plants are damaged to the extent that they will die even if supplied moisture. From the tasseled stage forward, appraisals should be deferred until the maturity line or weight method appraisals can be used because of the difficulty with the determination of whether the corn will produce grain.

(5) Irregular Germination or Crop Development Due To Insured Causes (For corn insured as grain):

Use the stand reduction method of appraisal based upon the number of plants capable of reaching the milk stage prior to a killing frost.

- (a) Count all plants to determine the plant population and enter in item 11 of the stand reduction appraisal worksheet.
- (b) Determine stage of growth for EARLY-GERMINATING corn and record in item 19.
- (c) Determine the stage of growth for EACH LATE-GERMINATING corn plant and record, in item 23 ("NOTES AND CALCULATIONS" section):
 - (i) The stage of each plant; and
 - (ii) The computation of the number of days from the current stage to the milk stage for each plant and add FIVE days (the additional five days are to account for slower plant development as the frost date approaches).
- (d) Compute the number of days from the appraisal date to the average killing frost date for the area (contact local State Extension Service) and show calculation in item 23.
- (e) Count and record in item 12 as "surviving," those plants which will reach the milk stage before the average killing frost date (include early-germinated plants).
- (f) The percent of potential (item 15) is equal to the percent of "surviving" plants ("surviving" plant number divided by original plant population).
- (g) Percent of potential (item 15) multiplied by the applicable APH yield (refer to note above) results in the per-acre appraisal.
 - **Example:** Some plants are in the 5th, 8th, and 10th leaf stages. Date of the appraisal is July 24. Frost date is September 25, 63 days from the date of appraisal. Late developing plants which will not reach the milk stage prior to the frost date will not be counted as surviving plants.

Plants in the 10th leaf stage will be counted as surviving, since they will reach the milk stage in 58 days (allowing the additional FIVE days for maturity retardation). Plants in the 8th leaf and earlier stage would not be counted as surviving, as they would not reach the milk stage prior to the frost date.

<u>STAGE</u>	DAYS TO MILK STAGE
5 th leaf	<mark>73</mark>
8 th leaf	64
10 th leaf	58

(6) Appraisal Modification for Early Freeze Damage (For corn insured as grain or silage):

WHEN AUTHORIZED BY THE AIP, the maturity line appraisal method may be modified to more closely reflect the actual potential remaining after freeze damage. Apply the following procedure on a case-by-case basis ONLY as circumstances warrant. Document on a Special Report, all pertinent information regarding the loss such as the corn hybrid planted, the maturity rating of the variety, whether the late planting provisions apply, planting (and any replanting) dates, the practicality of any late replanting, the extent of freeze damage to corn in the area (whether general or isolated), date of normal freeze, date(s) of damaging freeze(s), and specifically why the corn did not escape freeze damage.

DO NOT APPLY the appraisal modification for early freeze damage if the adjuster determines the insured could have prevented the damage through proper farming practices. The modification is only applied on corn that is less than fully mature.

Quality adjustment procedures do not apply when using the freeze modification. The stage of corn on the date of final adjustment must be used when applying the modification factors. Do not backstage to the stage at the date of freeze.

The conditions that determine the extent of damage are the maturity of the plant at the time of freeze and the number of leaves killed above the ear-stalk attachment. If the freeze occurs when the maturity line method of appraisal is applicable (except doughy and extended stages), adjustments to the maturity line appraisal are allowed IF ALL the leaves above the base of the ears are killed by the freeze. For:

- (a) $\frac{1}{4}$ stage count 25 percent of the appraisal.
- (b) $\frac{1}{2}$ stage count 50 percent of the appraisal.
- (c) $\frac{3}{4}$ stage count 75 percent of the appraisal.

The adjustments do not apply if:

- (i) Kernels are in the doughy or extended stage at the time of freeze use normal appraisal.
- (ii) Any leaves remain alive above the base of the ear (regardless of stage) use normal appraisal.
- (iii) Kernels are in the pre-1/4 stage (leaves are all killed above the base of the ear) ear has no potential. If all ears are in this category, appraise at zero.
- (iv) The corn is insured as silage (reported for silage on the Acreage Report). Adjustment can be used if silage is eligible to be adjusted for grain deficiency and meets the above criteria.

For purposes of this appraisal modification, "early freeze damage" refers to a freeze which occurs early enough in the corn's growth stages to cause damage to the developing ears, without regard to its relationship to the calendar date of occurrence. The calendar date of the freeze is important, however, in determining whether the insured could have prevented the damage through proper farming practices.

37 General Information for Appraisal Worksheet Entries and Completion Procedures

- (1) Include the AIP's name in the appraisal worksheet title if not preprinted on the worksheet or when a worksheet entry is not provided.
- (2) Include the claim number on the appraisal worksheet (when required by the AIP) when a worksheet entry is not provided.
- (3) Separate appraisal worksheets must be completed for each unit appraised, and for each field or subfield including fields or subfields with a different APH yield or farming practice (applicable to replant, preliminary, and final claims). Refer to Part 4, paragraph 32 for sampling requirements.
- (4) When a remarks section is not included on the form, document pertinent information about the appraisal, including any appropriate calculations, on a Special Report and attach to the worksheet.
- (5) Standard appraisal worksheet items are numbered consecutively in exhibits 3 7. Example appraisal worksheets are also provided to illustrate how to complete item entries.
- (6) For all zero appraisals, refer to the LAM.
- **38-50** (Reserved)

PART 5 PRODUCTION WORKSHEET

51 General Information for Production Worksheet Entries and Completion Procedures

- (1) The PW is a progressive form containing all notices of damage for all preliminary, replant, and final inspections on a unit.
- (2) If a PW has been prepared on a prior inspection, verify each entry and enter additional information as needed. If a change or correction is necessary, strike out all entries on the line and re-enter correct entries on a new line. The adjuster and insured should initial any line deletions.
- (3) Refer to the LAM for instructions regarding the following:
 - (a) Acreage report errors.
 - (b) Delayed notices and delayed claims.
 - (c) Corrected claims or fire losses (double coverage) and cases involving uninsured causes of loss, unusual situations, controversial claims, concealment, or misrepresentation.
 - (d) Claims involving a Certification Form (when all the acreage on the unit has been appraised to be put to another use, when acreage is being appraised for a replanting payment and all acreage on the unit has been initially planted, or other reasons described in the LAM).
 - (e) "No Indemnity Due" claims (which must be verified by an APPRAISAL or NOTIFICATION from the insured that the production exceeded the guarantee).
 - (f) Late planting.
- (4) Refer to the Prevented Planting Handbook for information on prevented planting.
- (5) The adjuster is responsible for determining if any of the insured's requirements under the notice and claim provisions of the policy have not been met. If any have not, the adjuster should contact the AIP.
- (6) Instructions labeled "PRELIMINARY" apply to preliminary inspections only. Instructions labeled "REPLANT" apply to replant inspections only. Instructions labeled "FINAL" apply to final inspections only. Instructions not labeled apply to ALL inspections.
- (7) The AIP may complete a separate PW for each type planted in the unit.

51 General Information for Worksheet Entries and Completion Procedures (Continued)

(8) If the AIP determines the claim is to be DENIED, refer to the LAM for PW completion instructions.

52-60 (Reserved)

Acronyms and Abbreviations

Approved Acronym/Abbreviation	Term
AIP	Approved Insurance Provider
APH	Actual Production History
BP	Basic Provisions
CAT	Catastrophic Risk Protection
CIH	Crop Insurance Handbook
СР	Crop Provisions
DF	Discount Factor
DSSH	Document and Supplemental Standards Handbook
FCIC	Federal Crop Insurance Corporation
FGIS	Federal Grain Inspection Service
LAM	Loss Adjustment Manual
PW	Production Worksheet
RIV	Reduction in Value
RMA	Risk Management Agency
SP	Special Provisions
SRA	Standard Reinsurance Agreement

The following table provides the acronyms and abbreviations used in this handbook.

Definitions

<u>Harvest</u> means combining, threshing, or picking the insured crop for grain, or cutting for hay, silage, or fodder.

<u>Planted acreage</u> means in addition to the definition contained in the BP, coarse grains must initially be planted in rows, unless otherwise provided by the SP, actuarial documents, or by written agreement.

Silage means a product that results from severing the plant from the land and chopping it for the purpose of livestock feed.

Ton means two thousand (2000) pounds avoirdupois.

Form Standards – Appraisal Worksheet for Stand Reduction

Verify and/or make the following entries for each appraisal worksheet element/item number. A completed appraisal worksheet example is at the end of this exhibit. For general form standards and other general information, see subparagraph 2D and paragraph 37.

	Element/Item Number	Standard
	Company	Name of AIP if not preprinted on the worksheet (Company Name).
1.	Insured's Name	Name of the insured that identifies EXACTLY the person (legal entity) to whom the policy is issued.
2.	Policy Number	Insured's assigned policy number.
3.	Unit No.	Unit number from the Summary of Coverage after it is verified to be correct.
	Claim Number	Claim number as assigned by the AIP.
4.	Crop	"Corn Grn." Or "Corn Sil."
5.	Crop Year	Four-digit crop year, as defined in the policy, for which the claim is filed.
6.	FSA Farm No.	FSA farm serial number, if applicable.
7.	Field No.	Field or subfield identification symbol.
	No. of Acres	Number of determined acres, to tenths, in the field or subfield being appraised.
8.	Row Width	Row width to nearest inch. Refer to Part 4, Paragraph 33 for row width determination information.
9.	Base Yield	Enter the approved APH yield to nearest whole bushel or tons to tenths from the APH form, after verifying to be correct.
10.	Sample No.	MAKE NO ENTRY.
11.	Normal Plant Population 1/100 acre	Determine by counting the potential (living, dead, missing, and non- emerged) plants in a length of row equivalent to 1/100 acre, rounded to the nearest multiple of ten.
12.	No. of Surviving Plants 1/100 acre	Number of surviving plants in the same sample.
13.	Percent of Stand	MAKE NO ENTRY.
14.	Round Col. 13 to nearest 5 percent	MAKE NO ENTRY.

1.7		
15.	Percent of Potential	Enter percent of potential as follows:
	Potentiai	a. Determine stage of growth at time of damage and enter in item 19.
		 Before 11th leaf stage, use Corn Stand Reduction Chart for Emergence through 10th Leaf Stages of Growth (exhibit 11) and enter percent potential rounded to whole percent, after interpolating.
		c. From 11 th leaf through 17 th leaf stage, use Corn Stand Reduction Chart for 11 th through 17 th Leaf Stages of Growth (exhibit 12) and enter percent potential rounded to whole percent, after interpolating.
16.	Base Yield	Repeat entry from item 9.
17.	Appraisal for	Result, rounded to tenths, of multiplying percent of potential (item 15)
	Sample	expressed as a decimal by the base yield (item 16).
18.	Total	Sum of entries in item 17 (to tenths).
19.	Stage of Growth at	Stage of growth at time of damage (refer to Paragraph 34).
	Time of Damage	
20.	Total Appraisals for all Samples	Repeat entry from item 18.
21.	No. of Samples	Enter total number of samples.
22.	Appraisal per	Result (rounded to tenths) of dividing total appraisals for all samples
	Acre/Field	(item 20) by the total number of samples (item 21).
23.	Notes and	Remarks pertinent to the appraisal, sampling, and conditions in general
	Calculations	(e.g. – very hot and dry), etc.
		ired entries are not illustrated on the Appraisal Worksheet example
	below.	
24.	Insured's Signature and Date	Insured's (or insured's authorized representative's) signature and date. BEFORE obtaining insured's signature, REVIEW ALL ENTRIES on the Appraisal Worksheet WITH THE INSURED, (or insured's authorized representative) particularly explaining codes, etc., which may not be readily understood.
25.	Adjuster's	Signature of adjuster, code number, and date signed after the insured (or
	Signature, Code	insured's authorized representative) has signed. If the appraisal is
	No., and Date	performed prior to signature date, document the date of appraisal in the Remarks/Narrative section of the Appraisal Worksheet (if available); otherwise, document the appraisal date in the Narrative of the PW.
	Page Number	Page numbers - (Example: Page 1 of 1, Page 1 of 2, Page 2 of 2, etc.).

Exhibit 3

Form Standards – Appraisal Worksheet for Stand Reduction (Continued)

FOR ILLU	STRATION PURP	OSES ONLY	COMPANY		1. INSURED'S NA			2. POLICY NUMBER	
			ANY CO	MPANY	I.N		XXXXXXX		
	STAND REDU	JCTION	3. UNIT NO.	CLAIM NUMBER	4. CF	ROP		5. CROP YEAR	
A	PPRAISAL WO	RKSHEET	0001-0001BU	XXXXX	XX	Corn Gri	1	YYYY	
	(Corn and Grain		6. FSA FARM NO.	7. FIELD NO.	NO. OF ACRES	8. ROW WIDTH	9. BASE Y	IELD	
HYBR	HYBRID SEED		123	Α	10.0	36"		100	
COMPUTA									
				HUM SEED AND					
				RGHUM ONLY					
SAMPLE NO. 10	NORMAL PLANT POPULATION 1/100 ACRE 11	NO. OF SURVIVING PLANTS 1/100 ACRE 12	PERCENT OF STAND 13	ROUND COL. 13 T NEAREST 5 PERCENT 14	FO PERCEN POTEN 15	TIAL BAS	SE YIELD 16	APPRAISAL FOR SAMPLE (COL. 15 X 16) 17	
1	220	36			37	 X	100	 = 37.0	
2	220	32			34	 X	100	 = 34.0	
3	220	23			27	x	100	= 27.0	
4	220	220 42			41	x	100	= 41.0	
5	220	51			47	×	100	= 47.0	
6						 X		 	
7						 X		 	
8	After the <mark>17th le</mark> Col. 11	e <mark>af stage</mark> , percent po	otential is in direct j	proportion to perc	cent stand: Col.1	$12 \div $ X		 	
9						 X		 	
10						 X		 	
11						 X		 	
12						X		 =	
	05.000.007.0.07.7						18. TOTA	100.0	
19. STAGE	OF GROWTH AT T		20. TOTAL APPRAIS		NO. OF SAMPLES	22. APP	RAISAL PER		
00 NOTES	8 th Lea		186.0	÷	5	=	37.2	BU.	
23. NUTES	AND CALCULATIO	NO							

This form example does not illustrate all required entry items (e.g., signatures, dates, etc.).

Form Standards – Appraisal Worksheet for Hail Damage

Verify and/or make the following entries for each appraisal worksheet element/item number. A completed appraisal worksheet example is at the end of this exhibit. For general form standards and other general information, see subparagraph 2D and paragraph 37.

	Element/Item	Standard
	Number	
	Company	Name of AIP if not preprinted on the worksheet (Company Name).
	Claim No.	Claim number as assigned by the AIP.
1.	Insured's Name	Name of the insured that identifies EXACTLY the person (legal entity) to whom the policy is issued.
2.	Policy No.	Insured's assigned policy number.
3.	Unit Number	Unit number from the Summary of Coverage after it is verified to be
		correct.
4.	Crop	"Corn Grn." Or "Corn Sil."
5.	Crop Year	Four-digit crop year, as defined in the policy, for which the claim is filed.
6.	FSA Farm No.	FSA Farm Serial Number, if applicable.
7.	Field No.	Field or subfield identification symbol.
	No. of Acres	Number of determined acres, to tenths, in the field or subfield being
		appraised.
8.	Ultimate No. of	MAKE NO ENTRY.
	Leaves	
9.	Base Yield	The approved yield, in whole bushels or tons to tenths, from the APH
		form after verifying to be correct.
10.	Sample No.	MAKE NO ENTRY.
11.	Normal No. of	Normal plant population (original stand) – determine by counting the
	Plants 1/100 acre	potential (living, dead, missing or non-emerged) plants in a length of row
		equivalent to 1/100 acre, rounded to the nearest multiple of ten.
12.	No. Plants Totally	Number of plants totally destroyed. If totally destroyed plants cannot be
	Destroyed 1/100	accurately counted, complete item 13 and enter result of subtracting
	acre	remaining stand (item 13) from normal number of plants (item 11).
13.	Remaining Stand	Determine the number of remaining plants or enter the result of
	No. Plants 1/100	subtracting number of plants totally destroyed (item 12) from normal
	acre	number of plants (item 11).

r											
14.	% Damage from Stand Reduction	Determine and enter percent of damage (to whole percent).									
		From 7 th through 10 th leaf stages, use Hail Stand Reduction Loss Chart 7 th Leaf through 10 th Leaf Stages of Growth (exhibit 13) based on entries in items 11 (normal number of plants) and item 13 (remaining stand). Interpolate to nearest whole percent.									
		 From 11th through 17th leaf stage, use Hail Stand Reduction Loss 11th Leaf through 17th Leaf Stages of Growth, (exhibit 14) to determine % damage from stand reduction based on entries in items 11 (normal number of plants) and item 13 (remaining stand). Interpolate to nearest whole percent. 									
15.	% Cripples (Corn	Determine entry as follows (refer to sample on worksheet for									
	Only)	calculations and Subparagraph 35 C (2) (b) for definition):									
	a. Count the number of cripples in 100 remaining live										
		b. Individually evaluate the ears on the crippled plants to determine the GROSS damage from cripples. (Percent of cripples which will not produce a normal harvestable ear.) Multiply number of cripples (a) by percent of cripples (b).									
		 Multiply this Gross percent times the remaining crop (100 – percent damage from stand reduction (item 14)) to obtain the NET percent of damage. Round to tenths. 									
16.	% Ear Damage	a. If no ear damage – MAKE NO ENTRY.									
	(Corn)	b. If ear damage:									
		(1) Select all ears from 10 consecutive representative plants.									
		(2) Determine the total number of kernels on all ears.									
		(3) Determine the total number of damaged kernels on sample ears. The GROSS percent of ear damage is determined by dividing the total number of kernels damaged by the total number of kernels.									
		 (4) Determine NET percent of ear damage by multiplying the gross percent times the remaining crop (100 – percent damage from stand reduction (item 14) – percent cripples (item 15)) and enter the results in item 16, rounded to tenths. 									

Form Standards – Appraisal Worksheet for Hail Damage (Continued)

17.	Total Direct Damage	Sum of items 14, 15 and 16 to tenths.
18.	Potential Remaining	Result of subtracting total direct damage (item 17) from 100, to tenths.
19.	% Leaf Area Destroyed	Determine and enter percent of leaf area destroyed.
20.	% Damage for Leaf Destruction	Percent of damage for leaf destruction based on exhibit 16, percent leaf area destroyed (items 19) and stage of plant (item 27), to nearest tenth percent. Refer to Subparagraph 35 C (3).
21.	Net Indirect Damage	Result (rounded to tenths) of multiplying potential remaining (item 18) by percent damage for leaf destruction (item 20).
22.	% Damage from Hail	Sum of total direct damage (item 17) and net indirect damage (item 21), to tenths.
23.	% Potential Production Remaining	Result of subtracting percent damage from hail (item 22) from 100 (to tenths).
24.	Base Yield	Repeat entry from item 9.
25.	Appraisal For Sample	Result, rounded to tenths, of multiplying percent potential production remaining (item 23) expressed as a decimal by the base yield (item 24).
26.	Total	Sum of entries in item 25.
27.	Stage of Plant Growth at Time of Damage	Stage of growth at time of damage.
28.	Total All Samples	Repeat entry from item 26.
29.	No. Samples	Enter total number of samples.
30.	Per Acre Appraisal Bu.	Result, rounded to tenths, of dividing total appraisals for all samples (item 28) by the total number of samples (item 29).
31.	Remarks	Remarks pertinent to the appraisal, sampling, conditions in general (e.g. – very hot and dry), etc.
The	following required	entries are not illustrated on the Appraisal Worksheet example below.
32.	Insured's	Insured's (or insured's authorized representative) signature and date.
	Signature and Date	BEFORE obtaining insured's signature, REVIEW ALL ENTRIES on the Appraisal Worksheet WITH THE INSURED, (or insured's authorized representative) particularly explaining codes, etc., which may not be readily understood.
33.	Adjuster's	Signature of adjuster, code number, and date signed after the insured (or
	Signature, Code	insured's authorized representative) has signed. If the appraisal is
	No. and Date	performed prior to signature date, document the date of appraisal in the
		Remarks/Narrative section of the Appraisal Worksheet (if available);
		otherwise, document the appraisal date in the Narrative of the PW.
	Page Number	Page numbers - (Example: Page 1 of 1, Page 1 of 2, Page 2 of 2, etc.).

Form Standards – Appraisal Worksheet for Hail Damage (Continued)

TOP H					mpany		ny Com					m No		XXXXX	XX
(FOR IL	LUSTRAT	ION PURP	OSES ONLY	1. INSU				2. POI	JCY NO.			IT NUM		4. CROP	
HAIL DAMAGE			5 CBO	I. M.	INSURE	D FARM NO	7 5151				0003-000	CORN 9. BASE	N GRN		
	APPRAISAL WORKSHEET (Corn and Grain Sorghum)			S. CRU	P I LAK	0. I SA I AKWI 110.		NO.			8. ULTIMATE NO. OF LEAVES			9. DASE	TIELD
				Y	YYY		106	B	i 10	0.0				1	00
COMPU	JTATION	s			1	1	г т		1	1			1	1	1
SAMPLE NO.	NORMAL NO. OF PLANTS 1/100 ACRE	NO. PLNTS TOTALLY DESTROYED 1/100 ACRE	REMAINING STAND NO. PLANTS	% DAMAAGE FROM STAND REDUCTION (CHART)	%CRIPPLE (CORN ONLY)	% EAR DAMAGE (CORN) %HEAD DAMAGE (GRAIN SORGHUM)	TOTAL DIRECT DAMAGE (14 + 15 + 16)	POTENTIAL REMAINING (100-17)	% LEAF AREA DESTROYED	% DAMAGE FOR LEAF DESTRUCTION (CHART)	NET INDIRECT DAMAGE (18 X 20)	% DAMAGE FROM HAIL (17+21)	% POTENTIAL PRODUCTION REMAINING (100 – 22)	BASE YIELD	APPRAILSAL FOR SAMPLE (23 X 24)
10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
1	240	201	39	63	6.2		69.2	30.8	45	1.0	0.3	69.5	30.5	100	30.5
2	230	189	41	61	7.8		68.8	31.2	40	1.0	0.3	69.1	30.9	100	30.9
3	240	198	42	61	7.3		68.3	31.7	40	1.0	0.3	68.6	31.4	100	31.4
4	240	216	24	73	1.8		74.8	25.2	45	1.0	0.3	75.1	24.9	100	24.9
5	240	205	35	65	5.9		70.9	29. 1	45	1.0	0.3	71.2	28.8	100	28.8
6															
7															
8															
9															
							11					26	. TOTAL	. 14	6.5
27. STAG	E OF PLAN	T GROWT	H AT TIME	OF DAMA	GE	28. TOTA	L ALL SAMI	PLES	29. NO. S	SAMPLES		30. PER	ACRE API	PRAISAL E	BU.
		7 ^{TE}	^ı leaf				146.5		÷	5	:	=	29.	3	
31. REN	MARKS														
Net per	cent cripp	ole dama		Percent		Perce	nt	F	Percent		Net Perc	cent			
Sample Number	Sample Percent Number Cripples			Damage Factor		Dama from	ge cripples		emaining blants		cripple damage				
1		5 x		.67	=	16.8		ł	37	=	6.2	-			
2		0 x		.67	=	20.1			39 20	=	7.8				
5 4		8 x 0 x		.67 .67	=	18.8 6.7			39 27	=	7.3 1.8				
5		5 x		.67	=	16.8			35	=	5.9				

This form example does not illustrate all required entry items (e.g., signatures, dates, etc.).

Form Standards – Appraisal Worksheet for Maturity Line Weight

Verify and/or make the following entries for each appraisal worksheet element/item number. A completed appraisal worksheet example is at the end of this exhibit. For general form standards and other general information, see subparagraph 2D and paragraph 37. Complete HEADING items 1 through 7, and PART II items 20 through 32.

	Element/Item	Standard										
	Number											
	Company	The AIP's name if not preprinted on the worksheet (Company Name).										
	Claim Number	Claim number as assigned by the AIP.										
1.	Insured's Name	Name of the insured that identifies EXACTLY the person (legal entity) to										
		whom the policy is issued.										
2.	Policy No.	Insured's assigned policy number.										
3.	Unit No.	Unit number from the Summary of Coverage after it is verified to be										
		correct.										
4.	Crop	"Corn Grn."										
5.	Crop Year	Four-digit crop year as defined in the policy for which the claim has been										
		filed										
6.	FSA Farm No.	FSA farm serial number.										
7.	Circle Appraisal	Circle "EC" for ear corn.										
	Code and enter in											
	col. 10 part 1.											
8. –	19.	MAKE NO ENTRY.										
PAF	RT II – MATURITY	LINE WEIGHT METHOD (from milk stage until kernels are fully										
matu	are and moisture drop	s below 40).										
20.	Field ID	Field or subfield identification symbol.										
22.	Stage	MAKE NO ENTRY.										
23.	Fraction of Acre	Use "1/100," if potential appears to be 20 bushels per acre or less, or										
		"1/1000," if potential appears to be in excess of 20 bushels or more per										
		acre.										
24.	Weight by Stage	Pound weight, to tenths, for each sample by stage of maturity. Determine										
		weights by:										
		(1) Picking and husking all harvestable ears from the sample.										
		(2) Discarding portions of ears having no kernels.										
		(3) Determining maturity line of each ear in order to determine its										
		stage.										
		(4) Sorting ears by stage and weighing all ears in stage (pounds to										
		tenths).										

Form Standards – Appraisal Worksheet for Maturity Line Weight (Continued)

25.	Total Weight All	Total of comple weights from all comple plots for that stage (to tenthe)
23.	Sample Plots	Total of sample weights from all sample plots for that stage (to tenths).
26.	Yield Factor	Use appropriate factor for fraction of an acre used.
20.	Appraisal Per	Result of multiplying Total Weight All Sample Plots (item 25) by
27.	Stage	appropriate yield factor (item 26), rounded to tenths.
	Stuge	appropriate yield factor (item 20), founded to tentils.
		For appraisal modifications for early freeze damage, multiply the result of
		appraisal per stage by the appropriate freeze damage appraisal adjustment,
		rounded to tenths and make a notation of adjustment in the remarks
		section of the appraisal worksheet. Refer to subparagraph 36 (6).
28.	Total Appr. All	Sum of entries in item 27 (Appraisal Per Stage), to tenths.
	Stages	
29.	Total No. Rep.	Number of sample plots.
	Sample Plots	
30.	Acre Appraisal	Result of dividing Total Appraisals All Stages (item 28) by Total Number
		of Representative Sample Plots (item 29), rounded to tenths.
	Remarks	Remarks pertinent to the appraisal, sampling, conditions in general (e.g. –
		very hot and dry), etc.
		ired entries are not illustrated on the Appraisal Worksheet example
	below.	
31.	Insured's	Insured's (or insured's authorized representative) signature and date.
	Signature, and	BEFORE obtaining the insured's signature, REVIEW ALL ENTRIES on
	Date	the Appraisal Worksheet WITH THE INSURED (or insured's authorized
		representative), particularly explaining codes, etc., which may not be
20	A 1' / 2	readily understood.
32.	Adjuster's	Signature of adjuster, code number, and date signed after the insured (or
	Signature, Code	insured's authorized representative) has signed. If the appraisal is
	No., and Date	performed prior to signature date, document the date of appraisal in the
		Remarks section of the Appraisal Worksheet (if available); otherwise, document the appraisal date in the Narrative of the PW.
	Page Number	Page numbers – (Example: Page 1 of 1, Page 1 of 2, etc.).
	i age Mullioei	1 age numbers = (Example. 1 age 1 of 1, 1 age 1 of 2, etc.).

Form Standards – Appraisal Worksheet for Maturity Line Weight (Continued)

COMPANY Any Cor		CLAIM N			SURED'S nsured	NAME	AME 2. POLICY NO. 3. XXXXXXXX					B. UNIT NO. 0001-0001BU					E APPRAISAL COD n Col. 10 Part 1	E
Any Con A. CRO CORN (DP			6. FSA FA	100 if sample size sele			YIELD PCORN CC cted was 1/100 acre 1.43 if sample size selec			СО	D FACTOR CORN ected was 1/100 acre 1.34, if sample size selected was 1/10				0 acre		
PART I – I	MATURE E	AR CORN	- POPCOR	RN – HYB	RID SEEI	D (corn, g	rain sorgh	ium) – GF	RAIN SOR			VEIGHT METHO		npie size sele	cted was 1/1000	acte		
FIELD ID 8	ACRES IN FIELD 9	KIND OF APPR 10.	FRACTIO OF ACRE 11	N				BLOCK THE LOT TO TENTHS		TOTAL WEIGHT ALL SAMPLE PLOTS 13		NO. OF SAMPLE PLOTS 14	AVG. SA WEIGHT FIEL 15	Г PER .D	YIELD FACTOR 16	PER ACRE YIELD (CIRCLE ONE) 17	FOR MATURE CORN POPCORN AND GRAIN SORGHUM	
										=		+ =	-	x	=	BUSHELS TONS POUNDS	18. MOISTURE	T/FACTOR 19. SHELLINC
										=		÷ =	=	x	=	BUSHELS TONS POUNDS	18. MOISTURE	T/FACTOR 19. SHELLING
										 = 		 ÷ =	-	x	=	BUSHELS TONS POUNDS	18. MOISTURE	<u>T/FACTOR</u> 19. SHELLINO
			1								om milk stag	e until kernels are						
FIELD ID	STAGE	FRAC- TION O ACRE	F		T	Τ	the Pounds p					TOTAL WEIG SAMPL PLOTS	E		LD FACTOR 26	APPRAISAL PER STAGE	REPRESENTATIVE (Popo	corn)
20	22	23	Plot 1	Plot 2	Plot 3	Plot 4	Plot 5	Plot 6	Plot 7	Plot 8	Plot 9	25		Corr	Popcorn	27	 1/100 acre if po 500 lbs/acre or 	otential appears t less.
В	1⁄4	1/100	0.0	3.3	6.1	3.3	0.0					= 12.7	x	.7092		= 9.0		ootential appears
creage in		1/100	7.1	6.5	4.4	5.2	6.3					29.5		.7463	42.0		REPRESENTATIVE SAMPLES (Corn, Grain Sorghum) 1. 1/100 acre if potential appears to	
eld to nths 21	1⁄2	1/1000	-								<u> </u>	=	x	7.463		= 22.0		
21		1/100	6.9	4.1	3.2	5.8	0.0					20.0		.8000		- <u> </u>	20 bushels/acre	or less.
10.0	3⁄4	1/1000										=	x	8.000	0 450.0	= 16.0	 1/1000 acre if potential appears be in excess of 20 bushels/acre. 	
		1/100	3.5	0.0	0.0	0.0	0.0					3.5		.8475	5 47.0			
	Doughy	1/1000										Ē	— x	8.475	0 470.0	= 3.0		
		1/100												1.063	8 59.0	1		
1	Extended	1/1000										=	x	10.638	30 590.0	=	TOTAL NO. REP. SAMPLE PLOTS 29	ACRE APPRAISA 30
EMARKS		es show	n above	e are fo	or illus	stration	n purpo	ses on	ly. No	ormally	, corn is	in only tw	o stage	s.	1	28 TOTAL APPR. ALL STAGES 50.0	- 5	= 10.0

This form example does not illustrate all required entry items (e.g., signatures, dates, etc.).

Form Standards – Appraisal Worksheet for Weight

Verify and/or make the following entries for each appraisal worksheet element/item number. A completed appraisal worksheet example is at the end of this exhibit. For general form standards and other general information, see subparagraph 2D and paragraph 37. Complete heading, items 1 through 7, Part I items 8 through 19, and Part II items 31 and 32.

	Element/Item	Standard
	Number	
	Company	The AIP's name if not preprinted on the worksheet (Company Name).
	Claim Number	Claim number as assigned by the AIP.
1.	Insured's Name	Name of the insured that identifies EXACTLY the person (legal entity) to
		whom the policy is issued.
2.	Policy No.	Insured's assigned policy number.
3.	Unit No.	Unit number from the Summary of Coverage after it is verified to be
		correct.
4.	Crop	"Corn Grn."
5.	Crop Year	Four-digit crop year as defined in the policy for which the claim has been
		filed
6.	FSA Farm No.	FSA farm serial number.
7.	Circle Appraisal	Circle "EC" and enter in item 10, Part I.
	Code and enter in	
	col. 10 part 1.	
		Part I – Weight Method
Use	this method for corn f	For grain when kernels are fully mature and moisture drops below 40
perce		
8.	Field ID	Field or subfield identification symbol.
9.	Acres in Field	Number of determined acres, to tenths, in field or subfield being
		appraised
10.	Kind of Appr.	Enter "EC."
11.	Fraction of Acre	Enter "1/100," if potential appears to be less than 20 bushels per acre.
		Enter "1/1000," if potential appears to be 20 bushels or more per acre.
12.	Weight per Sample	Weight for each sample (pounds, to tenths).
13.	Total Weight All	Sum of entries in item 12 (pounds, to tenths).
	Sample Plots	
14.	No. of Sample	Number of sample plots.
	Plots	
15.	Avg. Sample	Result, rounded to tenths, of dividing total weight of all samples (item 13)
	Weight per Field	by the number of sample plots (item 14).
16.	Yield Factor	If entry in item 11 is $1/100$, enter "1.43." If entry in item 11 is $1/1000$,
		enter "14.3."
17.	Per Acre Yield	Result, rounded to tenths, of multiplying average sample weight per
		field (item 15) by the yield factor (item 16). Circle appropriate unit of
		measure.
18.	Moisture	Record moisture percentage, if in excess of 15.0 (through 40) percent, to
		tenths.

Form Standards – Appraisal Worksheet for Weight (Continued)

19.	Shelling	Shelling percentage factor (to whole percent). Refer to exhibit 17.
	Remarks	Remarks pertinent to the appraisal, sampling, conditions in general (e.g
		very hot and dry), etc.
	The following requ	ired entries are not illustrated on the Appraisal Worksheet example
	below.	
31.	Insured's Signature and Date	Insured's (or insured's authorized representative) signature and date. BEFORE obtaining the insured's signature, REVIEW ALL ENTRIES on the Appraisal Worksheet WITH THE INSURED (or insured's authorized
		representative), particularly explaining codes, etc., which may not be readily understood.
32.	Adjuster's Signature, Code No., and Date	Signature of adjuster, code number, and date signed after the insured (or insured's authorized representative) has signed. If the appraisal is performed prior to signature date, document the date of appraisal in the Remarks section of the Appraisal Worksheet (if available); otherwise, document the appraisal date in the Narrative of the PW.
	Page Number	Page numbers – (Example: Page 1 of 1, Page 1 of 2, etc.).

Form Standards – Appraisal Worksheet for Weight (Continued)

COMPANY Any Company 4. CROP. CORN GRN		CLAIM NUMBER 1. IN XXXXXX			1. INSURED'S NAME 2 I. M. Insured				2. POLICY NO. 3. XXXXXXX 3.				UNIT NO. 0002-0002BU				7. CIRCLE APPRAISAL CODE and enter in Col. 10 Part 1 GRAIN SORGHUM – GS EAR CORN – (EC)			
		YYYY		6. FSA FARM NO. 100		1000 if :	mple size sel ample size s	PCORN cted was 1/100 acre lected was 1/1000 acre		YIELD F COR 1.43 if sample size selecte 14.3 if sample size selecter GHUM AND SILAGE W		RN d was 1/100 acre d was 1/1000 acre.3	1.34 if sample size selecter3 13.4 if sample size selecter			CORN GRAIN Icre	POPCORN – PEC CORN SILAGE – CS GRAIN SORGHUM, SILAGE – GSS			
FIELD ID 8	ACRES IN FIELD 9		FRACTION OF ACRE 11		R	ECORD IN	EACH BI	,		TOTAI AL	L WEIGHT L SAMPLE PLOTS 13	NO. OF SAMPLE PLOTS 14	AVG. SA WEIGHT FIEL 15	PER D	YIELD FACTOR 16	PER ACRE YIE (CIRCLE ON 17	E) POPCO	URE CORN RN AND ORGHUM		
F	10.0	EC	1/100	4.3	3 6.	2 5.	1 3.9	5.0		=	24.5	÷ 5 =	= 4.9	x	1.43 =	(BUSHELS) 7. TONS POUND:	18. MOISTURE 20.5	T/FACTOR 19. SHELLIN 80		
									—	=		÷	 = 	x	=	BUSHELS TONS POUNDS	18. MOISTURE	FACTOR 19. SHELLING		
	•				PA	RT II – MA	TURITY I	INE WEIG	HT METH	OD (For ea	ar corn until ke	rnels are fully man	ture and moi	sture drops	below 40%)					
FIELD ID	STAGE	FRAC- TION OF ACRE					24	per Sample				TOTAL WEIG SAMPL PLOTS	E		LD FACTOR 26	APPRAISA PER STAG				
20	22	23	Plot 1	Plot 2	Plot 3	Plot 4	Plot 5	Plot 6	Plot 7	Plot 8	Plot 9	25		Corn .7092	-	27	1. 1/100 acre if pote 500 lbs	s/acre or less.		
	1/4	1/1000									-		x	7.092		=	2. 1/1000 acre if po in excess of 500 lbs/ac			
Acreage in Field to	1/2	1/100											1	.7463	42.0	1	REPRESENTAT			
tenths 21	72	1/1000										=	X	7.4630	420.0	=	(Corn, Grain 1. 1/100 acre if pote	0,		
	3⁄4	1/100											x	.8000	45.0	 =	20 bushels/acre or			
	74	1/1000										=		8.0000	450.0		 1/1000 acre if point in excess of 20 bus 			
	Doughy	1/100											x	.8475	_	=				
	2 oughy	1/1000										-		8.4750				Γ		
	Extended	1/100										=	x	1.0638		=	TOTAL NO. REP. SAMPLE PLOTS 29	ACRE APPRAISAL 30		
REMARKS	5:	I	l	1	1	l		1	1							28 TOTAL APPR. ALL STAGES		=		

This form example does not illustrate all required entry items (e.g., signatures, dates, etc.).

Form Standards – Appraisal Worksheet for Corn Tonnage

Verify and/or make the following entries for each appraisal worksheet element/item number. A completed appraisal worksheet example is at the end of this exhibit. For general form standards and other general information, see subparagraph 2D and paragraph 37. Complete heading, items 1 through 7, Part I items 8 through 19, and Part II items 31 and 32.

	Element/Item	Standard
	Number	
	Company	The AIP's name if not preprinted on the worksheet (Company Name).
	Claim Number	Claim number as assigned by the AIP.
1.	Insured's Name	Name of the insured that identifies EXACTLY the person (legal entity) to
		whom the policy is issued.
2.	Policy No.	Insured's assigned policy number.
3.	Unit No.	Unit number from the Summary of Coverage after it is verified to be
		correct.
4.	Crop	"Corn Sil."
5.	Crop Year	Four-digit crop year as defined in the policy for which the claim has been
		filed.
6.	FSA Farm No.	FSA farm serial number.
7.	Circle Appraisal	Circle "CS" and enter in item 10, Part I.
	Code and enter in	
	col. 10 part 1.	
		Part I – Weight Method
		(tonnage) from milk stage through maturity.
8.	Field ID	Field or subfield identification symbol.
9.	Acres in Field	Acreage (to tenths) in field identified by item 8.
10.	Kind of Appr.	Enter "CS."
11.	Fraction of Acre	Enter "1/1000." If the stand is uniform across the field and tonnage is
		expected to be high, enter "1/2000."
12.	Weight per Sample	Weight for each sample (pounds, to tenths).
13.	Total Weight All	Sum of entries in item 12 (pounds, to tenths).
	Sample Plots	
14.	No. of Sample	Number of sample plots.
	Plots	
15.	Avg. Sample	Result, to tenths, of dividing total weight of all samples (item 13) by the
	Weight per Field	number of sample plots (item 14), rounded to tenths.
16.	Yield Factor	If the entry for fraction of acre (item 11) is "1/2000," enter "1.00;" if
		entry for fraction of acre (item 11) is "1/1000," enter ".5."

Form Standards – Appraisal Worksheet for Corn Tonnage (Continued)

17.	Per Acre Yield	Result of multiplying average sample weight (item 15) by yield factor (item 16), rounded to tenths. Circle appropriate unit of measure.
		For grain-deficient silage (less than 4.5 bushels per ton based on grain appraisal of the standing crop), apply the appropriate factor from exhibit 22. No reduction for grain deficiency is to be made if a grain appraisal cannot be made prior to harvest or a representative unharvested sample is not left in accordance with the policy provisions. Corn planted for harvest as silage which produces few or no ears due to uninsurable causes (i.e., growing season requirements which are longer than that normally available for the area, corn genetically selected to not produce grain, etc.) is not eligible for adjustment due to grain deficiency.
18.	Moisture	Use only when silage moisture must be corrected – silage moisture
10	<u> </u>	percent (to tenths).
19.	Shelling	MAKE NO ENTRY.
	Remarks	Remarks pertinent to the appraisal, sampling, conditions in general (e.g. – very hot and dry), etc.
	The following requ	ired entries are not illustrated on the Appraisal Worksheet example
	below.	neu entres are not mustrateu on the Appraisar worksheet example
31.	Insured's Signature and Date	Insured's (or insured's authorized representative) signature and date. BEFORE obtaining the insured's signature, REVIEW ALL ENTRIES on the Appraisal Worksheet WITH THE INSURED (or insured's authorized representative), particularly explaining codes, etc., which may not be readily understood.
32.	Adjuster's Signature, Code No., and Date	Signature of adjuster, code number, and date signed after the insured (or insured's authorized representative) has signed. If the appraisal is performed prior to signature date, document the date of appraisal in the Remarks section of the Appraisal Worksheet (if available); otherwise, document the appraisal date in the Narrative of the PW.
	Page Number	Page numbers – (Example: Page 1 of 1, Page 1 of 2, etc.).

Form Standards – Appraisal Worksheet for Corn Tonnage (Continued)

	LUSTRAT	TION PUR	POSES O	NLY – N	MATUR	E CORN	TONNA	GE MET	HOD APP	RASIAL	WORKS	HEET	1								
COMPANY CLAIM NUMBER I. INSURED'S NAME 2. POLICY NO. Any Company xxxxxx I. M. Insured XXXXXXX										3. UNIT NO.							7. CIRCLE APPRAISAL CODE				
·		XXXXX	XX		I. M.	Insured	l		XXXX	XXXX	GRAIN SORGHUM – GS EAR CORN – EC										
4. CROI	, RN <mark>SIL</mark>	5. CROP YR. YYYY									YIELD FA CORN 1.43 if sample size selected 14.3 if sample size selected		RN ed was 1/100 acre 1.34 if samp		nple size s	GRAIN SORGHUM le size selected was 1/100 acre e size selected was 1/1000 acre		POPCORN – PEC CORN SILAGE – (CS) GRAIN SORGHUM, SILAGE – GSS			
PART I –	MATURE E	AR CORN -	- POPCOR	RN – HYB	RID SEE								HT METHC		ipie size se	lected was 1/10					
FIELD ID 8	ACRES IN FIELD 9	KIND OF APPR 10.	FRACTION OF ACRE 11	N				LOCK THE		AL	TOTAL WEIGHT ALL SAMPLE PLOTS 13		NO. OF SAMPLE PLOTS 14	AVG. SA WEIGHT FIEL 15	T PER D	YIELD FACTOR 16	(CIRC)	RE YIELD LE ONE) 17	FOR MATURE CORN POPCORN AND GRAIN SORGHUM		
				9.2	8.	1 7.		1 6.3		-	15		17	15		10	BUSHEL		PERCEN	T/FACTOR 19. SHELLING	
В	10.0	CS	1/1000							-	40.1	÷	5	8.0	x	0.5	= (TONS)	POUNDS		17. 51122211.(0	
moisture	onversion silage. Y: : 4.0 tons	ield in ton	s multipl	ied by a	djustme				5%	=		÷	=	=	Х		= BUSHEL (TONS)	s <u>4.0</u> T	10 MOICTUDE	T/FACTOR 19. SHELLING	
-	onversion				-	reflect	less than	4 5									POUNDS		PERCEN	T/FACTOR	
bushels of	of grain per ment facto	r ton for c	orn going	g into sil	lage. Th	e yield i	n tons m	ultiplied		=		÷	-	=	х	1	= BUSHEL (TONS) POUNDS		-	19. SHELLING	
Ex. 4: C	onversion	for BOTH	H dry sila	ge and g	grain def	ficiency.	Multipl	y the	\frown								BUSHELS	4.0 T	E DEDC	CENT/FACTOR	
	adjustmer in tons by									=		÷		=		x	= (TONS) POUNDS	8.2 1	- F		
factor) x	.90 (grain 0 tons = 8.0)	-deficienc	y factor)						r										18. MOISTURE	19. SHELLING	
											ar corn until					os below 40 %			- I		
FIELD ID	STAGE	FRAC- TION OF ACRE		R	ecord in E	ach Block	the Pounds	per Sample	Plot to Ten	iths		T	TOTAL WEIGHT ALL SAMPLE PLOTS		Y	YIELD FACTOR		REPRESENTATIVE APPRAISAL (Popo PER STAGE			
20	22	23 P.	Plot 1	Plot 2	Plot 3	Plot 4	Plot 5	Plot 6	Plot 7	Plot 8	Plot 9		25	, 	Co			27	1. 1/100 acre if po 500 lbs/acre or less.	otential appears to be	
	1/4	1/100									<u> </u>	-		x	.70		- =			otential appears to	
ACREAGE	/4	1/1000 1/100										-			7.09				be in excess of 500 lb		
IN FIELD TO TENTHS 21	1/2	1/100			$\left\{ - \right\}$			+-		-		=		x	7.46		- =		REPRESENTAT (Corn, Grain		
		1/100													.80				1. 1/100 acre if po 20 bushels/acre or les	tential appears to be	
	3⁄4	1/1000										=		x	8.00		- =			s. ootential appears to	
		1/100													.84				be in excess of 20 bus		
	Doughy	1/1000									<u> </u>	Ē	-	x	8.47	750 470.0	- = I				
		1/100												†	1.06	538 59.0	-		TOTAL NO DE-		
	Extended	1/1000										=		х	10.6	380 590.0	=		TOTAL NO. REP. SAMPLE PLOTS 29	ACRE APPRAISAL 30	
REMARKS	: This for	rm exam	ple doe	s not ill	lustrate	e all rec	quired e	ntry ite	ms (e.g.	, signat	ures, da	ites, e	tc.).	1		I	28 TOT APPR. A STAC	ALL	<u>.</u>	=	

Form Standards - Production Worksheet

Verify and/or make the following entries for each <u>PW</u> element/item number. A completed <u>PW</u> example is at the end of this exhibit. For general form standards and other general information, see subparagraph 2D and paragraph 51.

	Element/Item	Description
	Number	
1.	Crop/Code #	"Corn" (0041).
2.	Unit #	Unit number from the Summary of Coverage after it is verified to be correct.
3.	Location Description	Land location that identifies the legal description, if available, and the location of the unit (e.g., section, township, and range; FSA Farm Numbers; FSA Common Land Units (CLU) and tract numbers; GPS identifications; or Grid identifications) as applicable for the crop.
4.	Date(s) of Damage	First three letters of the month(s) during which the determined insured damage occurred for the inspection and cause(s) of loss listed in item 5 below. If no entry in item 5 below MAKE NO ENTRY. For progressive damage, enter the month that identifies when the majority of the insured damage occurred. Include the SPECIFIC DATE where applicable as in the case of hail damage (e.g., Aug 11). Enter additional dates of damage in the extra spaces, as needed. If more space is needed, document the additional dates of damage in the Narrative (or on a Special Report). Refer to the illustration in item 6 below. If there is no insurable cause of loss, and a no indemnity due claim will be completed, MAKE NO ENTRY.
5.	Cause(s) of Damage	Name of the determined insured cause(s) of damage for this crop as listed in the LAM for the date of damage listed in item 4 above. If an insured cause(s) of damage is coded as "Other," explain in the Narrative. Enter additional causes of damage in the extra spaces, as needed. If more space is needed, document the additional determined insured causes of damage in the Narrative (or on a Special Report). Refer to the illustration in item 6 below. If it is evident that no indemnity is due, enter "NO INDEMNITY DUE" across the columns in Item 5 (refer to the LAM for more information on no indemnity due claims).

Elen	nent/Item Number	Description									
6.	Insured Cause %	PRELIMINARY: MAKE NO ENTRY.									
		REPLANT AND FINAL: Whole percent of damage for the insured cause of damage listed in item 5 above. Enter additional "Insured Cause %" in the extra spaces, as needed. If additional space is needed, enter the additional determined "Insured Cause %" in the Narrative (or on a Special Report). The total of all "Insured Cause %" including those entered in the Narrative must equal 100%.									
		If there is no insurable caus will be completed, MAKE			mnity due c	laim					
		Example entries for items 4 for multiple dates of damag damage and insured cause p	e, the corres		-						
		4. Date(s) of Damage	MAY	JUN 30	AUG	7					
		5. Cause(s) of Damage	Excess Moisture	Hail	Drought						
		6. Insured Cause %	40	20	30						
		Narrative: Additional dat Damage – Freeze; Insured	-		Cause of						
7.	Company/Agency	Name of company and ager	ncy servicing	the contra	ct.						
8.	Name of Insured	Name of the insured that id entity) to whom the policy		ACTLY the	person (leg	gal					
9.	Claim #	Claim number as assigned by the AIP.									
10.	Policy #	Insured's assigned policy n									
11.	Crop Year	Four-digit crop year, as defined.	ined in the p	olicy, for w	which the cla	um is					
12.	Additional Units	PRELIMINARY AND R	E PLANT: N	MAKE NO	ENTRY.						
		FINAL: Unit number(s) for time of final inspection. A mass not been completed. A on a single <u>PW</u> .	non-loss unit	is any unit	t for which	a <mark>PW</mark>					
		If more spaces are needed f identified as "Non-Loss Un Special Report.									

Elen	nent/Item Number	Description								
13.	Est. Prod. Per Acre	PRELIMINARY AND REPLANT: MAKE NO ENTRY.								
	Acic	FINAL: Estimated yield per acre, in whole bushels or tons to								
		tenths, of ALL non-loss units for the crop at the time of final inspection.								
14.	Date(s) Notice of	PRELIMINARY:								
	Loss									
		a. Date the first or second notice of damage or loss was given for the unit in item 2, in the 1st or 2nd space, as applicable. Enter the complete date (MM/DD/YYYY) for each notice.								
		 A notice of damage or loss for a third preliminary inspection (if needed) requires an additional set of PWs. Enter the date of notice for a third preliminary inspection in the 1st space of item 14 on the second set of PWs. 								
		c. Reserve the "Final" space on the first page of the first set of PWs for the date of notice for the final inspection.								
		d. If the inspection is initiated by the AIP, enter "Company Insp." instead of the date.								
		e. If the notice does not require an inspection, document as directed in the Narrative instructions.								
		REPLANT AND FINAL: Transfer the last date (in the 1st or 2nd space from the first or second set of PWs) to the FINAL space on the first page of the first set of PWs if a final inspection should be made as a result of the notice. Always enter the complete date of notice (MM/DD/YYYY) for the "FINAL" inspection in the final space on the first set of PWs. For a delayed notice of loss or delayed claim, refer to the LAM.								

Element/Item Number		Description				
15. Companion Policy(s)	a.	If no other person has a share in the unit (insured has 100 percent share), MAKE NO ENTRY.				
	b.	In all cases where the insured has LESS than a 100 percent share of a loss-affected unit, ask the insured if the OTHER person sharing in the unit has a multiple-peril crop insurance contract (i.e., not crop-hail, fire, etc.). If the other person doe not, enter "NONE."				
		(1) If the other person has a multiple-peril crop insurance contract and it can be determined that the SAME AIP services it, enter the contract number. Handle these companion policies according to AIP instructions.				
		(2) If the OTHER person has a multiple-peril crop insurance contract and a DIFFERENT AIP or agent services it, enter the name of the AIP and/or agent (and contract number) if known.				
		(3) If unable to verify the existence of a companion contract, enter "Unknown" and contact the AIP for further instructions.				
	c.	Refer to the LAM for further information regarding companion contracts.				

Section I – Determined Acreage Appraised, Production and Adjustments

Make separate line entries for varying:

- (1) Rate classes, types, classes, sub-classes, intended uses, irrigated practices, cropping practices, or organic practices, as applicable;
- (2) APH yields;
- (3) Appraisals;
- (4) Adjustments to appraised mature production (moisture and/or quality adjustment factors);
- (5) Stages or intended use(s) of acreage;
- (6) Shares (e.g., 50 percent and 75 percent shares on the same unit); or
- (7) Appraisals for damage due to hail or fire if Hail and Fire Exclusion is in effect.

Element/Item Number	Description
16. Field ID	The field or subfield identification symbol from a sketch map or an aerial photo. Refer to the Narrative.
	Where acreage is PARTLY replanted, omit the field ID symbol for the fields that have not been replanted and that have been consolidated into a single line entry.
17. Multi-Crop Code	REPLANT: MAKE NO ENTRY.
	PRELIMINARY AND FINAL: The applicable two-digit code for first crop and second crop. REFER TO THE LAM FOR INSTRUCTIONS REGARDING ENTRY OF FIRST CROP AND SECOND CROP CODES.
18. Reported Acres	In the event of over-reported acres, handle in accordance with the individual AIP's instructions. In the event of under-reported acres, enter the reported acres to tenths for the field or sub field. If there are no under-reported acres MAKE NO ENTRY.
19. Determined Acres	Refer to the LAM for definition of acceptable determined acres used herein. Enter the determined acres to tenths for the field or subfield for which consent is given for other use and/or:
	a. Put to other use without consent;b. Abandoned;c. Demograd by uningurad courses; or
	c. Damaged by uninsured causes; ord. For which the insured failed to provide acceptable records of production.
	Refer to the LAM for procedures regarding when estimated acres are allowed and documentation requirements.
	REPLANT: Determine the total acres, to tenths, of replanted acreage for each field or subfield (DO NOT ESTIMATE). Make a separate line entry for any PART of a field or subfield NOT replanted.
	a. Determine the planted acreage of any fields or subfield NOT replanted. Consolidate it into a single line entry UNLESS the usual reasons for separate line entries apply. Record the field or subfield identities (from a map or aerial photo) in the Narrative.
	b. ACCOUNT FOR ALL PLANTED ACREAGE IN THE UNIT.
	PRELIMINARY AND FINAL: Determined acres to tenths.

Elen	nent/Item Number	Description
19.	Determined Acres	Acreage breakdowns WITHIN a unit or field may be estimated
	(Continued)	(refer to the LAM) if a determination is impractical.
		ACCOUNT FOR ALL PLANTED ACREAGE IN THE UNIT.
20.	Interest or Share	Insured's interest in the crop to three decimal places as determined
		at the time of inspection. If shares vary on the same UNIT, use
01	D' 1	separate line entries.
21.	Risk	Three-digit code for the correct "Rate" specified on the actuarial
		document maps. If a "Rate" or "High-Risk Area" is not specified
		on the actuarial document maps, MAKE NO ENTRY. Verify with
		the Summary of Coverage and if the "Rate" is found to be
		incorrect, revise according to the AIP's instructions. Refer to the LAM.
		LAWI.
		Unrated land is uninsurable without a written agreement.
22.	Туре	Three-digit code number, entered exactly as specified on the
		actuarial documents for the type grown by the insured. If "No
		Type Specified" is shown in the actuarial documents, enter the
		appropriate three-digit code number from the actuarial documents
		(e.g., 997). If a type is not specified on the actuarial documents,
		MAKE NO ENTRY.
23.	Class	Three-digit code number, entered exactly as specified on the
		actuarial documents for the class grown by the insured. If "No
		Class Specified" is shown in the actuarial documents, enter the
		appropriate three-digit code number from the actuarial documents
		(e.g., 997). If a class is not specified on the actuarial documents,
		MAKE NO ENTRY.
24.	Sub-Class	Three-digit code number, entered exactly as specified on the
		actuarial documents for the sub-class grown by the insured. If "No
		Sub-Class Specified," is shown in the actuarial documents, enter
		the appropriate three-digit code number from the actuarial
		documents (e.g., 997). If a sub-class is not specified on the
	T . 1 1 TT	actuarial documents, MAKE NO ENTRY.
25.	Intended Use	Three-digit code number, entered exactly as specified on the
		actuarial documents for the intended use of the crop grown by the
		insured. If "No Intended Use Specified" is shown in the actuarial
		documents, enter the appropriate three-digit code number from the
		actuarial documents (e.g., 997). If an intended use is not specified
		on the actuarial documents, MAKE NO ENTRY.

Elen	nent/Item Number	E	Description
26.	Irr. Practice	actuarial documents for the i insured. If "No Irrigated Pra actuarial documents, enter th from the actuarial documents	tered exactly as specified on the rrigated practice carried out by the actice Specified" is shown in the ne appropriate three-digit code number s (e.g., 997). If an irrigated practice is l documents, MAKE NO ENTRY.
27.	Cropping Practice	actuarial documents for the c out by the insured. If "No C Specified" is shown in the ac appropriate three-digit code	number from the actuarial documents actice is not specified on the actuarial
28.	Organic Practice	actuarial documents for the of insured. If "No Organic Pra- actuarial documents, enter the from the actuarial documents	tered exactly as specified on the organic practice carried out by the ctice Specified" is shown in the ne appropriate three-digit code number s (e.g., 997). If an organic practice is l documents, MAKE NO ENTRY.
29.	Stage	PRELIMINARY: MAKE REPLANT: Replant stage	NO ENTRY. abbreviation as shown below.
		<u>STAGE</u> "R"	EXPLANATION Acreage replanted and qualifying
		"NR"	for replanting payment. Acreage not replanted or not qualifying for a replanting payment. Enter "NR" if the combined potential production appraisal and uninsured cause appraisal totals 90 percent or more of the guarantee for replanting claims.
		FINAL: Stage abbreviation	as shown below.
		<u>STAGE</u> "P"	EXPLANATION Acreage abandoned without consent, put to other use without consent, damaged solely by uninsured causes, or for which the insured failed to provide acceptable records of production to the AIP.

Element/Item Number	D	escription
29. Stage (Continued)	"H" "UH"	Harvested for grain if insured for grain or harvested as silage if insured for silage. Unharvested or put to other use
		with consent, insured as grain but harvested as silage, or insured as silage but harvested as grain.
		: Refer to the Prevented Planting s for any eligible prevented planting
	gleaning.	efer to the LAM for information on
30. Use of Acreage	Use of acreage. Use the follow	ving "Intended Use" abbreviations.
	<u>USE</u> "Replant"	EXPLANATION Acreage replanted and qualifying for replanting payment
	"Not Replanted"	Acreage not replanted or not qualifying for a replanting payment
	"To Millet" "WOC"	Use made of the acreage Other use without consent
	"SU" "ABA" "H"	Solely uninsured Abandoned without consent Harvested
	"UH"	Unharvested
	"HM/G"	High moisture grain
	"S"	Appraised silage going into a sealed upright silo.
	because it is going into high m entered in Section I, item 29 u Section I, item 30 under "Inter entry. If the final use of the ac	grain but requiring a grain appraisal noisture storage would have "UH" nder "Stage" and "HM/G" entered in nded Use." Verify any "Intended Use" creage was not as indicated, strike out Enter all data on a new line showing
		Refer to the Prevented Planting for any eligible prevented planting
	GLEANED ACREAGE: Re gleaning.	fer to the LAM for information on

Eleme	ent/Item Number	Description
31.	Appraised Potential	REPLANT: Enter the bushels or tons per acre allowed for replanting to tenths as determined from the replant calculation
		documented in the Narrative. (Refer to Part 3, for qualifications
		and computations.)
		PRELIMINARY AND FINAL: Per-acre appraisal in bushels or
		tons, to tenths, of POTENTIAL production for the acreage appraised as shown on the appraisal worksheet. Refer to Part 4,
		"Corn Appraisals" for additional instructions. If there is no
		potential on UH acreage, enter "0.0" Refer to the LAM for
		procedures for documenting zero yield appraisals.
32a.	Moisture %	REPLANT: MAKE NO ENTRY.
		PRELIMINARY AND FINAL: Moisture percent (for appraised
		mature grain in excess of 15.0 percent) to tenths. Moisture
		adjustment is applied prior to applying any qualifying adjustment for quality.
32b.	Factor	REPLANT: MAKE NO ENTRY.
0201		
		PRELIMINARY AND FINAL: Moisture factor – For appraised
		mature grain production in excess of 15.0 percent, obtain factor
33.	Shell %, Factor,	from exhibit 23. REPLANT: MAKE NO ENTRY.
55.	or Value	KEI LANI, MARE NO ENIKI.
		PRELIMINARY AND FINAL: If a Weight Method appraisal is
		made in bushels, enter the shelling percentage factor rounded to a
24		two-place decimal (refer to exhibit 17).
34.	Production Pre QA	REPLANT: Enter the result of multiplying column 31 times column 19, rounded to tenths. If no entry in column 31, MAKE
	QA	NO ENTRY.
		PRELIMINARY AND FINAL: Result of multiplying column 31
		times column 19, times column 32b, times column 33, if
		applicable, rounded to tenths. If no entry in column 31, MAKE
35.	Quality Fastor	NO ENTRY. REPLANT: MAKE NO ENTRY.
<i>33</i> .	Quality Factor	REPLANI: MARE NO ENTRY.
		PRELIMINARY AND FINAL: For mature unharvested
		production which due to insurable causes qualifies for quality
		adjustment as provided in the CP, enter the Quality Adjustment
		Factor (QAF) as a three place decimal calculated in accordance with the Quality Statements in the SP (e.g., 1.000750 discount
		factor = $.250$ QAF.)

Elen	nent/Item Number	Description
35.	Quality Factor (continued)	If the QAF is zero, enter ".000." Document all calculations in the Narrative of the PW , or on a Special Report. Copies of all supporting documentation should be included in the insured's claim file. For additional quality adjustment definitions, instructions, documentation, qualifications, and testing requirements, refer to the LAM and the Official United States Standards for the crop. Also, refer to the quality adjustment instructions in the Narrative, herein. If appraised mature production is determined by the AIP to have zero market value, enter ".000." Refer to the SP and the LAM.
36.	Production Post QA	REPLANT: Transfer the entry in item 34.
		PRELIMINARY AND FINAL: Result of multiplying column 34 times column 35, in bushels or tons, rounded to tenths. If no entry in column 35, transfer entry from column 34.
37.	Uninsured Cause	REPLANT: MAKE NO ENTRY.
		PRELIMINARY AND FINAL: Result of per acre appraisal for uninsured causes (taken from appraisal worksheet or other documentation) multiplied by column 19, rounded to tenths. Refer to the LAM for information on how to determine uninsured cause appraisals. If no uninsured causes, MAKE NO ENTRY.
		a. Hail and Fire exclusion NOT in effect.
		(1) Enter the result of multiplying column 19 entry by NOT LESS than the insured's production guarantee per acre for yield protection or for revenue protection not less than the amount of production that when multiplied by the harvest price (projected price for corn insured as silage) equals the revenue protection guarantee, in bushels or tons, to tenths, for the line, (calculated by multiplying the elected coverage level percentage times the approved APH yield per acre shown on the APH form), for any "P" stage acreage.
		(2) On preliminary inspections, advise the insured to keep the harvested production from any acreage damaged SOLELY by uninsured causes separate from other production. Refer to the LAM for information on how to determine uninsured cause appraisals.

Element/Item Number	Description
37. Uninsured Cause (Continued)	 (3) For acreage that is damaged PARTLY by uninsured causes, enter the result of multiplying the APPRAISED UNINSURED loss of production per acre in bushels or tons to tenths, by column 19 entry for any such acreage.
	b. When there is late-planted acreage, the applicable production guarantee for such acreage is the production guarantee per- acre that has been reduced for late-planted acreage, multiplied by column 19 entry.
	c. Refer to the LAM when a Hail and Fire Exclusion is in effect and damage is from hail or fire.
	d. Enter the result of adding uninsured cause appraisals to hail and fire exclusion appraisals.
	e. For fire losses, if the insured also has other fire insurance (double coverage), refer to the LAM.
38. Total to Count	Result of adding item 36 and item 37, to tenths.
39. Total	PRELIMINARY: MAKE NO ENTRY.
	REPLANT AND FINAL: Total determined acres (column 19), to tenths.
40. Quality	REPLANT: MAKE NO ENTRY.
	PRELIMINARY AND FINAL: Check the applicable qualifying quality adjustment (QA) condition(s) affecting the unit's production (refer to table below). Check all qualifying conditions that apply to the unit's appraised and harvested production (refer to the CP and SP).
	Qualifying QA Condition:
	Test Weight (TW)
	Kernel Damage (KD) and Total Defects
	Garlicky (Grade)
	Aflatoxin Vomitoxin
	Fumonisin
	Dark Roast (for Sunflowers only)
	Sclerotinia (for Sunflowers only)
	Ergoty (Grade)
	COFO (commercially objectionable foreign odor) (includes Musty
	and Sour Odor)
	Other None

Element/Item Number	Description	
40. Quality (Continued)	a.	For all qualifying QA conditions checked, in the Narrative (or on a Special Report):
		(1) Document the level for each qualifying QA condition as indicated by approved test results, and the name and location of each testing facility that verifies the presence of the qualifying QA condition and the date of the test(s); or
		(2) Enter "See documentation included in the claim file" (e.g., include copy of the test facility certificate, grade certificate, summary or settlement sheet, etc., that documents the QA condition).
	b.	If "Other" is checked, in addition to the above documentation requirements, document in the Narrative (or on a Special Report):
		(1) A description of the qualifying QA condition;
		(2) The name of the controlling authority that considers this qualifying QA condition to be injurious to human or animal health and why.
		(3) Refer to Part 2, subparagraph 13 B if, due to insured causes, a Federal or State agency has ordered the appraised crop or production to be destroyed.
	c.	Check "None" if none of the production qualifies for QA.

Elen	nent/Item Number	Description
41.	Mycotoxins exceed FDA,	REPLANT: MAKE NO ENTRY.
	State, or other health organization maximum limits. Check "Yes:"	PRELIMINARY AND FINAL: Check "Yes" if any mycotoxins listed in item 40 (including any identified as "Other") exceed the FDA, state, or other health organization maximum limits, otherwise leave blank. Document in the Narrative (or on a Special Report), the disposition of the production that was:
		a. Sold, document the name and address of the buyer; or
		b. Not sold, document the date(s) of the disposition, how the production was used, or how it was destroyed.
		Refer to the LAM and the SP for additional information on mycotoxins.
42.	Totals	Total of entries in columns 34, 36, 37 and 38, to tenths. If a column has no entries, MAKE NO ENTRY.
		The following instructions apply if the AIP has given instructions for a one page PW for corn insured as grain and silage within the same unit. Draw a horizontal line in item 42. Tons will be totaled and entered in upper part of box and bushels will be totaled and entered in the lower part of box.

NARRATIVE INSTRUCTIONS

If more space is needed, document on a Special Report, and enter "See Special Report." Attach the Special Report to the PW.

a.	If no acreage is released on the unit, enter "No acreage released," adjuster's initials, and
	date.
b.	If notice of damage was given and No Inspection is required, enter "No Inspection," the
	unit number(s), date, and adjuster's initials (do not enter unit numbers for which notice
	has not been given). The insured's signature is not required.
с.	Explain any uninsured causes, unusual, or controversial cases.
d.	If there is an appraisal in Section I, column 37 for uninsured causes due to a hail/fire
	exclusion, show the original hail/fire liability per acre and the hail/fire indemnity per
	acre.

e.	Document the actual appraisal date if an appraisal was performed prior to the adjuster's
с.	signature date on the appraisal worksheet, and the date of the appraisal is not recorded on
	the appraisal worksheet.
f.	State that there is "No other fire insurance" when fire damages or destroys the insured
	crop and it is determined that the insured has no other fire insurance. Also refer to the
	LAM.
<u>g</u> . h.	Explain any errors found on the Summary of Coverage.
	Explain any commingled production. Refer to the LAM.
i.	Explain any entry for "Production Not to Count" in Section II, column 62 and/or any production not included in Section II, column 56 or column 49 - 52 entries (e.g., harvested production from uninsured acreage that can be identified separately from the insured acreage in the unit).
j.	Explain a "No" checked in item 44.
k.	Attach a sketch map or aerial photo to identify the total unit:
	 If consent is or has been given to put part of the unit to another use or to replant; If acreage has been replanted to a practice uninsurable as an original practice; If uninsured causes are present; or For unusual or controversial cases.
	Indicate on the aerial photo or sketch map, the disposition of acreage destroyed or put to other use with or without consent.
1.	Explain any difference between date of inspection and signature dates. For an ABSENTEE insured, enter the date of the inspection AND the date of mailing the PW for signature.
m.	When any other adjuster or supervisor accompanied the adjuster on the inspection, enter the code number of the other adjuster or supervisor and the date of inspection.
n.	Explain the reason for a "No Indemnity Due" claim. "No Indemnity Due" claims are to be distributed in accordance with the AIP's instructions.
0.	Explain any delayed notices or delayed claims as instructed in the LAM.
p.	Document any authorized estimated acres, as instructed in the LAM, shown in Section I, column 19.
q.	Document the method and calculation used to determine acres for the unit. Refer to the LAM.
r.	Specify the type of insects or disease when the insured cause of damage or loss is listed as insects or disease. Explain why control measures did not work.
s.	Document the appraisal (plus appraisal for uninsured causes of loss, if applicable) for replanted acreage, and the calculations to show that the qualification for a replanting payment have been met. Refer to Part 3, paragraph 22.

	Field No., "NOT QUAL FOR RP PAYMENT," date of inspection, adjuster's initials, and reason not qualified.
u.	
u.	
	For replant claims, indicate if the pounds allowed for replanting have/have not been reduced for share on the PW according to individual AIP guidelines.
	For production that qualifies for Quality Adjustment (supporting documentation should be included in the insured's claim file):
	(1) Explain any ".000" quality adjustment (QA) factor entered in Section I, column 35 or Section II, column 65.
	(2) Explain any deficiencies, substances, or conditions that are allowed for quality
	adjustment, as well as any which were not allowed.
	(3) If mycotoxins are present, document the level based on laboratory test results.
	(4) If a Federal or State destruction order has been issued, attach to the PW a copy of the
	Federal or State destruction order and the insured's completed Certification Form.
	(5) Document the DFs or the RIV's and Local Market Price, as applicable, used in
	establishing the QA factor for mature appraised or harvested production.
	(6) Refer to the LAM for documentation requirements when any excess transportation
	costs or conditioning costs are included in the QA factor.
	(7) Document all calculations used in determining QA factors.
	(8) Refer to the LAM for additional documentation requirements.
	Document field ID's, date, and method of destruction of mycotoxin-infested corn if it has no market value. For further documentation instructions, refer to the LAM.
	Document the name and address of the charitable organization when gleaned acreage is applicable. Refer to the LAM for more information on gleaning.
•	Document any other pertinent information, including any data to support any factors used to calculate the production.
Z.	Specify in the Narrative when separate PWs are used for grain and silage within a unit.
	For replant claims, indicate if the bushels/tons allowed for replanting have/have not been
	reduced for share on the PW according to individual AIP guidelines.

SECTION II – DETERMINED HARVESTED PRODUCTION

- (1) Account for ALL HARVESTED PRODUCTION (for ALL ENTITIES sharing in the crop) except production appraised BEFORE harvest and shown in Section I because the quantity cannot be determined later (e.g., high moisture grain going into air-tight storage, released for other uses, etc.). If possible, use silage appraisals rather than harvest production derived from structure measurements. Tonnage determinations based on volume vary widely due to varying pack, settling with time, moisture content, and coarseness of chop.
- (2) Columns 49 through 52 are for structure measurements entries (Rectangular, Round, Conical Pile, etc.). If structures are a combination of shapes, break into a series of average measurements, if possible. Enter "Odd Shape" if production is stored in an odd-shaped structure. Document measurements on a Special Report or other worksheet used for this purpose.
- (3) If farm-stored production has been weighed prior to storage and acceptable weight tickets are available showing gross weights, enter "Weighed and Stored On Farm" in columns 49 through 52. Refer to the LAM for acceptable weight tickets. Convert weighed ear corn to a shelled corn basis before entering production in column 56 (divide ear corn weight by 70 to get grain bushels to enter in column 56, and make usual entries for shelled corn).
- (4) For production commercially stored, sold, etc., make entries in columns 49 through 52 as follows:
 - (a) Name and address of storage facility or buyer.
 - (b) "Seed," "Fed," etc.
- (5) There will be no "harvested production" entries for replanting payments.
- (6) If acceptable sales or weight tickets are not available, refer to the LAM.
- (7) If additional lines are necessary, the data may be entered on a continuation sheet. USE SEPARATE LINES FOR:
 - (a) Separate storage structures.
 - (b) Varying names and addresses of buyers of sold production.
 - (c) Varying determinations of production (varying moisture, foreign material (FM), test weight, value, etc.). Average percent of FM or moisture can be entered when the elevator has calculated the average on the summary sheet, and the determined average is acceptable to the adjuster. Separate line entries are not otherwise required. Refer to the LAM for instructions.

- (d) Varying shares; e.g., 50 percent and 75 percent shares on same unit.
- (e) Production from first (original) or second (substitute) crop acreage when a second crop will be or is planted on the first crop acreage within the same crop year.
- (f) Conical piles. Do **NOT** add the cone in the top or bottom of a bin to the height of other grain in the structure. For computing the production in cones and conical piles, refer to the LAM.
- (8) There will generally be no harvested production entries in columns 47 through 66 for preliminary inspections.
- (9) If there is harvested production from more than one insured practice (or type) and a separate approved APH yield has been established for each, the harvested production also must be entered on separate lines in columns 47 through 66 by type or practice. If production has been commingled, refer to the LAM.

Element/Item Number		Description
43.	Date Harvest	PRELIMINARY: MAKE NO ENTRY.
	Completed: (Used to	
	determine if there is	REPLANT AND FINAL:
	a delayed notice or a delayed claim. Refer to the LAM.)	a. The earlier of the date the ENTIRE acreage on the unit was (1) harvested, (2) totally destroyed, (3) replanted, (4) put to other use, (5) a combination of harvested, destroyed, or put to other use, or (6) the calendar date for the end of the insurance period.
		b. If at the time of final inspection (if prior to the end of the insurance period), there is any unharvested insured acreage remaining on the unit that the insured does not intend to harvest; enter " Incomplete ."
		c. If at the time of final inspection (if prior to the end of the insurance period), none of the insured acreage on the unit has been harvested, and the insured does not intend to harvest such acreage, enter " No Harvest ."
		d. If the case involves a Certification Form, enter the date from the Certification Form when the entire unit is put to another use, replanting is complete for the unit, etc. Refer to the LAM.

Element/Item Number		Description
44.	Damage similar to	PRELIMINARY: MAKE NO ENTRY.
	other farms in the	
	area?	REPLANT AND FINAL: Check "Yes" or "No." Check "Yes"
		if the amount and cause of damage due to insurable causes is
		similar to the experience of other farms in the area. If "No" is
		checked, explain in the Narrative.
45.	Assignment of	Check "Yes" only if an assignment of indemnity is in effect for
	Indemnity	the crop year; otherwise, check "No." Refer to the LAM.
46.	Transfer of Right to	Check "Yes" only if a transfer of right to indemnity is in effect
	Indemnity	for the unit for the crop year; otherwise, check "No." Refer to
		the LAM.
47a.	Share	RECORD ONLY VARYING SHARES on SAME unit to three
		decimal places.
47b.	Field ID	a. If only one practice and/or type of harvested production is
		listed in Section I, MAKE NO ENTRY.
		b. If more than one practice and/or type of harvested
		production is listed in Section I, and a separate approved
		APH yield exists, indicate for each practice/type the
		corresponding Field ID (from Section I, column 16).
48.	Multi-Crop Code	The applicable two-digit code for first crop and second crop.
		REFER TO THE LAM FOR INSTRUCTIONS REGARDING
		ENTRY OF FIRST CROP AND SECOND CROP CODES.
49.	Length or Diameter	Internal measurement in feet to tenths of structural space
		occupied by crop.
		a. Length if rectangular.
		h Dispute if some des social site. Defende the LAMAS
		b. Diameter if round or conical pile. Refer to the LAM to convert circumference to diameter if internal diameter
50	Width	measurement is not possible.
50.	Width	Internal width measurement in feet to tenths of space occupied by grop in structure if reactongular. If round enter "PND." If
		by crop in structure if rectangular. If round, enter "RND." If
51	Donth	conical pile, enter "Cone."
51.	Depth	Depth measurement in feet to tenths of space occupied by crop in reatingular or round structure. If conical pile onter the height
		in rectangular or round structure. If conical pile, enter the height
		of the cone. If there is production in the storage structure from
		other units or sources, refer to the LAM.

Element/Item Number		Description
52.	Deductions	Cubic feet, to tenths, of crop space displaced by chutes, vents, studs, crossties, etc. Refer to the LAM for computation instructions.
53.	Net Cubic Feet	Net cubic feet of crop in the storage structure. Refer to the LAM for computation instructions.
54.	Conversion Factor	Enter Conversion Factor as follows:
		Corn (Shelled) 0.8 Corn (Ear) 0.4 Corn (Ground Shelled) 0.7 Corn (Ground Ear) 0.6
55.	Gross Prod.	Multiply column 53 times column 54, rounded to tenths of a bushel for grain or ton for silage.
56.	Bu., Ton, Lbs., Cwt.	 Circle "Bu." for grain or "ton" for silage. Grain production in bushels, to tenths, before deductions for grain moisture and foreign material or silage in tons, to tenths, before deduction for grain deficiency or increase due to low silage moisture, for production: a. Weighed and stored on the farm. b. Sold and/or stored in commercial storage - Obtain gross production for the UNIT from the summary and/or settlement sheets. (Individual load slips only WILL NOT suffice unless the storage facility or buyer WILL NOT provide summary and/or settlement sheets to the insured, and this is documented in the Narrative.) c. Stored in odd-shaped structures. The adjuster must compute the amount of gross production. (Refer to the LAM for cubic footage and production computations). A
		 copy of ALL production calculations must be left in the file folder. d. SILAGE - Refer to Paragraph 14 to determine quantity of corn silage. e. For mycotoxin-infected grain, enter ALL production even if it has no market value.

Elem	ent/Item Number	Description
57.	Shell/Sugar Factor	Enter the shelling percentage factor for ear corn. Refer to
		subparagraph 34 E (1) (e).
		SILAGE: MAKE NO ENTRY.
58a.	FM %	Enter FM percent to tenths. Refer to the LAM for entry
		instructions.
		Refer to the LAM for FGIS definitions of "FM".
		SILAGE - MAKE NO ENTRY.
58b.	Factor	Enter the three-place factor determined by subtracting the
		percent of FM from 1.000, or subtract the entry in 58a from 100
		and divide by 100. EXAMPLE: For 4 percent, enter ".960."
		SILAGE: MAKE NO ENTRY.
59a.	Moisture %	Enter moisture percent to tenths. Moisture adjustment is applied
		prior to applying any qualifying adjustment for quality.
59b.	Factor	If grain moisture is more than 15.0 percent, enter the four-place
		moisture factor from the corn moisture adjustment factors
		(exhibit 23).
		SILAGE – If silage moisture is below 65 percent, enter the two-
		place factor from the silage moisture factors in exhibit 21, (it is
		applied prior to any adjustment for quality).
60a.	Test Wt.	Enter test weight (ONLY when storage structure measurements
		are entered) in whole pounds (or pounds to tenths IF so instructed
		by the AIP). Refer to the LAM for instructions on determining
60b.	Eastan	test weight.
000.	Factor	Combined Test Weight and Pack Factor - – For shelled corn, enter the factor from (exhibit 24) for the square footage of floor space
		in the storage structure. Refer to the LAM for instructions on
		calculating floor space of a structure. Combination test weight
		pack factors are applicable only to shelled corn and not to ear
		corn, cracked corn, or ground corn. For ear corn, cracked corn,
		and ground corn (Refer to the LAM for standard test weights)
		enter the result of dividing the actual test weight by the standard
		test weight (ear corn must be shelled for sample), to three
		decimal places.
		If the AIP instructs test weights to be entered to the nearest tenth,
		use the nearest $\frac{1}{2}$ pound test weight value on the combination test
		weight pack factor chart.

Eleme	ent/Item Number	Description
Factor	(Continued)	For test weights not shown on the chart, multiply the actual test weight by the last available combination test weight pack factor for the appropriate bin size and divide the result by the last available test weight shown on the chart.
		EXAMPLE FOR TEST WEIGHT NOT SHOWN ON THE CHART:
		Corn with a test weight of 65 pounds stored in a less than 255 Sq. Ft. bin 65 (actual test weight) x 1.135 (last available factor) \div 64 (last available test weight) = 1.153
		Refer to the LAM for other test weights. For corn silage divide the actual test weight by 12.0. Refer to Paragraph 14 for silage test weight determination instructions.
61.	Adjusted Production	Result of multiplying (column 55 or column 56) x 57 x 58b x 59b x 60b (Round to tenths).
62.	Prod. Not to Count	Net production NOT to count, in bushels to tenths, WHEN ACCEPTABLE RECORDS IDENTIFYING SUCH PRODUCTION ARE AVAILABLE, from harvested acreage which has been assessed an appraisal of not less than the guarantee per acre, or from other sources (e.g., other units or uninsured acreage) in the same storage structure (if the storage entries include such production). THIS ENTRY MUST NEVER EXCEED PRODUCTION SHOWN ON THE SAME LINE. EXPLAIN THE TOTAL BIN CONTENTS (bin grain depth, etc.) AND ANY "PRODUCTION
		NOT TO COUNT" IN THE NARRATIVE. Make no entry if only the depth for production to count has been entered in column "51," and the depth for production not to count has been entered in the Narrative section. Refer to example in the LAM.
63.	Production Pre-QA	Result of subtracting column 62 from column 61, to tenths.
64a.	Value	When applicable, enter the Reduction in Value (RIV). RIV must be limited to amounts that are usual, customary, and reasonable. (Refer to the SP and the LAM for further instructions.)
		MAKE NO ENTRY when the discount factor is obtained from the charts in the SP.

Elem	ent/Item Number	Description
64b.	MKT Price	Mkt Price: If an entry is in column 64a, enter the Local Market
		Price for U.S. Grade No. 2 of the crop (refer to the CP). Refer to
		the LAM for further instructions.
		MAKE NO ENTRY when the discount factor is obtained from the charts in the SP.
65.	Quality Factor	For production eligible for quality adjustment, enter the 3-digit
		quality adjustment factor determined by subtracting the result of column 64a divided by column 64b from 1.000, or 1.000 minus
		the discount factor(s) obtained from the SP.
		Silage: For corn insured as silage which due to insurable
		causes, qualifies for quality adjustment for grain deficiency (as
		documented by a standing-corn grain appraisal), enter the two-
		place decimal from exhibit 22.
66.	Production to Count	Enter result from multiplying column 63 times column 65, in bushels or tons to tenths.
67.	Total of Column 63	Total of column 63. If no entry in column 63, MAKE NO
071		ENTRY. The following instructions apply if the AIP has given
		instructions for a one page PW for corn insured as grain and
		silage within the same unit. Draw a horizontal line in item 67.
		Tons will be totaled and entered in upper part of box and bushels
		will be totaled and entered in the lower part of box.
For ite	ems $68 - 72$. When sep	arate line entries are made for varying share, stages, APH yields,
		ce, types, etc., within the unit, and totals need to be kept separate
		AKE NO ENTRY and follow the AIP's instructions; otherwise,
	the following entries.	
68.	Section II Total:	PRELIMINARY AND REPLANT: MAKE NO ENTRY.
		FINAL: Total of column 66, to tenths.
		The following instructions apply if the AIP has given instructions for a one page PW for corn insured as grain and silage within the same unit. Draw a horizontal line in Item 68. Tons, to tenths, will be totaled from column 66 and entered in upper part of box and bushels, to tenths, will be totaled and entered in the lower part of box.

Form Standards - Production Worksheet (Continued)

Elem	ent/Item Number	Description
69.	Section I Total	PRELIMINARY AND REPLANT: MAKE NO ENTRY.
		FINAL: Enter figure from Section I, column 38 total.
		The following instructions apply if the AIP has given instructions for a one page PW for corn insured as grain and silage within the same unit. Draw a horizontal line in Item 69. Tons, to tenths, from Section I, column 38 total will be entered in upper part of box and bushels, to tenths, will be entered in the lower part of box.
70.	Unit Total	PRELIMINARY AND REPLANT: MAKE NO ENTRY.
		FINAL: Total of column 68 and column 69, to tenths.
		The following instructions apply if the AIP has given instructions for a one page PW for corn insured as grain and silage within the same unit. Draw a horizontal line in Item 70. Tons, to tenths, from 68 and 69 will be totaled and entered in upper part of box and bushels, to tenths, will be totaled and entered in the lower part of box.
71.	Allocated Prod	Refer to the LAM for instructions for determining allocated production. Enter the total production of bushels or tons to tenths, allocated to this unit that is included in Sections I or II of the PW. Document how allocated production was determined and record supporting calculations in the Narrative or on a Special Report.
72.	Total APH Prod.	Result to tenths, of subtracting the total of column 37 (item 42"Totals") and item 71 (Allocated Prod.) from item 70 (Unit Total). If no entries in item 37 and item 71, transfer the entry in item 70. MAKE NO ENTRY when separate APH yields are maintained by type, practice, etc., within the unit.The following instructions apply if the AIP has given instructions for a one page PW for corn insured as grain and silage within the same unit. Draw a horizontal line in item 72. Tons, to tenths, will be totaled and entered in upper part of box and bushels, to tenths, will be totaled and entered in the lower part of box.

_

	e	ies are not illustrated on the Production Worksheet example
belo	W.	
73.	Insured's Signature and Date	Insured's (or insured's authorized representative's) signature and date. BEFORE obtaining the signature, REVIEW ALL ENTRIES on the PW WITH THE INSURED (or insured's authorized representative), particularly explaining codes, etc., that may not be readily understood.
		Final indemnity inspections and final replanting payment inspections should be signed on bottom line.
74.	Adjuster's Signature, Code #, and Date	Signature of adjuster, code number, and date signed after the insured (or insured's authorized representative) has signed. For an absentee insured, enter adjuster's code number ONLY. The signature and date will be entered AFTER the absentee has signed and returned the PW .
		Final indemnity inspections and final replanting payment
		inspections should be signed on bottom line.
75.	Page	PRELIMINARY: Page numbers – "1," "2," etc., at the time of inspection.
		REPLANT AND FINAL: Page numbers - (Example: Page 1 of 1, Page 1 of 2, Page 2 of 2, etc.).

Form Standards – Production Worksheet (Continued)

1. 0	Crop/Cod	e #	2. Unit #	3. Loc	ation Des	scription	ſ	7. Comp	any		ANY	COMPAN	17		8. Name	of Insured						
	Co	rn	0001-0001					Agenc	у		ANY	AGENC	Y					I.M. I	NSURE	>		
	00	41	BU		SW1-	9N-3W			-		(GRAIN	EXAMP	LE)		9. Claim	#			11. Cr	op Year		
4. I	Date(s) of	Damage	Aug 1													XXX	XXXXX			У	ууу	
5. (Cause(s)	of Damage	HAIL												10. Polic	:y #			XXX	XXXX		
6. I	nsured C	ause %	100												14. Date	(s)	1st		2nd	F	Final	
12.	Addition	al Units	0002-0002B	U											Notice of	Loss	MM/D	D/YYYY			MM/DD	/уууу
13.	Est. Proc	l. Per Acre	90												15. Com	panion Pol	icy(s)					
SE	CTION	I – DETER	MINED AG	CREAG	E APPR	RAISED	. PROD	UCTIO	N AND	ADJUS	FMENT	S				7						
	ACTUA						, -					-			B. POTH	INTIAL Y	YIELD					
16.	17.	18.	19.	20.	21.	22.	23.	24.	25.	26.	27.	28.	29.	30.	31.	32a. 32b.	33.	34.	35.	36.	37.	38.
Fiel ID	d Multi- Crop Code	Reported Acres	Determined Acres	Interest or Share	Risk	Туре	Class	Sub- Class	Intended Use	Irr Practice	Cropping Practice		Stage	Use of Acreage	Appraised Potential	Moisture % Factor	Shell %, Factor, or Value	Pre OA	Quality Factor	Production Post QA	Uninsured Causes	Total to Count
Α	NS		10.0	1.000		016					003		UH	Destroyed	37.2			372.0		372.0		372.0
в	NS		10.0	1.000		016					003		UH	Silage	10.0		-	100.0		100.0		100.0
с	NS		30.0	1.000		016					003		н	н			-					
		39. TOTAL	50.0		otinia 🗆	Ergoty	□ CoF		her 🗆 🔉	Jone 🗆	imonisin I maximum		-	Dark Roas	st 🗆	42.	TOTALS	472.0		472.0		472.0

NARRATIVE (If more space is needed, attach a Special Report) Corn at Acme Elevator weighed 46 # per bushel and had 13.0 % kernel damage. Determined acres using MPCI acreage report - would measure within 5

percent.

November 2013

See attached FGIS Grade Cert. Test Wt. = 46# (DF = .062) + 13.0% Kernel Damage (DF = .082) = .144 1.000 - .144 = .856 QA Factor. Page 1 of 2 represents the grain determined for the unit.

SECTION II – DETERMINED HARVESTED PRODUCTION

$ \frac{47a.}{47b.} $ $ \frac{48.}{49.} $ $ \frac{49.}{50.} $ $ \frac{51.}{50.} $ $ \frac{52.}{53.} $ $ \frac{53.}{54.} $ $ \frac{54.}{55.} $ $ \frac{56.}{57.} $ $ \frac{58a.}{58b.} $ $ \frac{59a.}{60a.} $ $ \frac{61.}{61.} $ $ \frac{62.}{63.} $ $ \frac{64a.}{64b.} $ $ \frac{64b.}{64b.} $ $ \frac{64a.}{64b.} $ $ \frac{64a.}{6$	DECH		- DE L		NED H	AKVES	ILDIK													
A. MEASUREMENTS B. GROSS PRODUCTION C. ADJUSTMENTS TO HARVESTED PRODUCTION $47a.$ $48.$ $49.$ $50.$ $51.$ $52.$ $53.$ $54.$ $55.$ $56.$ $57.$ $58a.$ $59a.$ $60a.$ $61.$ $62.$ $63.$ $64a.$ $65.$ Share Multi- tion Length or Code Width Depth Net Cubic Feet Cower- sion Factor Gross Prod. Gross 	3. Date	Harves	st Compl	leted			44. Dama	ge similar	to other fa	arms in the	area?		45. As	signment of	Indemnity		46.	Transfer of Rig	ght to Indemnity?	
$ \frac{47a}{47b} 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. \frac{58a}{58b} 59b} 60a. 61. 62. 63. \frac{64a}{64b} 65. 65. 65. 65. 66. 6$			MM/D	D/УУУУ					Yes	X No					Yes	No X		Yes	No	×
$ \frac{47b}{10} = \frac{48}{10} = \frac{49}{10} = \frac{51}{10} = \frac{51}{10} = \frac{52}{10} = \frac{53}{10} = \frac{54}{10} = \frac{55}{10} = \frac{54}{10} = \frac{55}{10} = \frac{56}{10} = \frac{51}{10} = \frac{56}{10} = \frac{51}{10} = \frac{55}{10} = \frac{54}{10} = \frac{55}{10} = \frac{55}{10} = \frac{56}{10} = \frac{51}{10} = \frac{56}{10} = $. ME	ASUR	EMEN	TS			B. GRO	SS PRO	DUCTIC	DN	C. ADJ	USTMEN	TS TO HA	ARVESTI	ED PRODU	JCTION				
4/b. i	47a.	19	40	50	51	52	52	54	55	56	57	58a.	59a.	60a.	61	62	62	64a.	65	66.
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	47b.	40.	49.	50.	51.	52.	55.	54.	55.	50.	57.	58b.	59b.	60b.	01.	02.	03.	64b.	05.	00.
$\frac{1}{10} \frac{1}{10} \frac{1}{10} $	Share	Multi_	Length				Net	Conver-		(Bu) Ton	Shell/	FM%		Test WT	Adjusted		Production	Value		Production
Fried ID Code Diameter I I I Factor Fact		Crop or Width Depth tion Cubic sion Gross Lbs. Sugar % Production to Count Pre-QA Quality Factor															to Count			
NS ANYTOWN, ANY STATE 530.1 530.1 530.1 .856 NS 14.0 RND 10.0 1539.4 .8 1231.5 16.0 50 1125.5		Code Diameter Tion Feet Factor Prod. CWT Factor Factor Factor To Count to Count															to count			
ANY IOWN, ANY STATE ANY IOWN, ANY STATE Image: Constraint of the state of the s																	452.0			
NS 14.0 RND 10.0 1539.4 .8 1231.5 .9880 .925 1125.5 1125.5		NS	ANY	TOWN,	ANY S	STATE				530.1					530.1		530.1		. <mark>826</mark>	<mark>453.8</mark>
		NIC	14.0		10.0		1520.4	•	1001 E				16.0	50	110E E		112E E			112E E
69. Section I Total 70. Unit Total		N5	14.0	RND	10.0		1539.4	.8	1231.5				.9880	.925	1125.5		1125.5			1125.5
69. Section I Total 70. Unit Total																			-	
69. Section I Total 70. Unit Total																				
70 Unit Total																67. TOTAL	1655.6	68.	Section II Total	<mark>1579.3</mark>
70. Unit Total																-			9. Section I Total	472.0
	Thia	onn o	womn	la daac	n not i	Inctrot	o oll nog	uinad ar	tur itan		ionotuu	nog datos	oto)						70. Unit Total	2051.3

. This form example does not illustrate all required entry items (e.g., signatures, dates, etc.).

2051.3

71. Allocated Prod.
 72. Total APH Prod.

Form Standards – Production Worksheet (Continued)

1. Cr	op/Code #	ŀ	2. Un	it #	3. Loc	ation Desc	ription	7.	Company			ANY	COMPAN	1À		8. Name	e of Insured						
	Corn		000	1-0001					Agency			ANY	AGENC	У					I.M. I	NSURED	>		
	0041			BU		SW1-9N	1-30W					SILAG	E EXAMI	PLE)		9. Clain	n #			11. Cro	op Year		
4. Da	te(s) of D	amage		lug 1														XXXXX				ууу	
	use(s) of I	U	-	HAIL												10. Poli					XXXX		
	sured Caus			100								_				14. Date		lst		2nd	I	Final	
	dditional			-0002B	υ		-					_				Notice o			D/YYYY			MM/DD	/
	st. Prod. I			6.0					0000000				a			15. Con	panion Pol	icy(s)					
			RMIN	ED A(CREAG	E APPRA	ISED,	PRODU	CTION A	AND A	DJUSI	MENT	S	_									
A. A	CTUAR	IAL														B. POT	ENTIAL Y	YIELD		r	1		
16.	17.	18.		19.	20.	21.	22.	23.	24.	25.	26.	27.	28.	29.	30.	31.	32a. 32b.	33.	34.	35.	36.	37.	38.
Field ID	Multi- Crop Code	Reported Acres		rmined cres	Interest or Share	Risk	Туре	('lacc		ended Use I	Irr Practice	Cropping Practice		Stage	Use of Acreage	Appraised Potential	Moisture % Factor	Shell %, Factor, or Value	Production Pre QA	Quality Factor	Production Post QA	Uninsured Causes	Total to Count
A	NS		1	0.0	1.000		026					003		н									
В	NS		1	0.0	1.000		026					0 03		UH P	astured	4.0	-	-	40.0		40.0		40.0
	3	9. TOT <i>A</i>	AL 2	0.0	Scler	ty: TW ⊠ otinia □	Ergoty D	CoFo [Other	□ Not	ne 🗆				ark Roast		42.	TOTALS	40.0		40.0		40.0
Silage	was packed	and calcu	lated usi			otoxins exc ermined acre									nts the sila	ge determin	ed for the un	it.					
				NED H	ARVES	TED PR							1										
43. L	ate Harve		eted S/YYYY			44. Dama	ge simila	ar to other: Yes	tarms in th				45. Ass	signment o	Yes	nty No	x		46. Tran	Ster of Ri	ght to Inden	nnity?	
ΔΝ	IEASUR					B. GRO	SS PRO				DIUST	MENT	S ТО НА	RVFST						103	110		
47a 47b	- 18	49.	50.	51.	52.	53.	54.	55.	56.	57.	5	8a. 8b.	59a. 59b.	60a. 60b.	61.		62.	63.		64a. 64b.	65.		66.
Shar	e Multi-	Length			Deduc-	Net	Conver-	Gross	Bu (Tor	/	I/ FI		Moisture %	Test WT	i iujuo	PI	od. Not	Product		Value			roduction
Field ID	l Crop Code	or Diameter	Width	Depth	tion	Cubic Feet	sion Factor	Prod.	Lbs. CWT	Suga Facto		ctor	Factor	Factor	Produc		Count	Pre-Q.		lkt. Price	- Quality F	actor to	o Count
	_														-						-		
	NS	50.0	10.0	8.0		4000.0			80.0				44.0 1.60	10.8 .90	115.	.2		115.2	2 -		-		115.2
															_						-		
																67.	TOTAL	115.2	2	68	 Section II 	Total	115.2
																	L			6	9. Section l	[Total	40.0
Th	s form a	vamnl	e doe	not i	luctrot	e all requ	uired o	ntry ite	ms (e a	ciano	tures	dates 4	etc)								70. Unit		155.2
	5 101 111 0	лашрі	c uves	5 HOU II	uusii all		un cu c	intry net	uis (c.g.	, signa	ui co,	uaics, (. Allocated		
																				72.	Total APH	Prod.	155.2

Form Standards – Production Worksheet (Continued)

1. Cr	p/Code	#	2. Un	it #	3. Loc	cation Des	cription	7.	Compa	iny		ANY	COMPAN	Ŋ		8. Name	of Insured						
	Cori	n	000	1-0001					Agenc	у		ANY	AGENC	y					I.M. I	NSURED)		
	004	1		BU		SW1-9	N-3W			-	(SILA	GE AND	GRAIN H	XAMPI	LE)	9. Claim	#			11. Cro	op Year		
4. Da	te(s) of I	Damage		Aug 1													XXXX	XXXXX				ууу	
	· · /	Damage		HAIL												10. Polic					XXXX		
	ured Cau		-	100			-									14. Date	. ,	lst		2nd	F	Final	
	dditiona		0002	-0002B	U		-									Notice of			D/YYYY			MM/DD	/уууу
		Per Acre		90									~			15. Com	panion Pol	icy(s)	NONE				
		– DETE	RMIN	ED AC	CREAGE	E APPRA	AISED,	PRODU	CTIO	N AND	ADJUS	IMENT	S			DOT							
A. A	CTUAI	RIAL										1	1		<u>I</u>	B. POTE	ENTIAL Y	TELD					
16.	17.	18.		19.	20.	21.	22.	23.	24.	25.	26.	27.	28.	29.	30.	31.	32a. 32b.	33.	34.	35.	36.	37.	38.
Field ID	Multi- Crop	Reported Acres		rmined cres	Interest or	Risk	Туре	Class	Sub- Class	Intended Use	Irr Practice	Cropping Practice	Organic Practice	Stage		Appraised Potential	Moisture %	Shell %, Factor,	Production Pre QA	Quality Factor	Production Post QA	Uninsured Causes	Total to Count
	Code	110105			Share				Chabb	0.50	Thenee		Theodoc		Theretage		Factor	or Value		1 detoi	1 051 211	cuuses	count
A B	NS NS			0.0 0.0	1.000		026 026					003		н vн	Pastured	4.0T			40.0T		40.0T		40.0T
-			-	0.0	1.000		010														10.01		10.01
с	NS		3	0.0	1.000		016					003		н	н			-					
				4	40. Quali	ty: TW 🗵	KD 🗷	Aflato	xin 🗆	Vomitox	in □ Fu	monisin [Garlic	xy 🗆 🛛 🖸	ark Roast				40.0T		40.0T		40.0T
	39. TOTAL 50.0 Sclerotinia □ Ergoty □ CoFo □ Other □ None □ 41. Mycotoxins exceed FDA, State or other health organization maximum																42.	TOTALS	40.01		40.01		-10.01
Com	A E 1	41. Mycotoxins exceed FDA, State or other health organization maximum limits. Yes															CIE Conde C		T 4 W/4 4	(#(DE)	(2) + 12.00	/ Kamal Day	DE
		39. TOTAL 50.0 Sclerotinia Ergoty CoFo Other None															GIS Grade C	ertificate.	Test wt. $= 40$	5 # (DF = . <mark>1</mark>	<mark>JOZ)</mark> + 13.0%	6 Kernel Dar	nage (DF =
SEC	TION I	I – DETH	ERMIN																				
43. D	ate Harv	est Compl				44. Dama	age simil				ì?		45. Ass	ignment	of Indemn	2	— — 1		46. Tran		ght to Indem	ř	
A 1/	FACIL	MM/DD REMEN				B. GRO		Yes		No	ADTHE	PMENT		DVES	Yes	No DDUCTI				Yes	No	x	
47a.												58a.	59a.	60a.						64a.			
47b.	48.	49.	50.	51.	52.	53.	54.	55.	50	5. 5		58b.	59b.	60b.	61.		62.	63.		64b.	65.		66.
Shar	Multi-	Length			Deduc-	Net	Conver-	Gross	(Bu)	Ton Sh	nell/ F	M%	Moisture %	Test W	Γ Adjust	ted Dro	od. Not	Product	ion	Value		Pr	oduction
Field	Crop		Width	Depth	tion	Cubic	sion	Prod	Lb		ıgar			.	Product	tion	Count	Pre-Q		1. D.	Quality Fa	actor to	o Count
ID	Code			EVATO	20	Feet	Factor		CV	VT Fa	ctor F	actor	Factor	Factor					М	kt. Price			
 C	NS			ANY S					530	0.1					530.	1		530.1	L –		.856	<mark>4</mark>	<mark>53.8</mark> bu.
													44.0	10.8									
Α	NS	50.0	10.0	8.0		4000.0		80.0T	-				1.60	.90	115.2	2Т		115.2	т			1	15.2T
																		115.0	-				15.07
																67.	TOTAL	115.2 530.1b		68	. Section II	Total	15.2T 3.8 bu.
																	L			6	9. Section I	Total	40.0T
																					70. Unit	Total	.55.2T
. Thi	s form	exampl	e does	not il	lustrate	e all req	uired e	entry ite	ems (e.	.g., sign	atures,	dates, e	etc.).							71	. Allocated	4	<mark>53.8</mark> bu
																					Total APH	Prod. 1	.55.2T <mark>53.8</mark> bu
																						_ _	

									1 11	ODUC		WOR	SUIL									
1. Cr	op/Code	e #	2. Unit #	3. Loc	cation Des	cription	7	. Compa	iny		ANY	COMPAN	У		8. Name o	of Insured						
	Coi	rn	0001-0001					Agenc	у		ANY	AGENCY	,					I.M. I	NSURED			
	004	41	BU		SW1-9	N-3W			_	REF	PLANT G	FRAIN EX	KAMPI	Æ	9. Claim #	ŧ			11. Cro	op Year		
4. Da	ate(s) of	Damage	JUN 1													XXX	XXXXX			У	ууу	
5. Ca	ause(s) o	of Damage	Ex Moist												10. Policy	#			XXXX	XXXXXX		
6. In	sured Ca	ause %	100												14. Date(s	5)	1st		2nd	F	Final	
12. A	Addition	al Units													Notice of I	Loss	MM/D	D/YYYY			MM/DD	/уууу
13. E	Est. Prod	. Per Acre													15. Comp	anion Pol	icy(s)					
SEC	TION	I – DETER	MINED AG	CREAG	E APPR	AISED	. PROD	UCTIO	N AND	ADJUST	IMENT	S										
	CTUA						,					~			B. POTI	ENTIAL	YIELD					
16.	17.	18.	19.	20.	21.	22.	23.	24.	25.	26.	27.	28.	29.	30.	31.	32a. 32b.	33.	34.	35.	36.	37.	38.
Field ID	Multi- Crop Code	Reported Acres	Determined Acres	Interest or Share	Risk	Туре	Class	Sub- Class	Intended Use	Irr Practice	Cropping Practice	Organic Practice	Stage	Use of Acreage	Appraised Potential	Moisture %	Shell %, Factor, or Value	Production Pre QA	Quality Factor	Production Post QA	Uninsured Causes	Total to Count
A			25.0	1.000		016					003		R	REPLANTED	8.0			200.0		200.0		200.0
			25.0	1.000		016					003		NR	NOT REPLANTED			-					
																	-					
	•	39. TOTAI	50.0	Scler	ity: TW □ cotinia □ cotoxins ex	Ergoty	□ CoFe	o□ Ot	her 🗆 🛛 N					Dark Roast		42.	TOTALS	200.0		200.0		200.0

PRODUCTION WORKSHFFT

The example above shows allowance when the maximum allowance in the policy is less than 20% of the production guarantee. The production guarantee of 100.0 bu. x 20% = 20.0 bu. Maximum allowed by the policy is 8.0 bu. The lesser of 20.0 bu. and 8.0 bu. is 8.0 bu. Appraised potential less than 90 percent of production guarantee. 100.0 x 90% = 90 bu./acre Appraisal = 10 bu./acre. Total acreage from FSA permanent field measurement. Field A wheel measured. See attached Special Report for measurements and calculations. Page 1 of 2 represents grain replant for the unit.

SEC	TION I	I – DETER	MINED AG	CREAG	E APPF	RAISED	, PROD	UCTIO	N AND	ADJUST	MENTS	S										
A. <i>A</i>	ACTUA	RIAL													B. POTE	NTIAL	YIELD					
16.	17.	18.	19.	20.	21.	22.	23.	24.	25.	26.	27.	28.	29.	30.	31.	32a. 32b.	33.	34.	35.	36.	37.	38.
Field ID	Multi- Crop Code	Crop Acres Acres or Risk Type Class Sub-Intended Irr Cropping Organic Stage Acres Acres Practice Pract															Factor,	Production Pre QA	Quality Factor	Production Post QA		Total to Count
A		$\begin{array}{c c c c c c c c c c c c c c c c c c c $																100.0		100.0		100.0
			25.0	.500		016					003		NR	NOT REPLANTED								
		39. TOTAL	50.0		otinia 🗆	Ergoty	CoFe		Vomitox her 🗆 N r other hea	None 🗆			•	Dark Roast es □		42.	TOTALS	100.0		100.0		100.0

The example above shows allowance when the maximum allowance in the policy is less than 20% of the production guarantee when share is considered.

The production guarantee 100.0 bu./acre x 20% x .500 share = 10.0 bu/acre Maximum allowed by policy is 8.0 bu./acre x .500 share = 4.0 bu. The lesser of 10.0 bu. and 4.0 bu. is 4.0 bu. Appraised potential less than 90% of the production guarantee 100.0 x 90% = 90.0 bu./acre Appraisal = 10.0 bu./acre. Total acreage from FSA permanent field measurement. Field A wheel measured. See Attached Special Report for measurements and calculations. Page 1 of 2 represents grain replant for the unit.

This form example does not illustrate all required entry items (e.g., signatures, dates, etc.).

									1 1			WOR										
1. C	rop/Code	* #	2. Unit #	3. Loc	ation De	scription	7	. Comp	any		ANY	COMPAN	У		8. Name o	of Insured						
	Cor	'n	0001-0001					Agenc	у		ANY	AGENCY	'					I.M. I	NSURED			
	004	1	BU		SW1-	9N-3W				REP	LANT SI	LAGE E	XAMPI	Æ	9. Claim #	ŧ			11. Cr	op Year		
4. D	ate(s) of	Damage	JUN 10													XXX	XXXXX			У	ууу	
5. C	ause(s) o	f Damage	Ex Moisture	2											10. Policy	#			XXXX	XXXXXX		
6. In	sured Ca	use %	100												14. Date(s	;)	st		2nd	I	Final	
12. 4	Addition	al Units													Notice of 1	Loss	MM/D	D/YYYY			MM/DD	/уууу
13. I	Est. Prod	. Per Acre													15. Comp	anion Poli	cy(s)					
SEC	TION	I – DETER	MINED AG	CREAG	E APPF	RAISED	, PROD	UCTIO	N AND	ADJUS'	ГМЕМТ	S										
A. <i>A</i>	CTUA																YIELD					
16.	17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. d Multi- Multi- Reported Determined Interest Sub Intended Image: Comming Organic Image: Comming Organic														31.	32a. 32b.	33.	34.	35.	36.	37.	38.
Field ID	Multi- Crop Code	Reported Acres	Determined Acres	Interest or Share	Risk	Туре	Class	Sub- Class	Intended Use	Irr Practice		Organic Practice	Stage	Use of Acreage	Appraised Potential	Moisture % Factor	Shell %, Factor, or Value	Production Pre QA	Quality Factor	Production Post QA	Uninsured Causes	Total to Count
A			25.0	1.000		026					003		R	REPLANTED	1.0			25.0		25.0		25.0
			25.0	1.000		026					003		NR	NOT REPLANTED								
		39. TOTAL	50.0	Scler	otinia 🗆	Ergoty	□ CoFe		her 🗆 👌					Dark Roast		42.	TOTALS	25.0		25.0		25.0
1.0 to	n. The	lesser of 3.0	s allowance v ton and 1.0 t ment. Field	on is 1.0	ton. Ap	praised p	otential l	ess than	90% of t	the produ	ction gua	rantee 15	.0 ton g	uarantee X	90 percent	t = 13.5 to	n/acre –	Appraisal =	= 6.0 tons			
SEC	TION	I – DETER	MINED AG	CREAG	E APPF	RAISED	, PROD	UCTIO	N AND	ADJUS'	FMENT	S										

DDODUCTION WODKSHEET

A. ACTUARIAL **B. POTENTIAL YIELD** 32a. 27. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 28. 30. 31. 33. 34. 35. 36. 37. 16. 29. 38. 32b. Multi Moisture Shell % Interest Field Reported Sub-Intended Appraised Production Quality Production Uninsured Total to Determined Irr Cropping Organic Use of Crop or Risk Type Class Stage % Factor, Practice Practice Factor Post QA ID Acres Acres Class Use Practice Acreage Potential Pre QA Causes Count Code Share Factor or Value 003 12.5 в 25.0 .500 026 R REPLANTED .5 12.5 12.5 NOT 25.0 .500 026 003 NR REPLANTED 40. Quality: TW 🗆 KD 🗆 Aflatoxin 🗆 Vomitoxin 🗆 Fumonisin 🗆 Garlicky 🗆 Dark Roast 🗆 39. TOTAL 50.0 Sclerotinia 🗆 Ergoty 🗆 CoFo 🗆 Other 🗆 None 🗆 42. TOTALS 12.5 12.5 12.5 41. Do any mycotoxins exceed FDA, State or other health organization maximum limits? Yes D No D

The example above shows allowance when the maximum allowance in the policy is less than 20% of the production guarantee when share is considered.

The production guarantee of 15.0 ton/acre x 20% x .500 share = 1.5 ton/acre Maximum allowed by the policy is 1.0 ton x .500 share = .5 ton The lesser of 1.5 ton and .5 ton is .5 ton. Appraised potential less than 90% of the production guarantee 15.0 ton guarantee x 90 % = 13.5 tons/acre ---Appraisal = 6.0 tons. Total acreage from FSA permanent field measurement. Field B wheel measured. Page 2 of 2 represents grain silage replant for the unit. See attached Special Report for measurements and calculations.

This form example does not illustrate all required entry items (e.g., signatures, dates, etc.).

1. Cı	op/Code	e #	2. Unit #	3. Loc	ation Des	cription	7	. Compa	any		ANY	COMPAN	У		8. Name o	of Insured						
	Cor	rn	0001-0001B					Agenc	у		ANY	AGENCY	,					I.M. I	NSURED			
	004	41	0001-00016	0	SW1-9	9N-3W				REPLA	NT COR	N AND S	SILAGE	EEX.	9. Claim #	ŧ			11. Cro	op Year		
4. Da	ate(s) of	Damage	JUN 1														XXXXX			У	′ууу	
5. Ca	use(s) o	of Damage	HAIL												10. Policy					XXXXXX		
	sured Ca		100												14. Date(s	/	1st		2nd	J	Final	
12. A	Addition	al Units													Notice of I	Loss	MM/0	D/YYYY			MM/DD) /YYYY
13. E	est. Prod	. Per Acre													15. Comp	anion Pol	icy(s)					
SEC	TION	I – DETER	MINED AC	REAG	E APPR	AISED	, PROD	UCTIO	N AND	ADJUST	FMENT	S										
A. A	CTUA	RIAL													B. POTI	ENTIAL	VIELD					
16.	17.	18.	19.	20.	21.	22.	23.	24.	25.	26.	27.	28.	29.	30.	31.	32a. 32b.	33.	34.	35.	36.	37.	38.
Field ID	Multi- Crop Code	Reported Acres	Determined Acres	Interest or Share	Risk	Туре	Class	Sub- Class	Intended Use	Irr Practice		Organic Practice	Stage	Use of Acreage	Appraised Potential	Moisture % Factor	Shell %, Factor, or Value	Production Pre QA	Quality Factor	Production Post QA	Uninsured Causes	Total to Count
В			25.0	1.000		026					003		R	REPLANTED	1.0			25.0T		25.0T		25.0T
			25.0	1.000		026					003		NR	NOT REPLANTED								
A			25.0	1.000		016					003		R	REPLANTED	8.0			200.0Bu		200.0 Bu.		200.0Bu
			25.0	1.000		016					003		NR	NOT REPLANTED								
			4	40. Quali	ity: TW [□ KD[in 🗆 🛛 Fu	monisin [Garlic	ky 🗆	Dark Roast		•		25.0T		25.0T		25.0T
		39. TOTAL					CoFe A, State o				maximum	limits. Y	es 🗆			42.	TOTALS	200.0Bu		200.0Bu.		200.0Bu

PRODUCTION WORKSHEET

The example above for silage shows allowance when the maximum allowance in the policy is less than 20% of the production guarantee. The production guarantee of 15.0 ton x 20% = 3.0 ton. Maximum allowed by the policy is 1.0 ton. The lesser of 3.0 ton and 1.0 ton is 1.0 ton. Appraised potential less than 90% of the production guarantee 15.0 ton guarantee x 90 percent = 13.5 ton/acre Appraisal = 6.0 ton.

The example above for grain shows allowance when the maximum allowance in the policy is less than 20% of the production guarantee. The production guarantee of 100.0 bu x 20% = 20.0 bu. Maximum allowed by the policy is 8.0 bu. The lesser of 20.0 bu. and 8.0 bu. is 8.0 bu. Appraised potential less than 90% of the production guarantee 100.0 bu guarantee x 90 percent = 90.0 bu./acre - Appraisal = 10.0 bushels.

This form example does not illustrate all required entry items (e.g., signatures, dates, etc.).

Minimum Representative Sample Requirements

Acres in Field or Subfield	Minimum Number of Samples*
0.1 – 10.0	3
*Add one additional sample for each additional 40.0 a	acres (or fraction thereof) in the field or subfield.

ROW WIDTH (INCHES)	ROW LENGTH (FEET) FOR 1/100 ACRE	ROW LENGTH (FEET) FOR 1/1000 ACRE	ROW LENGTH (FEET) FOR 1/2000 ACRE
42	124.5	12.4	6.2
40	130.7	13.1	6.5
38	137.6	13.8	6.9
36	145.2	14.5	7.3
34	153.7	15.4	7.7
32	163.4	16.3	8.2
30	174.2	17.4	8.7
28	186.7	18.7	9.3
26	201.0	20.1	10.1
24	217.8	21.8	10.9
22	237.6	23.8	11.9
20	261.4	26.1	13.1
18	290.4	29.0	14.5
16	326.7	32.7	16.3
14	373.4	37.3	18.7

For row widths not listed in Exhibit 10, use the following formula:

$$\begin{array}{c|c} 43,560 \text{ sq. ft./acre} \div \overbrace{row \text{ width in inches}\\ 12''\\\hline 100 \text{ ft.} & \text{or} & 1000 \text{ ft.} & \text{or} & 2000 \text{ ft.}\\\hline (\text{for 1/100 acre}) & (\text{for 1/1000 acre}) & (\text{for 1/2000 acre})\\\hline \end{array}$$

EXAMPLE:

43,560 sq. ft./acre ÷ <u>25"</u>

 $\frac{12'' = 43,560 \text{ sq. ft.} \div 2.083 = 20,912.146}{100 \text{ ft.}} = 209.121 \text{ ft. or } 209.1 \text{ ft. row length}$

Exhibit 11

CORN STAND REDUCTION - PERCENT OF POTENTIAL REMAINING FROM EMERGENCE THROUGH 10TH LEAF STAGES OF GROWTH

ĺ	30(0 380	370	360	350	340	330	320	310	300	200	280	270									PLE	· ·				130	120	110	100	90	80	70	60	50	40	30	20	10	
		0 100					97		96				270 91	200 89		240 86		82		_	76				67				55		48			31				10	_	400
		0 100						97 97	90 96	95 95	94 94		91 91	89		86		82			76		72	69					55 56		40 49		37			20		10		390
380	100		100		99			97 97	96	95 95			91	89				82										59 59			49 49		<u> </u>	32			15	10	_	380
370		100	100			99	_	97	96	95	94	93	92	<u>90</u>	88	86	84	82	80	78	76		72	69	67		62 62	<u>59</u>	56	53	49	44	39	34		21	16	11	5	370
360			100		100			98	97	96	94	<u>93</u>	93	91	89	87	85	83		78	76		72	69	67	65		<u>59</u>	56		50		41	35	27	22	17	11	6	360
350				100		100		99	<u>98</u>	97	96		94	92	90	88	86	84		79	77			71	69	66	64		58				42	36	20	23	17	12	6	350
340					100) 100		<u>99</u>	98	97	96	95	94	<u>92</u>	90	88	85	83	81	79		74	72	69	67			58		51		42	36	30	24	18	12	6	340
330								100		98	97	96	95	94	92	91	89		84	82	80		75	73				62			51		42	37		25	19	12	6	330
320									99	98	97	96	95	94	93	92	91	89	87	84	82		77	74	71	68		62			51		43	38		26	20	14	8	320
310									100		98	97	96	95	94	93	92	90	88	86	84		79	76	73	70		64			53		44	39	33		21	15	9	310
300								1		100	99	98	97	96	95	94	93	91	89	88	86		80	77	75	72	69	66	63	59	55		45	40		29	23	17	11	
290								1	1		100	99	98	97	96	95	94	92	90	89	87	85	82	79	77	74	71	68	65	61	57	52	47	42	36	31	25	19	11	290
280												100	99	98	97	95	94	93	91	90				81	79	76	73	70		63	59	54	49	43	37	33	27	21	12	280
270													100	99	97	96	95	94	93	91	90	88	86	84	82	79	76	72	69	65	60	55	50	45	39	34	28	22	13	270
260														100	99	97	96	95	94	93	91	90		86		81	78			67	62	57	52	47	41	36	30	23	14	260
250															100	99	98	97	96	94	93			88			80	77			64		54		43		30	23		250
240																100	99	98	97	96	95	94	91	90	88			78		71	66	60	55	50		38	31	24	15	240
230																	100	99	98	97	96		92	91	89		83	79	75	71		61	56	51		38	31	24	15	
220																		100	99	98	97		93	92	90	87		80	76	72			57	52	46	40	33	25	16	
210																			100	99	98		94	93	91	88			76	73			58	53	47	41	34	25	16	210
200																				100	99		95	94	92	89			77	73			59	54	48	42	35	26		
190			EXA			. c	20					1 2 4 0		:	-14	_					100		96	95	93	90		83	79	75	70		60		49		36	27	17	
180							39 re its, ro					1 240	orig	inai j	Jiant	s							98	96	94				81			67	62	57			36	27	17	
170												.9 x	7 (3	38 - 3	1) =	6.3							100		96	93		87			74		64			46		27		
160							(rou				,				,									100		95	92	89		81	76	71	66	61	55	46	38	28	18	
150							_																		100		95	92		84	79	74	69	64	58	47	38	28	18	-
140												0 – 1 240 c		ام ام	onto											100					82		72	67	61	48	39	29	19	
130		_					o rei its, ro				and	240 0	origii	nai pi	ants												100				85		75	70	64	49	39	29		
120		_					ce be);																	100	-		88		78	73		50	40	30		
110		_			15-0)						,																		100		92		83	78			40	30		
100		_	0 + 9	9 = 9																										100	96		88	83		52				
90		_			1	T	1	1	1	r –	r –	1		r –																	100		92	87	81		41	31		
80		_																														100		91		54	42	32	25	_
70																																	100		91	55	42	32		_
60																																		100	_	56	43	33	27	_
50		_						<u> </u>																											100	57	43	33	28	50
	201	0 380	270	200	250	240	1220	220	210	200	200	200	270	200	250	240	220	220	210	200	100	100	1	1 (0	150	1 40	120	120	110	100	00	00	70	60	50	40	30	20	10	1

Use from emergence through 10th leaf stage. Interpolate as necessary and round to the nearest whole percent. (DO NOT USE AFTER 10TH LEAF STAGE.)

REMAINING PLANTS IN SAMPLE (1/100 ACRE)

CORN STAND REDUCTION - PERCENT OF POTENTIAL REMAINING 11th Leaf through 17th Leaf Stages of Growth

Use from 11th leaf through 17th leaf stage. Interpolate as necessary and round to the nearest whole percent. (DO NOT USE BEFORE 11TH LEAF STAGE.)

REMAINING STAND IN 1/100 OF AN ACRE

		390	380	370	360	350	340	330	320	310	300	290	280	270										АСК 170		150	140	130	120	110	100	90	80	70	60	50	40	30	20 1	10	
Γ	400	98	96	94	92	91	89	88	87	86	84	83	82	80	7 9	78	76	74	73	71	<u>69</u>	66	64	62	59	56	53	50	47	44	40	37	33	29	25	21	-		8	4 40	00
				96	94	92	<u>91</u>	89		87	85	84	83	81	80	79		75	74	72	70	68	65	63	60		54	51	48	45	41	37	34		26	21				4 39	
	380				96	94	92	90	89	88	86	85	84	82	81	79		76	75	73	71	69	66	64	61	58	55	52	49	46	42	38	34		26	22				4 38	
	370			100		95	94	92		89	87	86	85	83	82	80	79	77	76	74	72	70	67	65	62	60	57	53	50	47	43	39	35	31	27	23			9	5 37	70
	360				100	98	95	93		90	88	87	86	84	83	81	80	78	77	75	73	71	69	66	64	61	58	55	51	48	44	40	36	32	28	23			9	5 30	60
	350					100	97	95	93	91	90	88	87	85	84	82	81	79	78	76	74		70	67	65	62	59	56	52	49	45	41	37	33	28	24	19	14	10	5 35	50
	340						100	97	95	93	91	90	88	86	85	84	82	80	79	77	75		71	69	66	63	60	57	54	50	46	42	38		29	25 25	20	15	10	5 34	40
	330							100		95	93	91	89	88	86	85	83		80	78	76		72	70	67		62	58	55	51	47	43	39		30	25			10	5 33	
	320								100	97	95	93	91	89	87	86	84		81	79	78		73	71		66	63	60	56		49	45	40		31	26		-	11	5 32	
	310									100			93	91	89	87	85	84	82	81			75	72		67	64	61	58	54	50	46	41	37	32	27			11	5 31	
	300										100	97	95	92	90	88	87		83	82	80	78	76	74	71	69	66	62	59		51	47	43		33	28				6 30	
	290											100	97	94	92	90		86	85	83	81	79	77	75	73		67	64	60		53	48	44		34	29				6 29	
	280												100	97	94	92	90	88	86	84	82		79	76	74	71	69	65	62	58	54	50	45	40	35	30	24				<u>80</u> 👷
	270													100	97	94	92	89	88	86	84	82	80	78	76	73	70	67	64	60	56	51	47		36	31			-		70 G
~	260														100	97	94	91	89	87	85	83	81	79	77		72	69	65	61	57	53	48	43	37	32			-		60 Z
OF	250															100			91	89	87	85	83	81	78	76	73	70	67	63	59	55	50	44	39	33					50 L _S
00	240																100		93	91	88	86	84	82	80		75	72	69		61	56	51	46	40	34			14		0RIGINAL STAND 80 70 60 50 40 30
11	230																	100	96	93	90	88	86	84	82		77	74	70		63	58	53		42	35				7 23	30 J
	220																		100	96	93	90	88	85	83		78	75	72	69	65	60	55	49	43	37	30			-	20 5
STA	210																			100	96	93	90	87		82	80	77	74	71	67	62	57	51	45	38					
	200																				100		92	89	87		82	79	76	73	69	64	59	53	47	40					<u>00</u>
	190																					100	96	92	89	86	84	81	78	75	71	66	61	55	49	42			-		90 Ž
RIG	180																						100		92	88	86	83	80	77	73	69	64	58	51	44				9 18	80 70
-	170																							100	95		88	85	82	79	75	71		60	54	46					
	160																						-		100		91	87	84		78	73	69	63	56	49				11 10	
	150																									100		90	87	83	80	76		66	59	51				11 15	
	140																										100	94	90		82	79			62	54				12 14	
	130																											100	94	89	85	81	77		65	57				13 13	
	120																												100	93	88	84	80		69	61				14 12	
	110																													100	93	88	83		72	65				15 11	
	100																														100	92	87		76	<u>69</u>				17 10	
-	90																															100	92		80	73	64			19 9	
ŀ	80																																		84	78		56		21 8	
ŀ	70								<u> </u>	<u> </u>																<u> </u>								100		82	74	62	45 2	24 7	
ŀ	<u>60</u>																																		100	88	80	69	$\frac{51}{50}$	28 6	0
L	50	200	200	250	260	250	2.40	220	200	210	200	200	200	250	260	250	2.40	220	220	010	200	100	100	150	1.00	170	1.40	120	100	110	100	00	00	=	()					33 5	U
		390	380	570	360	550	540	550	520	510	500	290	280	270										170 ACR		150	140	130	120	110	100	90	80	70	60	50	40	30	20 1	10	

REMAINING STAND IN 1/100 OF AN ACRE

HAIL STAND REDUCTION LOSS – CORN FOR 7TH LEAF THROUGH 10TH LEAF STAGES OF GROWTH

Use from emergence through 10th leaf stage. Interpolate as necessary and round to the nearest whole percent. (DO NOT USE AFTER 10TH LEAF STAGE.)

Γ	390	380	370	360	350	340	330	320	310	300	290	280	270								AMF 190		````				130	120	110	100	90	80	70	60	50	40	30	20	10	1
400	0	0	1	2	2	3	3	3	4	5	6	8	9	11	13	14	16	18	20	22		26		31	_	36	39	42		48			63	_		81		-	95	40
390	0	0	0	1	2	3	3	3	4	5	6	7	9	11	13	14	16	18	20	22		20 26		31		35		41			51			68		80			95	
390 380	U	0	0	1	1	2	2	3	4	5	6	7	9	11	13	14	16	18	20	22		20 26	28	31		35		41			51								95 95	
370		U	0	0	1	1	2	3	4	5	6	7	8	10	12	14	16	18	20	22		20 26		31		35		41			51					78			95 95	
360			U	0	0	1	1	2	3	4	6	7	7	9	11	13	15	17	19	22		20 26	28	31		35	38	41	44		50				72				94	_
350 350				U	0	0	1	1	2	3	4	5	6	8	10	13	13	16	19	22		20 25	20	29		33 34		39	42							77			94 94	
330 340					U	0	0	1	1	2	4	3 4	5	0 6	8	12	14	15	17	<u>21</u> 19		23 24		29 28		33	36		42					64		76			94 94	
330						U	0	0	1	2	3	4	5	6	8	9	11	13	16	18		27	25			32		38	41										94	
320							U	0	1	2	3	4	5	6	7	8	9	11	13	16		21	23	26		32		38	41							74			92	-
310								U	0	1	2	3	4	5	6	7	8	10	12	14		<u>19</u>	23	20	27	30	33												91	31
300									v	0	1	2		4	5	6	7	9	11	12		17	21	23	27	28	31	34				50							89	30
290										v	0	1	2	3	4	5	6	8	10	11	13	17	18			26 26	29	34						58					89	
290 280											v	0	1	2	3	5	6	7	9	10		13	16			20		30						57					88	
200 270												U	0	1	3	4	5	6	7	9	10	12	14			24					40		50			66			87	20
260													v	0	1	3	4	5	6	7	9	10	12	14		19		25						53		64			86	
250														v	0	1	2	3	4	6	7	8	10	12		17		23		31						63			85	25
240															v	0	1	2	3	4	5	6	9	10	12	15													85	24
230																U	0	1	2	3	4	5	8	9	11	14		21			33	39				62			85	_
220																	v	0	1	2	3	4	7	8	10	13		20				38		48	54				84	22
210																		v	0	1	2	4	6	7	9	12	16	20			32	37					-	-	-	
200																			U	0	1	3	5	6	8	11					31			46					83	-
190																				•	0	2	4	5	7	10					30								83	_
180		EŽ	KAM	PLI	Е: То	o int	erpol	late f	for 89) rem	nainii	ng pl	ants	and	240 (origi	nal				Ū	0	2	4	6	9								43		55			83	18
170										nts		<i>0</i> I				0						v	0	2	4	7	10			21				41		54				_
160									plant															0	2	5	8	11				29		39		54			82	
150					89) is .9			rence				and 8	30;										-	0	3	5	8	12			26		36					82	
140						40 5			6(40 = 34				1 351												-	0	3	6		14						52			81	_
130						- 1 0 II	mu	54	- 54	.0 (10	Junu	cu it	(ככ ו													-	0	3	6			20							81	_
120									Rem																			0	3	7	12	17				50	-			
110			То		rpola	te fo	r 6 r	emai	ining	plan	ts an	d 24	0 ori	igina		nts:												-	0	3	8	12				49			77	-
100									plan																				~	0	4	8		17		48			77	
90					6	0 18 .0			rence 5 (10				nd I();									1								0	4		13					76	_
80							.0		min			,																			-	0	4	9					75	-
70								100			<i>,</i> 1																					-	0	4	9	45			74	_
60																																	-	0	5	44			73	
50														1									1												_		-		72	
	390	200									• • •																						- 0	10		_			10	t

REMAINING PLANTS IN SAMPLE (1/100) ACRE

REMAINING PLANTS IN SAMPLE (1/100) ACRE

HAIL STAND REDUCTION LOSS – CORN FOR 11TH LEAF THROUGH 17TH LEAF STAGES OF GROWTH

Use from 11th leaf through 17th leaf stage. Interpolate as necessary and round to the nearest whole percent. (DO NOT USE BEFORE 11TH LEAF STAGE.)

REMAINING STAND IN 1/100 OF AN ACRE

	Γ	390	380	370	360	350	340	330	320	310	300	290	280	270				230	220				АСК 180		160	150	140	130	120	110										
4	100	2	4	6	8	9	11	12	13	14	16	17	18	20	21	22	24	26 25	27	29	31	34	36	38	41	44	47	50	53	56	60	63 6	7	1 75	; 79	83	87	92 9	6 40	0
	390	0	2	4	6	8	9	11	12	13	15	16	17	19	20	21	23	25	26	28	30		35	37	40	43	46	49		55	59	63 6	66 7	0 74	1 79	83	87	91 9)6 39	0
	380		0	2	4	6	8	10	11	12	14	15	16	18		21	22	24	25	27	29	31	34	36	39	42	45	48		54	58	62 6	66 7	0 74	1 78	82	87	91 9	06 38	0
	370			0	2	5	6	8	10	11	13	14	15	17	18	20	21	23	24	26	28	30	33	35	38	40	43	47		53	57								95 37	
	360				0	2	5	7	8	10	12	13	14	16	17	19	23 22 21 20	24 23 22	24 23 22	25	27	29	31	34 33	36	39 38	42	45	49	52	56	60 6	64 6	8 72	: 77	81	86	91 9	95 36	0
3	350					0	3	5	7	9	10	12	13	15		18	19	21	22	24	26	28	30	33	38 36 35	38	41	44	48	51									95 35	
	340						0	3	5	7	9	10	12	14		16	18	20	21	23	25	27	29	31	34	37	40	43	46	50									95 34	
-	330							0	3	5	7	9	11	12		15	17	18	20	22	24	26	28	30	33	35	38	42	45	49									95 33	
	320								0	3	5	7	9	11	13	14	16	17	19	21	22	24	27	29	31	34	37	40	44	47	51								95 32	
:	310									0	3	5	7	9	11	13	15	16	18	19	21	23	25	28	30	33	36	39		46	50								95 31	
	300										0	3	5	8	10	12	13	15	17	18	20		24	26 25	29 27	31	34			45									04 30	-
	290											0	3	6	8	10	12	14	15	17	19	21	23	25	27	30	33	36	40	43					5 71				94 29	0 8
	280												0	3	6	8	10	12	14	16		19	21	24 22 21	26 24 23	29 27 26	31	35	38	42	46	50 5	55 6	0 65	; 70	76	82	88 9	04 28	ORIGINAL STAND 1/100 OF AN 이이이이이이 아이이 아이이 아이이 아이이 아이이 아이이 아이이 아이이
	270													0	3	6	8	11	12	14	16	18	20	22	24	27	30	33	36	40	44	49 5	53 5	9 64	69	75	81	87 9	94 27	<u>0</u> Z
FA	260														0	3	6	9	11	13	15		19	21	23	26	28	31	35	39	43	47 5	52 5	7 63	68	74	81	87 9	03 26	0
OF	250															0	3	6	9	11	13	15	17	19	22	24	27	30	33	37	41				l 67					<u>0</u>
	240																0	4	7	9	12	14	16	18	20 18	22 21	25	28	31	35	39		9 5) 66		79		-	<u>0</u>
	230																	0	4	7	10	12	14	16			23	26	30	33	37		7 5		65		78			<u>0</u> 🗄
STAND	220																		0	4	7	10	12	15	17	19	22	25	28	31	35				7 63					0 5
I	210																			0	4	7	10	13	15	18	20	23	26	29					5 62					0 8
	200																				0	4	8	11	13	16	18	21	24	27	31		1 4		3 60			83 9		<u>0</u>
	190																					0	4	8	11	14	16	19	22	25	29		39 4:		1 58	66	74	82 9		0 2
	180																						0	5	8	12	14	17	20	23	27		36 42					81 9		
ž 🗄	170																							0	5	9	12	15	18	21	25	29 3							0 17	
-	60																					-			0	5	9	13		19									<u>89 16</u>	
	150																					-				0	5	10	13	17									<u>89</u> 15	
	40																										0	6	10	14	18								88 14	
	130																											0	6	11	15				5 43				37 13	
	120																												0	7	12								36 12	
	10																													0	7	12 1	7 2	2 28	35	45	57	70 8	85 11	0
	100																														0								33 10	
	90						<u> </u>																										8 1		27	36	49	64 8	31 90	
	80																																	16	122	31	44 (<u>60 7</u>	79 8(싀
	70					<u> </u>																										\square	0	10	118	26	38	<u>55 7</u>	76 7(
	60 50						<u> </u>	<u> </u>																								\vdash		0					2 60	
L	50	200	200	250	260	250	240	220	200	210	200	200	200	250	266	250	240	220	220	010	200	100	100	150	1.00	150	1.40	120	100	110	100								57 50	<u>'</u>
	L	390	380	570	360	350	540	530	520	510	300	290	280		260 REM										160	150	140	130	120	110	100	90 8	50 7	U 6l	50	40	30 [20 1	U	

REMAINING STAND IN 1/100 OF AN ACRE

									Perce	ent Lea	f Area l	Destroy	ved						
Stage of Growth	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100
									Per	rcent P	roducti	on Lost	ţ						
7-leaf	0	0	0	0	0	0	1	1	2	3	4	4	5	5	6	7	8	9	9
8-leaf	0	0	0	0	0	1	1	2	3	4	5	5	6	6	7	8	9	10	11
9-leaf	0	0	0	1	1	2	2	3	4	5	6	6	7	7	9	10	11	12	13
10-leaf	0	0	0	1	2	3	4	5	6	7	8	8	9	9	11	13	14	15	16
11-leaf	0	0	1	1	2	3	5	6	7	8	9	10	11	12	14	16	18	20	22
12-leaf	0	0	1	2	3	4	5	7	9	10	11	13	15	16	18	20	23	26	28
13-leaf	0	1	1	2	3	4	6	8	10	11	13	15	17	19	22	25	28	31	34
14-leaf	0	1	2	3	4	6	8	10	13	15	17	20	22	25	28	32	36	40	44
15-leaf	1	1	2	3	5	7	9	12	15	17	20	23	26	30	34	38	42	46	51
16-leaf	1	2	3	4	6	8	11	14	18	20	23	27	31	36	40	44	49	55	61
17-leaf	2	3	4	5	7	9	13	17	21	24	28	32	37	43	48	53	59	65	72
18-leaf	2	3	5	7	9	11	15	19	24	28	33	38	44	50	56	62	69	76	84
19-21 leaf	3	4	6	8	11	14	18	22	27	32	38	43	51	57	64	71	79	87	96
Tassel	3	5	7	9	13	17	21	26	31	36	42	48	55	62	68	75	83	91	100
Silked	3	5	7	9	12	16	20	24	29	34	39	45	51	58	65	72	80	88	97
Silks brown	2	4	6	8	11	15	18	22	27	31	36	41	47	54	60	66	74	81	90
Pre-blister	2	3	5	7	10	13	16	20	24	28	32	37	43	49	54	60	66	73	81
Blister	2	3	5	7	10	13	16	19	22	26	30	34	39	45	50	55	60	66	73
Early milk	2	3	4	6	8	11	14	17	20	24	28	32	36	41	45	50	55	60	66
Milk	1	2	3	5	7	9	12	15	18	21	24	28	32	37	41	45	49	54	59
Late milk	1	2	3	4	6	8	10	12	15	18	21	24	28	32	35	38	42	46	50
Soft dough	1	1	2	2	4	6	8	10	12	14	17	20	23	26	29	32	35	38	41
Early dent		0	1	1	2	3	5	7	9	11	13	15	18	21	23	25	27	29	32
Dent	0	0	0	1	2	3	4	6	7	8	10	12	14	15	17	19	20	21	23
Late dent	0	0	0	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Nearly mature	0	0	0	0	0	0	0	0	1	2	3	4	5	5	6	6	7	7	8
Mature	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

STAGE MODIFICATION

Actual			ТОТА	L ACTU	AL LEA	VES TO	BE PRC	DUCED	(ULTIN	IATE NO). OF LE	CAVES)		
Leaves at	12	13	14	15	16	17	18	19	20	21	22	23	24	25
Date of Loss						1	MODIFIE	ED STAG	E					
5	11	10	9	8	8	7	6	5	5	5				
6	13	12	11	10	9	8	7	6	6	6	5			
7	14	13	12	11	10	9	8	7	7	7	6	5		
8	15	14	13	12	11	10	9	8	8	8	7	6	5	
9	16	15	14	13	12	11	10	9	9	9	8	7	6	5
10	17	16	15	14	13	12	11	10	10	10	9	8	7	6
11	18	17	16	15	14	13	12	11	11	11	10	9	8	7
12	19/21	18	17	16	15	14	13	12	12	12	11	10	9	8
13		19/21	18	17	16	15	14	13	13	13	12	11	10	9
14			19/21	18	17	16	15	14	14	14	13	12	11	10
15				19/21	18	17	16	15	15	15	14	13	12	11
16					19/21	18	17	16	16	16	15	14	13	12
17						19/21	18	17	17	17	16	15	14	13
18							19/21	18	18	18	17	16	15	14
19								19/21	19/21	19/21	18	17	16	15
20									19/21	19/21	19/21	18	17	16
21										19/21	19/21	19/21	18	17
22											19/21	19/21	19/21	18
23												19/21	19/21	19/21
24													19/21	19/21
25														19/21

SHELLING PERCENTAGE FACTORS - EAR CORN

Wt. Of Ear Corn Sample: (lbs.)	Wt of Shelled Corn Sample: (lbs.)	Shelling Percentage Factor
5	4.4	1.10
5	4.3	1.08
5	4.2	1.05
5	4.1	1.03
5	4.0	1.00
5	3.9	.98
5	3.8	.95
5	3.7	.93
5	3.6	.90
5	3.5	.88
5	3.4	.85
5	3.3	.83
5	3.2	.80
5	3.1	.78
5	3.0	.75
5	2.9	.73
5	2.8	.70
5	2.7	.68
5	2.6	.65
5	2.5	.63
5	2.4	.60
5	2.3	.58
5	2.2	.55
5	2.1	.53
5	2.0	.50

Sample Weight Pounds	Factor	Sample Weight Pounds	Factor	Sample Weight Pounds	Factor
14.4 and up 14.3	1.20 1.19	10.9 10.8	.91 .90	7.9 7.8	.66 .65
14.5	1.19	10.8	.90 .89	7.8	.63 .64
14.2	1.18	10.7	.89	7.6	.04 .63
14.1	1.18	10.0	.88	7.5	.03 .63
14.0	1.17	10.5	.00	7.5	.05
13.9	1.16	10.4	.87	7.4	.62
13.8	1.15	10.3	.86	7.3	.61
13.7	1.14	10.2	.85	7.2	.60
13.6	1.13	10.1	.84	7.1	.59
13.5	1.13	10.0	.83	7.0	.58
13.4	1.12	9.9	.83	6.9	.58
13.3	1.11	9.8	.82	6.8	.57
13.2	1.10	9.7	.81	6.7	.56
13.1	1.09	9.6	.80	6.6	.55
13.0	1.08	9.5	.79	6.5	.54
12.9	1.08	9.4	.78	6.4	.53
12.8	1.07	9.3	.78	6.3	.53
12.7	1.06	9.2	.77	6.2	.52
12.6	1.05	9.1	.76	6.1	.51
12.5	1.04	9.0	.75	6.0	.50
12.4	1.03	8.9	.74	5.9	.49
12.4	1.03	8.8	.74 .73	5.8	.49 .48
12.3	1.03	8.7	.73	5.7	.48
12.2	1.02	8.6	.73	5.6	.40
12.0	1.01	8.5	.72	5.5	.46
12.0	1.00	0.5	.71	5.5	.+0
11.9	.99	8.4	.70	5.4	.45
11.8	.98	8.3	.69	5.3	.44
11.7	.98	8.2	.68	5.2	.43
11.6	.97	8.1	.68	5.1	.43
11.5	.96	8.0	.67	5.0 & below	.40
11.4	.95				
11.3	.94				
11.2	.93				
11.1	.93				
11.0	.92				

UNPACKED, SETTLED CORN SILAGE CONVERSION (ROUND STRUCTURES)

Depth of Settled Silage (Feet) <u>1</u> /	Average Weight Per Cubic Foot (Pounds)	Depth of Settled Silage (Feet) <u>1</u> /	Average Weight Per Cubic Foot (Pounds)
1	17.7	41	49.7
2	23.5	42	49.9
3	26.9	43	50.0
4	29.5	44	50.2
5	31.6	45	50.3
6	33.3	46	50.5
7	34.7	47	50.6
8	36.0	48	50.8
9	37.1	49	50.9
10	38.1	50	51.0
11	39.0	51	51.2
12	39.8	52	51.3
13	40.6	53	51.5
14	41.2	54	51.6
15	41.8	55	51.7
16	42.4	56	51.9
17	43.0	57	52.0
18	43.5	58	52.1
19	43.9	59	52.2
20	44.3	60	52.4
21	44.7	61	52.5
22	45.1	62	52.6
23	45.5	63	52.7
24	45.8	64	52.8
25	46.1	65	52.9
26	46.4	66	53.0
27	46.7	67	53.2
28	46.9	68	53.3
9	47.2	69	53.4
30	47.4	70	53.5
31	44.7	71	53.6
32	47.9	72	53.7
33	48.1	73	53.8
34	48.3	74	53.9
35	48.5	75	54.0
36	48.7	76	54.1
37	48.9	77	54.1
38	49.1	78	54.2
39	49.3	79	54.3
40	49.5	80	54.4

Depth is ROUNDED DOWN to nearest whole foot. $\underline{1}$ / Conical piles use 1/3 of the actual depth.

Exhibit 20

UNPACKED, UNSETTLED SILAGE CAPACITY OF ROUND UPRIGHT SILOS (TONS)

									DL	AMETER	(Round t	o nearest t	foot)								
	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Depth feet											TONS										
11	16	19	23	28	35	41	46	52	59	66	73	80	88	96	105	114	123	133	143	154	165
12	17	22	25	30	39	45	51	58	65	72	80	88	97	106	116	125	136	147	158	169	181
13	19	23	28	33	42	49	56	63	71	79	87	96	106	116	126	137	148	160	178	185	198
14	20	25	30	36	46	53	60	68	77	85	95	105	115	126	137	149	161	174	187	201	215
15	22	28	33	39	50	57	65	74	83	92	102	113	124	136	148	161	174	188	202	217	232
16	23	30	36	42	53	61	70	79	89	99	110	121	133	146	159	173	187	202	217	233	250
17	27	31	38	44	57	65	75	84	95	106	118	130	143	156	170	185	200	216	233	250	267
18	28	33	41	47	61	70	79	90	101	113	125	138	152	166	181	197	213	230	248	266	285
19	30	36	42	50	64	74	84	96	107	120	133	147	162	177	193	210	227	245	264	283	303
20	31	38	45	53	68	78	89	101	114	127	141	156	171	187	204	222	241	260	280	300	322
21	33	39	47	56	72	83	94	107	120	134	149	164	181	198	216	235	254	275	296	318	340
22	34	42	50	59	75	87	99	112	126	141	157	173	191	209	228	248	268	290	312	335	359
23	36	44	53	63	79	91	104	118	133	148	165	182	200	220	240	260	282	305	328	353	378
24	38	45	55	66	83	96	109	124	139	156	173	191	210	230	252	273	296	320	345	370	397
25	39	48	58	69	87	100	114	130	146	163	181	200	220	241	264	287	311	335	361	388	416
26	41	50	61	72	91	105	119	135	152	170	189	209	230	253	276	300	325	351	378	406	436
27	42	53	63	75	94	109	125	141	159	178	198	219	241	264	288	313	339	367	395	425	455
28	45	55	66	78	98	113	130	147	166	185	206	228	251	275	300	326	354	382	412	443	475
29	47	56	69	81	102	118	135	153	172	193	214	237	261	286	313	340	369	398	429	461	494
30	48	59	70	84	106	122	140	159	179	200	223	247	271	298	325	354	383	414	446	480	514
31	50	61	73	88	110	127	145	165	186	208	231	256	282	309	337	367	398	430	464	498	534
32	52	63	77	91	114	132	151	171	192	215	240	265	292	320	350	381	413	446	481	517	554
33	53	66	78	94	118	136	156	177	199	223	248	275	303	332	363	395	428	463	499	536	575
34	55	67	81	97	122	141	161	183	206	231	257	284	313	344	375	408	443	479	516	555	595
35	56	70	84	100	126	145	166	189	213	238	265	294	324	355	388	422	458	495	534	574	615
36	59	72	88	103	130	150	172	195	220	246	274	304	334	367	401	436	473	512	551	593	636
37	61	73	89	106	133	154	177	201	227	254	283	313	345	379	414	450	488	528	569	612	657
38	63	77	92	109	137	159	182	207	234	262	291	323	356	390	426	464	504	545	587	631	677
39	64	78	95	113	141	164	188	213	241	270	300	332	366	402	439	478	519	561	605	651	698
40	66	81	97	116	145	168	193	219	247	277	309	342	377	414	452	492	534	578	623	670	719
41	67	83	100	119	149	173	198	225	254	285	318	352	388	426	465	507	550	595	641	690	740
42	69	86	103	122	153	178	204	232	261	293	326	362	399	438	478	521	565	611	659	709	761
43	70	88	106	125	157	182	209	238	268	301	335	371	410	449	491	535	581	628	678	729	782
44	73	89	108	128	161	187	214	244	275	309	344	381	420	461	504	549	596	645	696	749	803
45	75	92	111	133	165	192	220	250	282	317	353	391	431	473	518	564	612	662	714	769	824

UNPACKED, UNSETTLED SILAGE CAPACITY OF ROUND UPRIGHT SILOS (TONS) (CONTINUED)

									DIA	METER	(Round t	o nearest	foot)								
	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Depth feet											TONS										
46	77	94	114	136	169	196	225	256	289	325	362	401	442	485	531	578	628	679	733	788	846
47	78	97	116	139	173	201	231	263	297	333	371	411	453	498	544	593	643	696	751	808	868
48	80	98	119	142	177	206	236	269	304	340	380	421	464	510	557	607	659	713	770	828	889
49	81	100	122	145	181	210	242	275	311	348	388	431	475	522	571	622	675	731	788	848	911
50	83	103	125	148	185	215	247	281	318	356	397	441	486	534	584	636	691	748	807	869	932
51	86	105	127	152	189	220	252	288	325	364	406	451	497	546	597	651	707	765	826	889	954
52	88	108	130	155	193	224	258	294	332	372	415	460	508	558	611	665	723	782	845	909	976
53	89	109	133	158	198	229	263	300	339	380	424	470	519	570	624	680	739	800	863	929	998
54	91	113	136	161	202	234	269	306	346	388	433	480	530	583	637	695	755	817	882	950	1020
55	92	114	138	164	206	239	274	313	353	396	442	490	541	595	651	710	771	835	901	970	1042
56	94	116	141	169	210	243	280	319	360	404	451	501	553	607	664	724	787	852	920	991	1064
57	95	119	144	172	214	248	285	325	368	413	460	511	564	619	678	739	803	870	939	1011	1086
58	98	120	147	175	218	253	291	331	375	421	469	521	575	632	691	754	819	887	958	1032	1108
59	100	123	148	178	222	258	296	338	382	429	478	531	586	644	704	769	835	905	977	1052	1130
60	102	125	152	181	226	262	302	344	389	437	487	541	597	656	719	784	852	922	996	1073	1153
61	103	128	155	184	230	267	307	350	396	445	496	551	608	669	732	799	868	940	1015	1094	1175
62	105	130	158	188	234	272	313	357	403	453	505	561	620	681	746	813	884	958	1035	1114	1197
63	106	131	159	191	238	277	318	363	410	461	515	571	631	694	759	828	900	976	1054	1135	1220
64	108	134	163	194	242	281	324	369	418	469	524	581	642	706	773	843	917	993	1073	1156	1242
65	111	136	166	198	246	286	329	376	425	477	533	591	653	718	787	858	933	1011	1092	1177	1265
66	113	139	169	202	250	291	335	382	432	485	542	602	665	731	801	873	950	1029	1112	1198	1287
67	114	141	170	205	254	296	340	388	439	493	551	612	676	743	814	888	966	1047	1131	1219	1310
68	116	144	173	208	258	301	346	395	446	502	560	622	687	756	828	903	982	1065	1151	1240	1332
69	117	145	177	211	262	305	352	401	454	510	569	632	699	768	842	919	999	1083	1170	1261	1355
70	119	147	180	214	267	310	357	407	461	518	578	642	710	781	856	934	1015	1101	1189	1282	1378
71	120	150	181	217	271	315	363	414	468	526	587	653	721	793	869	949	1032	1119	1209	1303	1401
72	123	152	184	220	275	320	368	420	475	534	597	663	733	806	883	964	1048	1137	1228	1324	1423
73	125	155	188	225	279	324	374	426	482	542	606	673	744	819	897	979	1065	1155	1248	1345	1446
74	127	156	191	228	283	329	379	433	490	550	615	683	755	831	911	994	1082	1173	1268	1366	1469
75	128	159	192	231	287	334	385	439	497	559	624	693	767	844	925	1009	1098	1191	1287	1388	1492
76	130	161	195	234	291	339	390	445	504	567	633	704	778	856	938	1025	1115	1209	1307	1409	1515
77	131	163	198	238	295	344	396	452	511	575	642	714	789	869	952	1040	1131	1227	1327	1430	1538
78	133	166	202	241	299	348	401	458	519	583	652	724	801	881	966	1055	1148	1245	1346	1452	1561
79	136	167	205	244	303	353	407	464	526	591	661	734	812	894	980	1070	1165	1263	1366	1473	1584
80	138	170	206	248	307	358	413	471	533	599	670	745	824	907	994	1086	1181	1281	1386	1494	1607

To determine the production for depth not listed in the chart, use the following procedure:

The difference between 39.0 and 39.8 is 0.8 or 80% of the difference between values for 39.0 and 40.0 foot depth. The table value difference between 39.0 and 40.0 is 15.0 tons, 0.8 or 80% of which is 12.0 tons. The table value tonnage for 39.0-foot depth is added to the 0.8 foot depth tonnage (519.0 & 12.0) to provide the tonnage for 39.8 feet of silage depth (531.0 tons).

SILAGE MOISTURE FACTORS

Moisture factors used to determine normal tonnage of dry silage appraised or harvested after normal time of harvest, or September 30.

Percent	Adjustment	Percent	Adjustment
Moisture	Factor	Moisture	Factor
1	2.83	33	1.91
2	2.80	34	1.89
3	2.77	35	1.86
4	2.74	36	1.83
5	2.71	37	1.80
6	2.69	38	1.77
7	2.66	39	1.74
8	2.63	40	1.71
9	2.60	41	1.69
10	2.57	42	1.66
11	2.54	43	1.63
12	2.51	44	1.60
13	2.49	45	1.57
14	2.46	46	1.54
15	2.43	47	1.51
16	2.40	48	1.49
17	2.37	49	1.46
18	2.34	50	1.43
19	2.31	51	1.40
20	2.29	52	1.37
21	2.26	53	1.34
22	2.23	54	1.31
23	2.20	55	1.29
24	2.17	56	1.26
25	2.14	57	1.23
26	2.11	58	1.20
27	2.09	59	1.17
28	2.06	60	1.14
29	2.03	61	1.11
30	2.00	62	1.09
31	1.97	63	1.06
32	1.94	64	1.03

Example: Determined moisture is 20 percent. Multiply factor 2.29 X tons of dry silage = tons at normal time of harvest (65 percent moisture equivalent).

Exhibit 22

GRAIN-DEFICIENT SILAGE: APPRAISAL FACTORS

Bushels Per Ton	Factor	Bushels Per Ton	Factor
4.4	.99	2.1	.76
4.3	.98	2.0	.75
4.2	.97	1.9	.74
4.1	.96	1.8	.73
4.0	.95	1.7	.72
3.9	.94	1.6	.71
3.8	.93	1.5	.70
3.7	.92	1.4	.69
3.6	.91	1.3	.68
3.5	.90	1.2	.67
3.4	.89	1.1	.66
3.3	.88	1.0	.65
3.2	.87	0.9	.64
3.1	.86	0.8	.63
3.0	.85	0.7	.62
2.9	.84	0.6	.61
2.8	.83	0.5	.60
2.7	.82	0.4	.59
2.6	.81	0.3	.58
2.5	.80	0.2	.57
2.4	.79	0.1	.56
2.3	.78	0.0	.55
2.2	.77		

Example: 10 tons per acre - silage appraisal 40 bushels per acre - grain appraisal

<u>40</u>

 $\overline{10} = 4.0$ bu./ton = .95 factor to multiply times the production.

CORN MOISTURE ADJUSTMENT FACTORS

Whole	Tenths of Percent - Moisture													
Moisture Percent	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9				
15	1.0000	.9988	.9976	.9964	.9952	.9940	.9928	.9916	.9904	.9892				
16	.9880	.9868	.9856	.9844	.9832	.9820	.9808	.9796	.9784	.9072				
17	.9760	.9748	.9736	.9724	.9712	.9700	.9688	.9676	.9664	.9652				
18	.9640	.9628	.9616	.9604	.9592	.9580	.9568	.9556	.9544	.9532				
19	.9520	.9508	.9496	.9484	.9472	.9460	.9448	.9436	.9424	.9412				
20	.9400	.9388	.9376	.9364	.9352	.9340	.9328	.9316	.9304	.9292				
21	.9280	.9268	.9256	.9244	.9232	.9220	.9208	.9196	.9184	.9172				
22	.9160	.9148	.9136	.9124	.9112	.9100	.9088	.9076	.9064	.9052				
23	.9040	.9028	.9016	.9004	.8992	.8980	.8968	.8956	.8944	.8932				
24	.8920	.8908	.8896	.8884	.8872	.8860	.8848	.8836	.8824	.8812				
25	.8800	.8788	.8776	.8764	.8752	.8740	.8728	.8716	.8704	.8692				
26	.8680	.8668	.8656	.8644	.8632	.8620	.8608	.8596	.8584	.8572				
27	.8560	.8548	.8536	.8524	.8512	.8500	.8488	.8476	.8464	.8452				
28	.8440	.8428	.8416	.8404	.8392	.8380	.8368	.8356	.8344	.8332				
29	.8320	.8308	.8296	.8284	.8272	.8260	.8248	.8236	.8224	.8212				
30	.8200	.8180	.8160	.8140	.8120	.8100	.8080	.8060	.8040	.8020				
31	.8000	.7980	.7960	.7940	.7920	.7900	.7880	.7860	.7840	.7820				
32	.7800	.7780	.7760	.7740	.7720	.7700	.7680	.7660	.7640	.7620				
33	.7600	.7580	.7560	.7540	.7520	.7500	.7480	.7460	.7440	.7420				
34	.7400	.7380	.7360	.7340	.7320	.7300	.7280	.7260	.7240	.7220				
35	.7200	.7180	.7160	.7140	.7120	.7100	.7080	.7060	.7040	.7020				
36	.7000	.6980	.6960	.6940	.6920	.6900	.6880	.6860	.6840	.6820				
37	.6800	.6780	.6760	.6740	.6720	.6700	.6680	.6660	.6640	.6620				
38	.6600	.6580	.6560	.6540	.6520	.6500	.6480	.6460	.6440	.6420				
39	.6400	.6380	.6360	.6340	.6320	.6300	.6280	.6260	.6240	.6220				
40	.6200	.6180	.6160	.6140	.6120	.6100	.6080	.6060	.6040	.6020				

CORN – COMBINED TEST WEIGHT AND PACK FACTORS

Test Weight	Less Than 255 Sq. Ft. -	255 Sq. Ft. to 461 Sq. Ft	462 Sq. Ft. to 767 Sq. Ft	768 Sq. Ft. to 1384 Sq. Ft	1385 Sq. Ft. to 2289 Sq. Ft	2290 or Over Sq. Ft
30.0	0.587	0.594	0.603	0.610	0.610	0.610
30.5	0.596	0.603	0.612	0.619	0.619	0.619
31.0	0.605	0.612	0.622	0.628	0.628	0.628
31.5	0.614	0.621	0.631	0.638	0.638	0.638
32.0	0.623	0.630	0.640	0.647	0.647	0.647
32.5	0.632	0.639	0.649	0.656	0.656	0.656
33.0	0.641	0.648	0.658	0.665	0.665	0.665
33.5	0.649	0.657	0.667	0.674	0.674	0.674
34.0	0.658	0.665	0.676	0.684	0.684	0.684
34.5	0.667	0.674	0.685	0.693	0.693	0.693
35.0	0.676	0.683	0.694	0.702	0.702	0.702
35.5	0.684	0.692	0.703	0.711	0.711	0.711
36.0	0.693	0.701	0.712	0.720	0.720	0.720
36.5	0.702	0.709	0.721	0.729	0.729	0.729
37.0	0.710	0.718	0.730	0.738	0.738	0.738
37.5	0.719	0.727	0.739	0.747	0.747	0.747
38.0	0.727	0.736	0.748	0.756	0.756	0.756
38.5	0.736	0.744	0.757	0.765	0.765	0.765
39.0	0.744	0.753	0.765	0.774	0.774	0.774
39.5	0.753	0.761	0.774	0.783	0.783	0.783
40.0	0.761	0.770	0.783	0.791	0.791	0.791
40.5	0.770	0.779	0.792	0.800	0.800	0.800
41.0	0.778	0.787	0.800	0.809	0.809	0.809
41.5	0.787	0.796	0.809	0.818	0.818	0.818
42.0	0.795	0.804	0.818	0.841	0.853	0.871
42.5	0.803	0.812	0.826	0.849	0.861	0.879
43.0	0.812	0.821	0.835	0.857	0.869	0.887
43.5	0.820	0.829	0.843	0.865	0.877	0.895
44.0	0.828	0.838	0.852	0.873	0.885	0.903
44.5	0.836	0.846	0.860	0.881	0.893	0.911
45.0	0.845	0.854	0.869	0.889	0.901	0.919
45.5	0.853	0.862	0.877	0.897	0.909	0.927
46.0	0.861	0.871	0.886	0.905	0.917	0.935
46.5	0.869	0.879	0.894	0.913	0.925	0.943
47.0	0.877	0.887	0.902	0.921	0.933	0.951
47.5	0.885	0.895	0.911	0.929	0.941	0.959
48.0	0.893	0.903	0.919	0.937	0.949	0.967
48.5	0.901	0.912	0.927	0.945	0.957	0.975
49.0	0.909	0.920	0.935	0.953	0.965	0.983
49.5	0.917	0.928	0.944	0.961	0.973	0.991

CORN – COMBINED TEST WEIGHT AND PACK FACTORS (CONTINUED)

Test Weight	Less Than 255 Sq. Ft. -	255 Sq. Ft. to 461 Sq. Ft	462 Sq. Ft. to 767 Sq. Ft	768 Sq. Ft. to 1384 Sq. Ft	1385 Sq. Ft. to 2289 Sq. Ft	2290 or Over Sq. Ft
50.0	0.925	0.936	0.952	0.969	0.981	0.999
50.5	0.933	0.944	0.960	0.978	0.990	1.009
51.0	0.941	0.952	0.968	0.986	0.998	1.017
51.5	0.949	0.960	0.976	0.994	1.006	1.025
52.0	0.956	0.968	0.984	1.003	1.015	1.034
52.5	0.964	0.975	0.992	1.011	1.024	1.043
53.0	0.972	0.983	1.000	1.019	1.032	1.051
53.5	0.980	0.991	1.008	1.027	1.040	1.059
54.0	0.987	0.999	1.016	1.036	1.049	1.069
54.5	0.995	1.007	1.024	1.044	1.057	1.077
55.0	1.003	1.015	1.032	1.052	1.065	1.085
55.5	1.010	1.022	1.040	1.060	1.073	1.094
56.0	1.018	1.030	1.048	1.068	1.081	1.102
56.5	1.026	1.038	1.056	1.076	1.089	1.110
57.0	1.033	1.045	1.064	1.084	1.097	1.118
57.5	1.041	1.053	1.071	1.092	1.105	1.126
58.0	1.048	1.061	1.079	1.100	1.113	1.134
58.5	1.056	1.068	1.087	1.108	1.122	1.143
59.0	1.063	1.076	1.095	1.116	1.130	1.151
59.5	1.070	1.083	1.102	1.123	1.138	1.160
60.0	1.078	1.091	1.110	1.131	1.146	1.168
60.5	1.085	1.098	1.118	1.139	1.153	1.175
61.0	1.093	1.106	1.125	1.147	1.161	1.183
61.5	1.100	1.113	1.133	1.155	1.169	1.191
62.0	1.107	1.120	1.140	1.163	1.177	1.199
62.5	1.114	1.127	1.147	1.171	1.185	1.207
63.0	1.121	1.134	1.154	1.179	1.193	1.215
63.5	1.128	1.141	1.161	1.187	1.201	1.223
64.0	1.135	1.148	1.168	1.195	1.209	1.231

Applicable only to shelled corn. If the actual test weight is not shown on the chart, refer to exhibit 8, Section II, column 60b for instructions.

CORN STAGE CHARACTERISTICS

All Stage are based on 50 perc	All Stage are based on 50 percent of the plants in the sample at or beyond a given phase of development.									
STAGE OF GROWTH (LEAF IS 40 TO 50 PERCENT EXPOSED AND IS USUALLY THE UPPERMOST LEAF TIP POINTING BELOW A HORIZONTAL LINE	AVERAGE TIME INTERVAL (THIS STAGE TO NEXT)	COLLAR OF THIS LEAF IS VISIBLE	TIP OF THIS LEAF IS VISIBLE	PERCENT OF LEAF AREA EXPOSED						
7 th Leaf	3 days	5 th	9 th	6						
8 th Leaf	3 days	6 th	10 th	10						
9 th Leaf	3 days	7 th	11 th	16						
10 th Leaf	3 days	$7^{ m th}$	12 th	23						
11 th Leaf	3 days	8 th	13 th	31						
12 th Leaf	3 days	9 th	14 th	41						
13 th Leaf	3 days	10 th	15 th	50						
14 th Leaf	3 days	11 th	16^{th}	60						
15 th Leaf	3 days	12 th	17 th	69						
16 th Leaf	3 days	13 th	18 th	77						
17 th Leaf	3 days	14 th		84						
18 th Leaf	2 days	15 th		94						
19-21 Leaf	2 days	Tassel and ear shoot emerging by Removal of husks will show the cob. The last leaves of the plant becoming fully extended. Elong- not complete.	96							

All Stage are based on 50 percent of the plants in the sample at or beyond a given phase of development.

CORN STAGE CHARACTERISTICS (CONTINUED)

NAME OF STAGE	AVERAGE TIME INTERVAL (THIS STAGE TO NEXT)	CHARACTERISTICS	PERCENT OF LEAF AREA EXPOSED
Tasseled	4 days	Tassel fully extended; ear shoot exposed but no silk showing. Husks opened on the ear shoot would show the silk longer than cob. No pollen evident. Plant has reached maximum size.	99
Silked	4 days	Pollination period. Silks have emerged. Tassel is shedding pollen.	100
Silks Brown	5 days	Pollination period almost complete. Seventy-five percent of silks on ear shoot showing a purple to brown color. Silks are not dry to the touch even though the color has changed to purplish brown.	
Pre-Blister	4 days	Pollination period is complete. Silks are brown but not dry. No fluid in seed coat and kernel has appearance of a pimple.	
Blister	4 days	Kernels on cob appear as watery blisters. Kernel is white fluid is colorless. Removal of fluid from kernel would leave only hull.	
Early Milk	4 days	Beginning of roasting ear stage. Kernels changing in color from white to yellow. Kernels of seed coat starting to show slight yellow appearance. Thin chalky or milky substance in kernels.	
Milk	5 days	Prime roasting ear stage. Full yellow color. Cob has reached its maximum length. Milky fluid in kernel, no solid substance.	
Late Milk	4 days	Milky fluid thickening and solids forming at the end opposite point of kernel.	
Soft Dough	5 days	Past prime roasting ear stage. Pasty or semi-solid. First few dents are showing near butt end. Kernels still produce a milky substance when squeezed.	
Early Dent	5 days	Kernels along entire ear beginning to dent. Thick gummy substance will be evident when kernel is squeezed but kernels will squirt milk when mashed.	
Dent	5 days	Most kernels dented or denting. Kernel can be cut easily with fingernail. While most kernels will not squirt milk when squeezed, there will be evidence of milk in the top of some kernels.	
Late Dent	5 days	All kernels are dented. The kernels are drying down from the top where a small hard white layer of starch is forming.	
Nearly Mature	5 days	Hull on opposite side of embryo has a shiny hardened appearance nearly halfway to cob. Kernel is not hard or brittle.	
Fully Mature		Physiological maturity has been reached and the moisture level is below 40 percent on most Corn Belt hybrids. Shiny hardened appearance of hull on opposite side of embryo has extended to the cob. Dry matter accumulation has ceased.	

NOTE: See exhibit 26, Figure A, B, and C Descriptive Pictures of the Corn Plant.

Exhibit 25

6

2

