

United States
Department of
Agriculture



Federal Crop Insurance Corporation

FCIC-25090 (12-2018)

AUP & ELS COTTON LOSS ADJUSTMENT STANDARDS HANDBOOK

2019 and Succeeding Crop Years

RISK MANAGEMENT AGENCY KANSAS CITY, MO 64133

TITLE: AUP & ELS COTTON LOSS ADJUSTMENT STANDARDS HANDBOOK	NUMBER: 25090
EFFECTIVE DATE: 2019 and Succeeding Crop Years	ISSUE DATE: December 17, 2018
SUBJECT:	OPI: Product Administration and Standards Division
Provides procedures and instructions for administering the AUP & ELS Cotton crop	APPROVED:
insurance program.	/s/ Richard H. Flournoy
	Deputy Administrator for Product Management

REASON FOR ISSUANCE

Major changes: See changes or additions in text which have been highlighted. Three stars (***) identify information that has been removed.

- 1. Throughout handbook updated website references.
- 2. Paragraph 12: added reference to Multi-County Enterprise Unit.
- 3. Paragraphs 25B, 26C, 26D and 27B: corrected terminology from RSA to sample area.
- 4. Paragraph 26B: corrected reference.
- 5. Paragraph 27E: updated Boll per Pound Factor chart per contracted study and industry recommendation. Updated examples accordingly.
- 6. Exhibit 1: removed RSA.
- 7. Exhibit 3: updated with new boll factors.
- 8. Exhibit 4, items 17, 19, 34, 36, 37 and 40: removed unnecessary wording, "Preliminary and Final".
- 9. Exhibit 4, item 37(1)(b): updated to coincide with stalk inspection requirements.
- 10. Exhibit 9(C): updated reference.
- 11. Exhibit 10(B): corrected footnote.
- 12. Exhibit 11(B): updated to coincide with "AMS Cotton Classification: Understanding the Data" document dated July 2018.
- 13. Exhibit 11(C): removed year from FSA loan chart data. Charts are for example purposes only.

AUP & ELS COTTON LOSS ADJUSTMENT STANDARDS HANDBOOK

CONTROL CHART

AUP & ELS Cotton Loss Adjustment Standards Handbook							
TP TC Text Exhibit Exhibit Date Directive Number							
Remove		Entire Handbook 11-2017 FCIC-25090					
Current Index	1-2	1-2	1-29	1-12	30-108	12-2018	FCIC-25090

FILING INSTRUCTIONS

This handbook replaces the 2018 AUP & ELS Cotton Loss Adjustment Standards Handbook, FCIC-25090 (11-2017). This handbook is effective for the 2019 and succeeding crop years and is not retroactive to any 2018 or prior crop year determinations.

AUP & ELS COTTON LOSS ADJUSTMENT STANDARDS HANDBOOK TABLE OF CONTENTS

		PAGE NO.
PAR	T 1 (GENERAL INFORMATION AND RESPONSIBILITIES
	1	General Information
	2	AIP Responsibilities
	3-10	(Reserved)
PAR	T 2 I	POLICY INFORMATION
	11	Insurability
	12	Unit Division4
	13	Quality Adjustment
	14	AUP & ELS Cotton Instruction Designations
	15	Duties in the Event of Damage or Loss
	16	Replanting Payment Procedures
	17-2	0 (Reserved)
PAR	T 3 A	APPRAISALS
	21	Selecting Representative Samples
	22	Measuring Row Width for Sample Selection
	23	Stages of Growth
	24	AUP & ELS Cotton Appraisal Methods
	25	Stand Reduction Method
	26	Hail Damage Method
	27	Boll Count Method
	28	Deviations and Modifications
	29	General Information for Worksheet Entries and Completion Procedures
	30-4	0 (Reserved)
PAR	T 4 (COTTON STALK INSPECTIONS
	41	General Information
	42-5	0 (Reserved)
PAR	T 5 I	PRODUCTION WORKSHEET
	51	General Information for Worksheet Entries and Completion Procedures

AUP & ELS COTTON LOSS ADJUSTMENT STANDARDS HANDBOOK TABLE OF CONTENTS

PAGE NO.

EXHIBITS

1	A ananyma and Albharviations	20
1	Acronyms and Abbreviations	
2	Definitions	31
3	Form Standards – Appraisal Worksheet	33
4	Form Standards – Production Worksheet	52
5	Stage of Growth Illustrations – AUP Cotton	71
6	Stage of Growth Illustrations – ELS Cotton	74
7	Reference Material	77
8	Insurability of Non-Irrigated Cotton Grown Under a Conservation Tillage Practice	84
9	Rules for Skip-Row Planting Patterns	85
10	Yield Conversion Factors for Non-Irrigated Skip-Row Planting Patterns	87
11	Cotton Quality Adjustment	94
12	Form Standards – Cotton Quality Adjustment	106

PART 1 GENERAL INFORMATION AND RESPONSIBILITIES

1 General Information

A. Purpose and Objective

The RMA-issued loss adjustment standards for this crop are the official standard requirements for adjusting losses in a uniform and timely manner. The RMA-issued standards for this crop and crop year are in effect as of the signature date for this crop handbook located at www.rma.usda.gov.

This handbook remains in effect until superseded by reissuance of either the entire handbook or selected portions (through amendments, bulletins, or FADs). If amendments are issued for a handbook, the original handbook as amended shall constitute the handbook. A bulletin or FAD can supersede either the original handbook or subsequent amendments.

B. Related Handbooks

The following table identifies handbooks that shall be used in conjunction with this handbook.

Handbook	Relation/Purpose	
CIH	Provides overall general underwriting (not crop specific) process.	
DSSH	Provides the form standards and procedures for use in the sales	
DSSII	and service of crop insurance contracts.	
GSH	Provides general crop insurance information.	
LAM	Provides overall general loss adjustment (not crop-specific)	
LAW	process.	
Cottonseed (Pilot)	Provides the procedures and instructions for administering the	
Endorsement CISH	cottonseed (pilot) program underwriting standards.	
(if applicable)	contonisced (phot) program under writing standards.	

- (1) Terms, abbreviations, and definitions general (not crop specific) to loss adjustment are identified in the GSH and the LAM.
- (2) Terms, abbreviations, and definitions specific to cotton loss adjustment and this handbook are in exhibits 1 and 2, herein.

C. CAT Coverage

Refer to the CIH, GSH and LAM for provisions and procedures not applicable to CAT coverage.

D. Irrigated Practice

Refer to the DSSH for irrigated practice guidelines and to the CIH and LAM for other irrigated practice information.

A. Utilization of Standards

All AIPs shall utilize these standards for both loss adjustment and loss training for the applicable crop year. These standards, which include crop appraisal methods, claims completion instructions, and form standards, supplement the general (not crop-specific) loss adjustment standards identified in the LAM.

B. Form Distribution

The following is the minimum distribution of forms completed by the adjuster and signed by the insured (or the insured's authorized representative) for the loss adjustment inspection:

- (1) One legible copy to the insured; and
- (2) The original and all remaining copies as instructed by the AIP.

C. Record Retention

It is the AIP's responsibility to maintain records (documents) as stated in the SRA and described in the LAM.

D. Form Standards

- (1) The entry items and completion instructions in exhibits 3 and 4 are the minimum requirements for the Cotton Appraisal Worksheet and PW. All entry items are "Substantive" (they are required).
- (2) The Privacy Act and Non-Discrimination statements are required statements that must be printed on all forms or provided to the insured as a separate document. These statements are not shown on the example form(s) in exhibits 3 and 4. The current Non-Discrimination Statement and Privacy Act Statement can be found on the RMA website at: www.rma.usda.gov.
- (3) The certification statement required by the current DSSH must be included on the PW directly above the insured's signature block immediately followed by the statement below:
 - "I understand the certified information on this Production Worksheet will be used to determine my loss, if any, to the above unit. The insurance provider may audit and approve this information and supporting documentation. The Federal Crop Insurance Corporation, an agency of the United States, subsidizes and reinsures this crop insurance."
- (4) Refer to the DSSH for other crop insurance form requirements (such as point size of font, and so forth). The current DSSH can be found on the RMA website at: www.rma.usda.gov.

3-10 (Reserved)

PART 2 POLICY INFORMATION

The AIP is to determine that the insured has complied with all policy provisions of the insurance contract. The AUP and ELS Cotton CP, which are to be considered in this determination include (but are not limited to):

11 Insurability

The following may not be a complete list of insurability requirements. Refer to the BP, CP, and SP for a complete list.

- (1) The crop insured will be all the cotton lint in the county, in which the insured has a share, for which premium rates are provided by the actuarial documents; and that is not (unless allowed by the SP or by a WA):
 - (a) For AUP Cotton:
 - (i) Planted into an established grass or legume;
 - (ii) Interplanted with another spring planted crop; or
 - (iii) Colored cotton lint
 - (b) For ELS Cotton:
 - (i) Planted into an established grass or legume;
 - (ii) Interplanted with another spring-planted crop;
 - (iii) Grown on acreage from which a hay crop was harvested in the same calendar year unless the acreage is irrigated; or
 - (iv) Grown on acreage on which a small grain crop reached the heading stage in the same calendar year unless the acreage is irrigated or adequate measures are taken to terminate the small grain crop prior to heading and less than fifty percent (50%) of the small grain plants reach the heading stage.
- (2) In addition to the provisions of section 9 of the BP:
 - (a) The acreage insured will be only the land occupied by the rows of cotton when a skip-row planting pattern is utilized.
 - (b) Any acreage of the insured crop damaged before the FPD, to the extent that a majority of producers in the area would not normally further care for the crop, must be replanted unless the AIP agrees that it is not practical to replant. Refer to the SP and the LAM for additional replanting information.
- (3) In lieu of section 11(b)(2) of the BP, insurance will end upon the removal of the cotton from the field.

12 Unit Division

Refer to the insurance contract for unit provisions. Unless limited by the CP or SP, a basic unit, as defined in the BP, may be divided into optional units if, for each optional unit, all of the conditions stated in the applicable provisions are met.

For information on Enterprise, Multi-County Enterprise, and Whole-Farm units, refer to the CIH and the LAM.

13 Quality Adjustment

The production to count for mature cotton may be reduced as a result of a loss in quality when production has been damaged by insured cause(s). Refer to exhibit 11 for cotton QA procedures.

- (1) In addition to other insurable causes of loss, cotton production will be eligible for QA if substances or conditions are present that are identified by the Food and Drug Administration or other public health organizations of the United States as being injurious to human or animal health.
 - (a) When the edible portion of the crop (cottonseed) has been exposed to flood waters and a Federal or State agency recommends destruction or disposal of production from such acreage, refer to the LAM.
 - (b) Under section 15(j) of the BP, if due to insured causes, a Federal or State agency has ordered the appraised insured crop or production to be destroyed, on the PW enter the factor ".0000" in column 35 for appraised production or column 65 for harvested production, as applicable. Instruct the insured to complete and submit a Certification Form stating the date the crop or production was destroyed and the method of destruction (refer to item 40 and the Narrative in the PW instructions). Refer to the LAM for additional information. Otherwise, make no entry.
- (2) Document QA information as described in the instructions for the Narrative section of the PW or on a Special Report.

14 AUP & ELS Cotton Instruction Designations

Instructions designated AUP cotton will apply to American Upland cotton only. Instructions designated ELS cotton will apply to Extra Long Staple cotton only. Undesignated instructions will apply to both AUP and ELS cotton.

15 Duties in the Event of Damage or Loss

In the event of damage or loss, at the AIP's option or if required in the SP, insureds may be required to leave the cotton stalks intact for the AIP's inspection. If applicable, the stalks must not be destroyed, and required samples must not be harvested, until the earlier of the AIP's inspection or 15 days after harvest of the balance of the unit is completed and written notice of probable loss is given to the AIP.

Important: Representative samples are required in accordance with section 14 of the BP.

16 Replanting Payment Procedures

There currently is no replant payment available for AUP or ELS cotton. Refer to paragraph 11(2)(b) for replanting requirements prior to the FPD.

17-20 (Reserved)

PART 3 APPRAISALS

Potential production for all types of inspections will be appraised in accordance with procedures specified in this handbook and the LAM. Refer to the Cottonseed (Pilot) Endorsement CISH for Cottonseed loss adjustment procedures.

21 Selecting Representative Samples


- (1) Determine the minimum number of required samples for a field or subfield by the field size, average stage of growth, general capabilities of the plants to recover, and variability of potential production and plant damage within the field or subfield.
- (2) Split the field into subfields when:
 - (a) variable damage causes the crop potential to appear to be significantly different within the same field; or
 - (b) the insured wishes to destroy a portion of a field.
- (3) Appraise each field or subfield separately.
- (4) Take not less than the minimum number (count) of representative samples required in exhibit 7, Table A for each field or subfield.

22 Measuring Row Width for Sample Selection

Use these instructions for all appraisal methods that require row width determinations.


- (1) Use a measuring tape marked in inches or convert a tape marked in tenths, to inches, to measure row width (refer to the LAM for conversion table).
- (2) Measure across three or more row spaces, from the center of the first row to the center of the fourth row (or as many rows as needed), and divide the result by the number of row spaces measured across, to determine an average row width in whole inches.

Example:



22 Measuring Row Width for Sample Selection (Continued)

(3) When the planting pattern is a skip-row pattern, measure across the pattern and divide the total distance by the number of rows measured across, to determine "average row width" in whole inches. In this instance, a skip-row is considered a planted row.



160 inches \div 4 row spaces = 40 inch average row width

Caution is required when a planting pattern has varying row widths within the pattern, e.g., two 36" planted rows with a 27" skip. Measure each planted pattern to determine average row width. Use the average of the planted row width to select the single row width for each representative sample.

23 Stages of Growth

The most important part of AUP and ELS cotton loss adjustment is to first determine the stage of growth at the date of damage. Refer to exhibit 5 for AUP cotton stage of growth illustrations and exhibit 6 for ELS cotton stage of growth illustrations.

A. Identifying Stages of Growth

- (1) Select at least 10 plants that are representative of the field or subfield, to determine the average stage of growth.
- (2) Use the main stem for stage determinations. The stage of growth is based on 50 percent of the plants at or beyond a given phase of development. Split the acreage into subfields to reflect the distinctly different stages of growth.
- (3) Identify the stage of growth at date of damage for all appraisals that have a specific date of damage; (e.g., hail). Use the average time intervals to count back the days to the date of damage. For progressive damage (e.g., drought), identify the stage of growth on the date of appraisal.
- (4) Determine the individual plant stage of growth using AUP Cotton Stages of Growth in subparagraph B and ELS Cotton Stages of Growth in subparagraph C.

B. AUP Cotton Stages of Growth

Emergence normally occurs 7 to 10 days after planting. At the lowest node (joint) of the cotton stem, two cotyledons (seedling leaves) are borne on opposite sides of the stem. The cotton plant then develops into two types of branches, vegetative and fruiting. The stages of growth are based on average full-season varieties and are the approximate time required for cotton plants to reach a specific growth stage.

- (1) AUP Cotton Vegetative Stages. A plant is classified as in the "Vegetative Stage" if "squaring" has NOT begun. Vegetative stage numbers are preceded by a "V" and are identified as "VC" (emergence) through V6 stages of growth.
 - (a) Count the number of nodes above the cotyledonary node beginning at the bottom of the main stem where the cotyledons were attached.
 - (b) The last node counted at the top of the plant is the node above which the internode has not elongated as much as ½ inch. At this node, the true leaf is approaching full size, and the internode below will be elongated to ½ inch or more.

Important: Under certain conditions, the vegetative stage may end before or after the V6 stage.

(2) AUP Cotton Reproductive Stages

A plant is classified as in the "Reproductive Stage" when the first square appears, whether at the 5th, 6th, or 7th node stage. Begin counting the nodes above the cotyledonary node as described in AUP Vegetative Stages. Whenever the first square appears, start counting in the reproductive stage. An "R" precedes the number for the Reproductive stages.

(3) AUP Cotton Mature Stage

The plant has now "set" all bolls that will contribute to the ultimate yield. The plant is approximately 110 days post emergence.

Important: Under certain conditions, the mature stage may be attained before the R12+ stage.

(4) AUP Cotton Fully Mature Stage

The plant now has all bolls that will contribute to the ultimate yield at the fully matured (open bolls) stage. The plant is approximately 150-155 days post emergence (90% open bolls).

C. ELS Cotton Stages of Growth

Emergence normally occurs 9 to 12 days after planting. At the lowest node (joint) of the cotton stem, two cotyledons are borne on opposite sides of the stem. The cotton plant then develops into two types of branches, vegetative and fruiting. The stages of growth are based on average full-season varieties and are the approximate time required for cotton plants to reach a specific growth stage.

- (1) ELS Cotton Vegetative Stages. A plant is classified as in the "Vegetative Stage" if "squaring" has not begun. Vegetative stage numbers are preceded by a "V" and are identified as "VC" (emergence) through V6 stages of growth.
 - (a) Count the number of nodes above the cotyledonary node beginning at the bottom of the main stem where the cotyledons were attached.
 - (b) The last node counted at the top of the plant is the node above which the internode has not elongated as much as ½ inch. At this node, the true leaf is approaching full size and the internode below will be elongated to ½ inch or more.

Important: Under certain conditions, the vegetative stage may end before or after the V6 stage.

(2) ELS Cotton Reproductive Stages

A plant is classified as in the "Reproductive Stage" when the first square appears, whether at the 5th, 6th, or 7th node stage. Whenever the first square appears, start counting in the reproductive stage. Begin counting the nodes as described in the ELS Cotton Vegetative Stages. An "R" precedes the number for the Reproductive stages.

(3) ELS Cotton Mature Stage

The plant has now "set" all bolls that will contribute to the ultimate yield. The plant is approximately 150-155 days post emergence.

Important: Under certain conditions, the mature stage may be attained before the R16+ stage.


(4) ELS Cotton Fully Mature Stage

The plant now has all bolls that will contribute to the ultimate yield at the fully matured (open bolls) stage. The plant is approximately 175-180 days post emergence (90% open bolls).

D. Cotton Boll Characteristics

- (1) A cotton boll will attain full size approximately 25 days after flowering. However, an additional 24 to 40 days are needed for the fibers inside to stretch, thicken, and mature and for the boll to open. Boll development, from open bloom to splitting of a boll requires between 40 to 80 days. Variation in boll development occurs mainly due to temperature, variety, soil moisture, and sunlight.
- (2) A mature boll is normally 1 ½ to 2 inches long with the earliest and latest bolls on the plant being smaller than the mid-season bolls.
- (3) Upon maturity, the carpel walls split open at the seam and flare out, exposing the fluffy mass of cotton fibers.
- (4) The cotton fibers are slender single-celled hairs that grow out from epidermal cells of the cottonseed.
- (5) Cotton fiber growth begins about the time the flower opens and is at full length in 15 to 25 days, when the seeds are also at approximate full size.
- (6) After fibers attain their full length, growth continues, but only as a thickening of the cell walls.
- (7) AUP cotton cultivars usually have four or five locks. ELS cotton cultivars usually have three locks. Each lock of a mature cotton boll usually contains seven to nine seeds.

Cotton Boll Illustration



E. Factors Influencing Time Between Stages of Growth

Major factors that influence the development of the cotton plant are variety, soil moisture, temperature, and sunlight. The principal effect of each is summarized as follows:

- (1) Variety. Each variety may have specific characteristics in developmental periods.
- (2) Soil Moisture. Low soil moisture prolongs plant emergence and may shorten the interval between other stages. It also reduces boll size, fiber length and strength, and increases boll drops.
- (3) Temperature. Plant development is normal with day temperature of about 90 degrees Fahrenheit and night temperatures of about 70 degrees Fahrenheit. In general, higher temperatures decrease time intervals and lower temperatures increase the time intervals.
- (4) Sunlight. Cloudy weather retards plant development. Retardation will depend upon the amount and duration of cloudy weather.

24 AUP & ELS Cotton Appraisal Methods

These instructions provide information on the following appraisal methods:

Appraisal Method	Use
Stand Reduction Method	for planted acreage with no emerged seeds and from emergence until plants are classified in the Mature Stage.
Hail Damage Method	from V1 Stage until plants are classified in the Mature Stage.
Boll Count Method	from Mature Stage until harvest.

25 Stand Reduction Method

Use the Stand Reduction Method to appraise damage that occurs in the following stages of growth for AUP and ELS cotton.

If the average stage of growth is identified as	Use the Stand Reduction Method to appraise
Emergence through VC Stage (and planted acreage with no emerged seeds)	All damage that causes stand reduction or results in no emerged seeds, including plants destroyed by hail.
V1 through R12+ Stage for AUP cotton; or V1 through R16+ Stage for ELS cotton	Any stand reduction. If plant destruction has occurred from hail, use the Stand Reduction Method with the applicable Hail Damage Method (vegetative or reproductive).

25 Stand Reduction Method (Continued)

Use the Boll Count Method to appraise damage from hail or damage that results in stand reduction after cotton has reached the mature stage of growth and all bolls that will contribute to the ultimate yield are "set".

A. Scheduling Appraisals

Delay appraisals at least 7 days for AUP cotton and at least 14 days for ELS cotton after the date of hail damage or blowing sand; as specified in the LAM when insufficient soil moisture has affected seed emergence; or for any other reason specified in the LAM.

B. Row Width and Sampling

There are two methods of measuring a sample area based on how the cotton is planted and the determined row width.

- (1) Determine if the cotton is planted in two narrow rows planted in a single bed of normal row width; single rows; or drilled rows or other narrow row planting methods for UNRC.
- (2) Determine row width by measuring the row width using the instructions in paragraph 22 and select, from the chart below, the applicable representative sample method based on how the cotton is planted and the average row width measured.

IF the AUP or ELS cotton is planted	THEN consider as	AND select each representative sample as
as two narrow rows, in a single bed of normal row width	one row	100-feet and measure the skips* between "live" plants.
as single rows, with row spacing 16 inches or more apart (including drilled rows or other narrow row planting methods for UNRC)	separate rows	100-feet and measure the skips between "live" plants.
with a drill or other narrow row planting methods for UNRC with row spacing less than 16 inches apart	UNRC	one square yard and count the number of "live" plants.

^{*} When skips occur directly across from each other in the two narrow rows.

(3) Select the required number of representative samples using the instructions in paragraph 21.

C. 100-Feet of Row Sample Method - Combined Length of Skips

Using a measuring tape marked in tenths, measure a row or combinations of rows comprising 100-feet and then measure the skips between "live" plants. A skip is the space between "live" plants within the row which exceed the standard space as shown in the chart below.


Determine if the AUP cotton is a picker or stripper-type cultivar. Refer to exhibit 2 for definitions of each type.

Note: Select the skip based on the plant cultivar characteristics not the method of harvesting.

An AUP cotton skip is the space between "live" plants within the row of more than	An ELS cotton skip is the space between "live" plants within the row of more than
12 inches for cotton grown in Mississippi Delta Gumbo soil.	12 inches for cotton grown in Arizona and California.
10 inches for picker cotton grown in Arizona, Imperial and Riverside Counties of California, New Mexico, Oklahoma and the Texas High Plains.	10 inches for cotton grown in New Mexico and Texas.
6 inches for stripper cotton.	
16 inches for hill dropped cotton.	
14 inches for all other cotton.	

- (1) From the information above, determine the AUP or ELS cotton standard plant spacing within the row; e.g., 12, 10 inches, etc.
- (2) Using a measuring tape marked in inches, measure the total distance between "live" plants within the sample row.

Example: 10" plant spacing within a row:



C. 100-Feet of Row Sample Method - Combined Length of Skips (continued)

(3) Subtract the standard plant spacing from the total distance measured between existing "live" plants. The result is the "net length" of the skip.

Example : Distance between existing plants	28"
Less: One standard 10-inch space	<u>10"</u>
"Net Length" of the skip	18"

- (4) Compute the combined length of all skips by adding the "net length" of all skips within the 100-foot sample.
- (5) Convert the result to feet and tenths by dividing by 12 and rounding to the nearest tenth of a foot.

Example: Total combined length of all skips = 218" ÷ 12 = 18.2 ft.

- (6) Record results for each representative sample in Part I Sample Determinations, Stand Reduction - Combined Length of Skips in 100-feet of Row of the appraisal worksheet.
- (7) Compute the pounds per acre appraisal using the instructions in Part I Sample Determinations Stand Reduction, 100-Feet of Row Sample Method Combined Length of Skips in Appraisal Worksheet Entries and Completion Procedures in exhibit 3.

D. One Square Yard Sample Method (UNRC) - Plants Per Square Yard

- (1) Measure one square yard for each representative sample.
- (2) Count the number of "live" plants in each representative sample.
- (3) Record the results for each representative sample in Part I Sample Determinations, Plants Per Square Yard of the appraisal worksheet.
- (4) Compute the pounds per acre appraisal using the applicable instructions in Part I Sample Determinations, Stand Reduction Method for the One Square Yard Sample Method in exhibit 3.

Use the Hail Damage Method to appraise any hail damage that occurs in the following stages of growth for AUP or ELS cotton.

IF the average stage of growth is identified as	USE the	
V1 through V6 Stage	Stand Reduction Method with the Hail Damage Method for Vegetative Stages.	
R1 through R12+ Stage for AUP cotton; or R1 through R16+ Stage for ELS cotton	Stand Reduction Method with the Hail Damage Method for Reproductive Stages.	

Use the Boll Count Method to appraise damage from hail after cotton has reached the mature stage of growth and all bolls that will contribute to the ultimate yield are "set".

A. Scheduling Appraisals

Delay the appraisal at least seven days for AUP cotton and at least 14 days for ELS cotton after the date of hail damage (also blowing sand). No delay is required if the cotton is in the Fully Mature Stage (open bolls).

B. Row Width and Sampling

Refer to Row Width and Sampling in the Stand Reduction Method in subparagraph 25B.

C. Vegetative Stage Method

- (1) Plants Destroyed. Use the Stand Reduction Method to account for plants destroyed. Plants destroyed will include plants that are:
 - (a) cut-off below the cotyledonary node; or
 - (b) otherwise killed.

Important: Determine any stand reduction before appraising hail damage to "live" plants partially destroyed.

- (2) Plants Partially Destroyed. Select 30 consecutive "live" plants from the sample area (expanded until 30 plants have been selected) used for the Stand Reduction Method.
 - (a) Account for hail damage to "live" plants partially destroyed. Plants partially destroyed will include plants that are cut-off above the cotyledonary node and at or below the sixth node.


Note: Under certain conditions, the vegetative stage may end before or after the sixth node stage.

(b) Determine the location of "cut-off," and the "cut-off" symbol, for each plant by counting nodes between the cotyledonary node and the "cut-off." Plants "cut-off" below the cotyledonary node have already been accounted for in the Stand Reduction Method.

C. Vegetative Stage Method (continued)

- (3) "Cut-Off" Symbols.
 - (a) Designate plants cut-off at the internode between the cotyledonary node and node 1 as "CC."
 - (b) Designate plants cut-off at higher internodes, as "C1" through "C6" by counting the nodes (node 1, node 2, etc.) between the cotyledonary node and the "cut-off." Designate cut-off symbols as "C1," "C2," etc., through "C6" as shown on the applicable factor chart.

Vegetative Stage – Type of Damage



- (4) Factor Charts for Plants Partially Destroyed.
 - (a) Determine if the AUP cotton is a "Picker" or "Stripper" type cultivar. Refer to definitions for AUP "Picker" Cotton and AUP "Stripper" Cotton in exhibit 2.
 - (b) Select the applicable Plants Partially Destroyed Factor Chart for the type cultivar from exhibit 7, using the instructions below.

Select the appropriate factor chart in exhibit 7 based on the plant cultivar characteristics not the method of harvesting.

IF the cotton is	USE
AUP "Picker"	Exhibit 7, Table C
AUP "Stripper"	Exhibit 7, Table D
ELS	Exhibit 7, Table M

C. Vegetative Stage Method (continued)

- (c) Find the factor for plants cut-off above the cotyledonary node through the sixth node from the chart where the Stage of Growth at date of damage (horizontal line) intersects the Cut-Off Symbol (vertical line).
- (5) Plant Damage Computations.
 - (a) Record cut-off symbols, number of plants cut-off and percent of loss factors for Plants Partially Destroyed in Part I Plant Damage Computations section of the cotton appraisal worksheet.
 - (b) Compute the pounds per acre appraisal using the instructions in Hail Damage Methods Vegetative Stages of exhibit 3.


D. Reproductive Stage Method – AUP Cotton (Stages R1-R12+) or ELS Cotton (Stages R1-R16+)


- (1) Plants Destroyed. Use the Stand Reduction Method to account for plants destroyed. Plants destroyed will include plants that are:
 - (a) cut-off below the cotyledonary node;
 - (b) damaged to the extent that they are not expected to recover and contribute lint cotton to the ultimate yield at the time of harvest; i.e., plants stripped of fruiting limbs, containing no squares, blooms or bolls; or
 - (c) otherwise killed.

Important: Determine any stand reduction before appraising hail damage to "live" plants.

Document in the Narrative or on a Special Report, your determination that plants are not capable of contributing to the ultimate yield at the time of harvest; i.e., the number of days required to grow new fruiting limbs, bloom and produce fully mature bolls.

If the plants' capability to recover cannot be determined, item (1)(b) above does not prohibit the adjuster from considering these plants as "live" plants partially destroyed and accounting for plant and boll damage in the Plant Damage Computations section of the appraisal worksheet. However, if these plants have been considered as plants destroyed in the Stand Reduction Method, do not select these same plants again when determining plant and boll damage for the Plant Damage Computation section.






A square is the first stage in the cotton boll formation. Squares follow a definite pattern in their development with the first square formed on the lowest reproductive branch of the plant. The leaf next to each square provides food needed for growth and maturity. White blooms will appear later for AUP cotton and yellow blooms for ELS cotton (refer to Stages of Growth in paragraph 23).

- (2) Plants Partially Destroyed. Select 30 consecutive "live" plants from the sample area (expanded until 30 plants have been selected), used for the Stand Reduction Method.
 - (a) Account for hail damage to "live" plants partially destroyed. Plants partially destroyed will include plants that are cut-off above the cotyledonary node and at or below the eighteenth node.
 - (b) Determine location of "cut-off" and the "cut-off" symbol for each plant by counting nodes between the cotyledonary node and the "cut-off."
- (3) "Cut-Off" Symbols for AUP Picker-type Cotton.
 - (a) Designate plants cut-off at the internode between the cotyledonary node and node 1, as "CC."
 - (b) Designate plants cut-off at higher internodes, as "C1," "C2," etc. through "C18" by counting the nodes (node 1, node 2, etc.) between the cotyledonary node and the cut-off.

- (c) Designate cut-off symbols as "C1," "C2," etc., through "C18" as shown on the applicable factor chart.
- (4) "Cut-Off" Symbols for AUP Stripper-type and ELS Cotton.
 - (a) Designate plants cut-off at the internode between the cotyledonary node and node 1 as "CC."
 - (b) Designate plants cut-off at higher internodes ("C1," "C2," etc., through "C5"), by counting the nodes (node 1, node 2, etc.) between the cotyledonary node and the cut-off.
 - (c) Designate cut-off symbols as "RR," "R1," etc., through "R12" with the cut-off below the 1st fruiting limb as follows:
 - "RR" = cut-off below 1st fruiting limb;
 - "R1" = cut-off above 1st fruiting limb;
 - "R2" = cut-off above 2nd fruiting limb, etc.

Reproductive Stage – Type of Damage



- (5) Factor Charts for Plants Partially Destroyed.
 - (a) Determine if the AUP cotton is a "Picker" or "Stripper" type cultivar. Refer to definitions for AUP "Picker" Cotton and AUP "Stripper" Cotton in exhibit 2.
 - (b) Select the Plants Partially Destroyed Factor Chart for the type cultivar and the state, if applicable, from exhibit 7 using the instructions below.

Select the appropriate factor chart in exhibit 7 based on the plant cultivar characteristics and not the method of harvesting.

IF the cotton is	AND the state is	USE
AUP "Picker"	California or Arizona	Table E
AUP "Picker"	any state except California or Arizona	Table F
AUP "Stripper"		Table G
ELS		Table M

- (c) Find the factor for plants cut-off above the cotyledonary node through eighteenth node from the table where the Stage of Growth at date of damage (horizontal line) intersects the Cut-Off Symbol (vertical line).
- (6) Counting the Number of Fruiting Limbs Destroyed.
 - (a) Select every third plant from the 30-plant sample until 10 plants have been selected. Save the sample to account for bolls and locks destroyed.
 - (b) Account for hail damage to fruiting limbs by counting the number of fruiting limbs destroyed.
 - (c) Round the actual number counted to the nearest number divisible by 5. Use the rounded figure to select the percent-of-loss for the number of fruiting limbs destroyed from the applicable chart for AUP or ELS cotton.

Example: 18 fruiting limbs destroyed, rounded to 20; or 17 fruiting limbs destroyed, rounded to 15.

(d) Select the applicable factor chart for AUP or ELS cotton using the instructions in item (7).

- (7) Factor Charts for Number of Fruiting Limbs Destroyed.
 - (a) Determine if the AUP cotton is a "Picker" or "Stripper" type cultivar. Refer to definitions for AUP "Picker" Cotton and AUP "Stripper" Cotton in exhibit 2.
 - (b) Select the applicable Number of Fruiting Limbs Destroyed Percent-of-Loss Chart, from exhibit 7, for the type cultivar and the state using the following instructions.

Select the appropriate factor chart in exhibit 7 based on the plant cultivar characteristics not the method of harvesting and, if applicable, the number of plants counted (including both "live" and destroyed plants) in the original stand.

IF the cotton is	AND the state is	THEN	IF the original stand	USE
AUP "Picker"	California or Arizona			Table H
AUP "Picker" any state except California or sample row	Count the plants in 10 feet of	was 40 plants or less	Table I	
		sample row to find the original stand.	exceeded 40 plants	Table J
AUP "Stripper"				Table K
ELS				Table N

- (c) Find the percent-of-loss factor for the rounded Number of Fruiting Limbs
 Destroyed from the chart where the Number of Limbs Destroyed 10 Plants line
 (vertical) intersects the Stage of Growth at date of damage (horizontal line) for
 the sample.
- (8) Counting the Number of Bolls and Locks Destroyed. Use the same 10-plant sample (used to determine the number of fruiting limbs destroyed) to account for the number of bolls and locks destroyed from hail if bolls have formed and boll damage has occurred.
 - (a) Count the number of small, large, and mature bolls destroyed from the 10-plant representative sample.
 - (b) Sample 5 or more bolls from the 10-plant representative sample to determine the average number of locks per boll. Refer to Cotton Boll Characteristics subparagraph 23D.
 - (c) Cut open green bolls to count the number of locks destroyed.

- (9) Plant Damage Computations.
 - (a) Record cut-off symbols, number of plants cut-off, number of limbs destroyed, number of small, large, and mature bolls, locks destroyed, and percent-of-loss factors for Plants Partially Destroyed in Part 1 Plant Damage Computations section of the appraisal worksheet.
 - (b) Compute the pounds per acre appraisal using the instructions in the Hail Damage Method Reproductive Stage Damage in exhibit 3.

27 Boll Count Method

Use this method when plants have reached the Mature Stage, for any type of damage, including hail. Mature Stage is when all bolls are "set" that will contribute to the ultimate yield. This is approximately 110 days post emergence for AUP cotton and 150 to 155 days post emergence for ELS cotton.

A. Scheduling Appraisals

Delay the appraisal at least 7 days for AUP cotton and at least 14 days for ELS cotton after the date of hail damage in the Mature Stage. No delay is required if the cotton is in the Fully Mature Stage (open bolls).

B. Row Width and Sampling

There are two methods of measuring a sample area based on how the cotton is planted and the row width.

- (1) First, determine how the cotton is planted:
 - (a) Two narrow rows planted in a single bed of normal row width;
 - (b) Single rows; or
 - (c) With a drill or other narrow row planting methods for UNRC.
- (2) Second, determine row width:
 - (a) Measure the row width using the instructions in paragraph 22.
 - (b) Select, from the following chart, the applicable representative sample method based on how the cotton is planted and the average row width measured.

B. Row Width and Sampling (continued)

IF the AUP or ELS cotton is planted	THEN	AND select each representative
If the AOT of ELS cotton is planted	consider as	sample as
as two narrow rows, in a single bed of normal row width	one row	1/100 of an acre for the row width.
as single rows, with row spacing 16 inches or more apart (including drilled rows or other narrow row planting methods for UNRC)	separate rows	1/100 of an acre for the row width.
with a drill or other narrow row planting methods for UNRC with row spacing less than 16 inches apart	UNRC	one square yard.

(3) Select the required number of representative samples using the instructions in paragraph 21.

C. 1/100 of an Acre Sample Method - Number of Bolls Remaining

- (1) Select the single row length for the row width measured for each representative sample from exhibit 7, Table B.
- (2) Using a measuring tape marked in tenths, measure a row or combinations of rows comprising 1/100 acre for the average row width.
- (3) Account for damaged and undamaged bolls using the instructions in Appraising Damaged and Undamaged Bolls for AUP cotton in subparagraph 27E and for ELS cotton in subparagraph 27F.

D. One Square Yard Sample Method - Number of Bolls Remaining

- (1) Measure one square yard for each representative sample.
- (2) Account for damaged and undamaged bolls using the following instructions in Appraising Damaged and Undamaged Bolls for AUP cotton in subparagraph 27E and for ELS cotton in subparagraph 27F.

E. Appraising Damaged and Undamaged Bolls for AUP Cotton

The number of bolls required to produce a pound of lint cotton will vary according to their size. Only after bolls have opened can their ultimate size be determined.

(1) Measure across the top (diameter or from burr tip to burr tip) of the open bolls to determine the predominant boll size for each representative sample. Apply the predominant boll size from the chart in (4). Refer to exceptions in (7).

E. Appraising Damaged and Undamaged Bolls for AUP Cotton (continued)

- (2) Count the number of undamaged bolls. Include, in the count:
 - (a) immature green and unopened bolls only if they would be expected to contribute lint cotton to the ultimate yield at the time of harvest (using the predominant boll size of greater than 1½ inches but less than 2 inches only); and
 - (b) only bolls that, when mechanically harvested by the intended method of harvest (a picker or a stripper), will contribute lint cotton to the ultimate yield at the time of harvest.
- (3) Account for undamaged locks from damaged bolls using the Boll Count Computations in subparagraph 27G.
- (4) Select, from the chart below, the number of bolls per pound factor (column 56 of the cotton appraisal worksheet) based on the predominant boll size and how the cotton is planted.

		AND use the number of bolls per pound factor (item 56 of the appraisal worksheet) for cotton		
IF the predominant OPEN boll size (diameter) is THEN count the number of bolls per pound of lint cotton for	row-planted, drilled or other narrow row planting methods for UNRC with row spacing 16 inches or more apart for	drilled or other narrow row planting methods for UNRC with row spacing less than 16 inches apart for		
Greater than 2 ½ in.	320 bolls	3.20	.064	
2 in. thru 2 ½ in.	325 bolls	3.25	.065	
Greater than 1½ in. but less than 2 in. (and immature green and unopened bolls)	415 bolls	4.15	.083	
1½ in. or less	545 bolls	5.45	.109	

- (5) If the predominant boll size is the same for all representative samples, record the number of bolls counted for each sample in Part I Sample Determinations, Number of Bolls Remaining column 14 of the appraisal worksheet.
- (6) Compute the pounds per acre appraisal using the instructions for the Boll Count Method Reproductive Stage in exhibit 3.

E. Appraising Damaged and Undamaged Bolls for AUP Cotton (continued)

- (7) Exceptions:
 - (a) If the predominant boll size is not the same for two or more representative samples, calculate each representative sample separately (in the Remarks section of the appraisal worksheet) by:
 - (i) Determining the total pounds of all samples and dividing by the number of samples taken, rounding the results to whole pounds.
 - (ii) Record in Pounds Per Acre, column 57, of the appraisal worksheet.

```
Example: Sample 1: 87 bolls \div 3.25 factor = 26.8 = 27 lbs. Sample 2: 64 bolls \div 4.15 factor = 15.4 = 15 lbs. Sample 3: 54 bolls \div 5.45 factor = 9.9 = 10 lbs. Total = 52 lbs.

Appraisal = 52 lbs. \div 3 samples = 17.3 = 17 lbs.
```

- (b) If adverse weather conditions cause a wide variation of boll sizes within the representative samples (e.g., the predominant boll size in the sample is less than 1½ inch, with a 5.45 boll size factor, and there are also a smaller number of bolls with a 3.25 boll size factor). Using only the predominant factor results in an inaccurate appraisal; therefore, compute each boll-size factor separately within a representative sample.
 - (i) Determine the total pounds of all sizes within the sample. Add the pounds of all samples and divide by the number of samples taken, round the results to whole pounds.
 - (ii) Record in Pounds Per Acre, column 57, of the appraisal worksheet.

Example: Sample 1: 68 bolls
$$\div$$
 3.25 factor = 20.9 = 21 lbs.
120 bolls \div 5.45 factor = 22.0 = 22 lbs.
Total = 43 lbs.
Sample 2: 79 bolls \div 3.25 factor = 24.3 = 24 lbs.
175 bolls \div 5.45 factor = 32.1 = 32 lbs.
Total = 56 lbs.
Sample 3: 60 bolls \div 3.25 factor = 18.5 = 19 lbs.
145 bolls \div 5.45 factor = 26.6 = 27 lbs.
Total = 46 lbs.
Total of ALL Samples = 43 + 56 + 46 = 145 lbs.
Appraisal = 145 \div 3 samples = 48.3 lbs. = 48 lbs.

F. Appraising Damaged and Undamaged Bolls for ELS cotton

- (1) Account for damaged and undamaged bolls using the Boll Count Computations in subparagraph 27G.
- (2) Include in the Boll Count Computations:
 - (a) immature green and unopened bolls, only if they would be expected to contribute lint cotton to the ultimate yield at the time of harvest; and
 - (b) only bolls that, when mechanically harvested by the intended method of harvesting (a picker or a stripper), will contribute lint cotton to the ultimate yield at the time of harvest.
- (3) Record the results for each selected representative sample in Part I Sample Determinations, Number of Bolls Remaining on the appraisal worksheet.
- (4) Select, from the chart below, the number of bolls per pound factor for the number of bolls per pound of lint cotton based on how the ELS cotton is planted.

IF the ELS cotton is planted	THEN count the number of bolls per pound of lint cotton as	AND use the number of bolls per pound factor of
as two narrow rows, in a single bed of normal row width; or as single rows, with row spacing 16 inches or more apart (including drilled rows or other narrow row planting methods for UNRC)	400	4
with a drill or other narrow row planting methods for UNRC with row spacing less than 16 inches apart	450	4.5

(5) Compute the pounds per acre appraisal using the instructions in the Boll Count Method – Reproductive Stage in exhibit 3.

G. Boll Count Computations

- (1) Pick and separate damaged and undamaged bolls in the sample. Count the undamaged bolls.
- (2) Pick and separate all undamaged locks from damaged bolls. Count the undamaged locks.
- (3) Cut open immature green and unopened bolls to determine damaged and undamaged locks in the sample. Count the undamaged locks. Include immature green and unopened bolls only if they would be expected to contribute lint cotton to the ultimate yield at the time of harvest.

G. Boll Count Computations (continued)

- (4) Determine the average number of locks per boll in the sample, usually four or five locks for AUP cotton, and three locks for ELS cotton.
- (5) Divide the undamaged locks (total of items (2) and (3) above) by the average number of locks per boll, item (4), to arrive at an equivalent number of undamaged bolls. Round to a whole number.
- (6) Add the equivalent number of undamaged bolls, item (5), to the number of undamaged bolls, item (1), to arrive at total bolls per sample.

Example: Using 21 damaged and undamaged bolls with the average number of locks per boll of 4.

15 damaged bolls with 20 undamaged locks $20 \div 4$ locks per boll = 5 equivalent bolls

Undamaged bolls 6
Equivalent bolls 5
Bolls to count 11

28 Deviations and Modifications

- (1) Deviations in appraisal methods require FCIC written authorization (as described in the LAM) prior to implementation.
- (2) There are no pre-established modifications included in this handbook. Refer to the LAM for additional information.

29 General Information for Worksheet Entries and Completion Procedures

- (1) Include the AIP's name in the appraisal worksheet title if not preprinted on the AIP's worksheet or when a worksheet entry is not provided.
- (2) Include the claim number on the appraisal worksheet (when required by the AIP), when a worksheet entry is not provided.
- (3) Separate appraisal worksheets are required for each unit appraised, and for each field or subfield (applicable to preliminary and final claims) that have a differing base (APH) yield or farming practice. Refer to paragraph 21 for sampling requirements.
- (4) Standard appraisal worksheet items are numbered consecutively in exhibit 3. An example appraisal worksheet is also provided to illustrate how to complete all entries, except the last three items on the appraisal worksheet.
- (5) For zero appraisals, refer to the LAM.

30-40 (Reserved)

PART 4 COTTON STALK INSPECTIONS

41 General Information

These instructions provide information on inspections of cotton stalks which may be required in the event of damage or loss (production loss, but not revenue only loss) as stated in the Cotton CP and paragraph 15 of this handbook.

- (1) Cotton stalk inspections are performed after harvest of the unit is complete and written notice of probable loss is given to the AIP. Harvest is considered complete when either the insured or AIP determines the final harvest is done.
- (2) Select the required number of representative samples using the instructions in paragraph 21.
- (3) If excessive cotton lint production is determined to remain on the stalks or in the field(s) after harvest due to improper harvest of the cotton, or due to malfunctioning or improperly adjusted harvest equipment, rather than due to an insured cause of loss:
 - (a) Measure three square yards for each representative sample and collect the cotton lint production remaining on the stalks and/or on the ground in each representative sample.
 - (b) Weigh the total cotton production in grams from all samples combined.
 - (c) Divide the total weight by the number of samples taken, to calculate the average number of grams per sample, rounded to the nearest whole gram.
 - (d) Multiply the average number of grams per sample by 3.5 (acreage factor)¹ to determine the gross pounds per acre. Multiply the gross pounds per acre by the percent of turnout from the gin of the last module ginned on the unit to calculate the net lint pounds per-acre uninsured cause appraisal, rounded to whole pounds. Record in the uninsured causes column on the PW. Document the cotton stalk inspection in the Remarks section of the appraisal worksheet and include the appraisal worksheet in the claim file.

Example: 100 grams per 27 square foot sample area x 3.5 x .20 (percent of turnout) = 70 lbs. per acre

(e) Refer to the LAM for additional information on verifying harvested production when performing inspections on representative samples of the unharvested crop and on cotton stalks.

42-50 (Reserved)

December 2018 FCIC-25090 28

¹ The acreage factor implies that each gram of cotton in 27 square feet equates to 3.5 lbs. per acre. The factor is calculated as follows: # grams per 27 square foot sample area \div 453.59 grams per lb. = # lbs. per 27 square foot sample area \div 27 square foot sample area = # lbs. per square foot x 43,560 square foot per acre.

PART 5 PRODUCTION WORKSHEET

51 General Information for Worksheet Entries and Completion Procedures

- (1) The PW is a progressive form containing all notices of damage for all preliminary and final inspections, including "No Indemnity Due" claims, on a unit.
- (2) If a PW has been prepared on a prior inspection, verify each entry and enter additional information as needed. If a change or correction is necessary, strike out all entries on the line and re-enter correct entries on a new line. The adjuster and insured should initial any line deletions.
- (3) Refer to the LAM for instructions regarding the following:
 - (a) AR errors.
 - (b) Delayed notices or delayed claims.
 - (c) Corrected claims or fire losses (double coverage), and cases involving uninsured causes of loss, unusual situations, controversial claims, concealment, or misrepresentation.
 - (d) Claims involving a Certification Form (when all the acreage on the unit has been appraised to be put to another use or other reasons described in the LAM).
 - (e) "No Indemnity Due" claims (which must be verified by an appraisal or notification from the insured that the production exceeded the guarantee).
 - (f) Late planting. A LPP is applicable to ELS cotton, if allowed by the SP. If the SP do not provide for a LPP, any ELS cotton that is planted after the FPD will not be insured unless you were prevented from planting it by the FPD.
- (4) Refer to the PPSH for information on prevented planting.
- (5) The adjuster is responsible for determining if any of the insured's requirements under the notice and claim provisions of the policy have not been met. If any have not, the adjuster should contact the AIP.
- (6) Instructions labeled "Preliminary" apply to preliminary inspections only. Instructions labeled "Final" apply to final inspections only. Instructions not labeled apply to all inspections.
- (7) Standard PW items are numbered consecutively in exhibit 4. An example PW is also provided to illustrate how to complete item entries.
- (8) If the AIP determines the claim is to be denied, refer to the LAM for PW completion instructions.

The following table provides the acronyms and abbreviations used in this handbook.

Approved Acronym/Abbreviation	Term	
AIP	Approved Insurance Provider	
AMS	Agricultural Marketing Service	
AR	Acreage Report	
ARD	Acreage Reporting Date	
AUP	American Upland	
BP	Basic Provisions	
CAT	Catastrophic Risk Protection	
CIH	Crop Insurance Handbook, FCIC-18010	
СР	Crop Provisions	
DSSH	Document and Supplemental Standards Handbook, FCIC-24040	
ELS	Extra-Long Staple	
FAD	Final Agency Determination	
FCIC	Federal Crop Insurance Corporation	
FN	Farm Number	
FPD	Final Planting Date	
FSA	Farm Service Agency	
GSH	General Standards Handbook, FCIC-18190	
HVI	High Volume Instruments	
CISH	Crop Insurance Standards Handbook	
LAM	Loss Adjustment Manual, FCIC-25010	
LPP	Late Planting Period	
NALR	National Average Loan Rate	
PPSH	Prevented Planting Standards Handbook, FCIC-25370	
PW	Production Worksheet	
QA	Quality Adjustment	
QAF	Quality Adjustment Factor	
RMA	Risk Management Agency	

SP	Special Provisions	
SRA	Standard Reinsurance Agreement	
UNR	Ultra-Narrow-Row	
UNRC	Ultra-Narrow-Row-Cotton	
UUF	Unavoidable Uninsured Fire	
WA	Written Agreement	

<u>AUP Cotton</u> means American Upland cotton of a botanical group known as *Gossypium hirsutum*, native to Mexico and Central America.

<u>AUP "Picker" Cotton</u> means a cotton cultivar with characteristics conducive to efficient picking, a relatively large plant with dispersed fruiting habit, a high yielding cultivar of early-maturing, slightly storm-resistant bolls borne well off the ground on a strong central stem. Harvesting is usually accomplished by a machine-picker with revolving spindles that removes the lint and seeds from open bolls and leaves unopened bolls and empty burrs on the plant. Machine-picking can be used more than once per season to harvest the crop as it progressively matures. Machine-picking can be used on cotton plants of practically any size.

AUP "Stripper" Cotton means a cotton cultivar with characteristics conducive to efficient stripping, a small plant with a fairly compact zone of relatively determinant fruiting habit and either storm-resistant or storm proof bolls. Determinacy is considered necessary because of moisture and temperature factors that limit the effective growing season; storm resistance or storm proofness provides protection to open bolls until the entire crop is matured and ready for once-over harvest by machine-stripper. Stripper harvesting, strips the entire plant of both open and unopened bolls. Therefore, harvesting is an once-over operation after all of the crop is mature. Stripping can be used when conditions are such that plant size is not excessive and the crop matures uniformly and early, and where satisfactory desiccation or defoliation can be achieved either by chemicals or frost.

Bagging and Ties means the wrapping materials used to secure a bale of cotton.

<u>Bale</u> means the cotton lint (that has been separated from the seed in the ginning process) that is tightly compressed into a bale and secured with bagging and ties. An accepted basic tradable unit.

<u>Bale Listing</u> means a list containing Cotton classification information, including bale identification numbers, net weights, and HVI quality information.

Boll means the fruit of a cotton plant containing seed and lint.

<u>Carpel</u> means the Ovary or ovule-bearing structure of the flower bud. A cotton flower contains 3 to 5 carpels, each of which at maturity contain a single lock, and collectively make the boll.

<u>Cotton Module</u> means a bulk cube or cylinder shape of cotton compacted by manual or mechanical controls on the module builder. Cotton modules provide temporary storage for unginned cotton that is transported from the field to the gin by a module truck or hauler.

<u>Colored Cotton</u> means Cotton lint that grows naturally in dye-free colored bolls (e.g., brown, green, and red) right on the stalk.

Cotton Trailer means temporary storage for unginned cotton for transporting to the gin.

<u>Cotyledonary Node</u> means the site to which the cotyledons (seed leaves) are attached to and appear directly opposite each other on the stem. In all cases, the cotyledonary node will be the bottom-most node of the plant.

<u>Cultivar</u> means a group of individual plants within a species that differ in certain characters from others within the species. A contraction of the words "cultivated variety."

<u>ELS Cotton</u> means Extra Long Staple cotton of a botanical group known as *Gossypium barbadense*, of early South American origin. Also referred to as American Pima cotton. Refer also to the ELS Cotton CP.

Emergence means fifty percent (50%) or more of the seedling plants visible above the ground with cotyledons unfolded.

Ginning means the process of separating the cotton lint (fiber) from the seed, cleaning the lint to remove plant residue and other foreign material. Refer to exhibit 11 for additional information.

<u>Ginning Turnout</u> means the ratio of lint to seed cotton produced by the ginning process (also may be referred to as ginning outturn).

<u>Hill Dropped</u> means a method of spacing cottonseed in the furrow at the time of planting. Generally, several seeds are dropped together in a "hill" as an alternative to equally spacing seed. Hill dropped seed allow several emerging seedlings to break through the soil crust.

<u>Internode</u> means the part of a stem or branch between two nodes.

<u>Lint</u> means the product separated from the seed in the ginning process.

<u>Live</u> means plants that are not damaged or are damaged but are expected to recover and contribute lint cotton to the ultimate yield at the time of harvest.

Lock means the seed and lint in a carpel.

<u>Node</u> means a slightly enlarged place on a stem (joint) from which buds arise and which bear a leaf and/or limb(s) or fruit.

Open Boll means lint is exposed.

<u>Production Guarantee (Per Acre)</u> means in lieu of the definition contained in the BP, the number of pounds determined by multiplying the approved yield per acre by any applicable yield conversion factor for non-irrigated skip-row planting patterns, and multiplying the result by the coverage level percentage you elect.

Remnant means a portion of a bale weighing less than normal bale weight.

Square means an unopened cotton flower bud together with surrounding bracts.

Stage Code means code denoting stage of crop growth or period of development at time of loss.

<u>Ultra-Narrow Row Cotton</u> means cotton planted with a grain drill or any other narrow row planting method used to attain the ultra-narrow row spacing of 20 inches or less.

Variety refer to cultivar.

Verify and/or make the following entries for each appraisal worksheet element/item number. A completed appraisal worksheet example is at the end of this exhibit. For general form standards and other general information, refer to subparagraph 2D and paragraph 29.

]	Element/Item Number	Description
	Company	Name of AIP, if not preprinted on the worksheet.
	Claim Number	Claim number assigned by the AIP.
1.	Insured's Name	Name of insured that identifies exactly the person (legal entity) to whom the policy is issued.
2.	Policy Number	Insured's assigned policy number.
3.	Unit Number	Unit number from the Summary of Coverage after it is verified to be correct.
4.	Crop Year	Four-digit crop year, as defined in the policy, for which the claim is filed.
5.	Field Number	Field or subfield identification symbol.
6.	Loc./Farm Number	FSA FN. If an FN is not available, enter the location, section, township, and range or other appropriate identifier.
7.	Stage of Growth	Identify the stage of growth on the date of damage. Refer to subparagraph 23B and exhibit 5 for AUP cotton. Refer to subparagraph 23C and exhibit 6 for ELS cotton.
8.	No. Acres	Number of determined acres, to tenths, in the field or subfield being appraised. Refer to the CIH for determined acres of skip-row planted AUP and ELS cotton.

STAND REDUCTION METHOD

For additional information, refer to paragraph 21 for Selecting Representative Samples, paragraph 23 for Stages of Growth, and paragraph 25 for the Stand Reduction Method.

Part I - Sample Determinations - Stand Reduction One Square Yard Sample Method - Plants Per Square Yard

Element/Item Number		Description
9.	Plants Per Square Yard	Record the number of "live" plants counted in each selected representative sample.
		Total : Add the number of "live" plants counted in all samples to determine the Total Plants Per Square Yard counted.
		Average : Divide the Total plants counted by the number of samples taken, rounded to tenths, to determine the Average Plants Per Square Yard (bottom line of item 9).

10. Percent Crop Remaining	Divide the Average Plants Per Square Yard (bottom line of item 9) by 23 (standard plant population for drilled or other planting methods for UNRC) and multiply by 100 to arrive at the Percent Crop Remaining, rounded to tenths.
	If stand reduction is the only damage to the unit, sampling is complete at this point. Omit items 11 through 43. Transfer results as a 3-place decimal fraction to Average Percent Crop Remaining (item 44) of Part II - Computations - Stand Reduction (Only) Method for all damage that causes stand reduction (from emergence until mature and for hail damage from emergence through VC stage and planted acreage with no emerged seed) and complete items 45 and 46.
	When hail damage occurs in V1 through R12+ stage for AUP cotton or V1 through R16+ stage for ELS cotton, transfer results to Average Percent of Crop Remaining of Part III (item 47) for damage in the Vegetative Stage, or Part V (item 58) for damage in the Reproductive Stage.

Part I - Sample Determinations - Stand Reduction 100 Feet of Row Sample Method - Combined Length of Skips

E	lement/Item Number	Description
11.	Combined Length of Skips in 100 Ft. of Row	Record the Combined Length of Skips in 100 Ft. of Row (in feet, to tenths) of all skips for each selected representative sample.
		Total : Add the Combined Length of Skips in 100 Ft. of Row for all samples to determine the Total Combined Length of Skips (in feet, to tenths).
		Average : Divide the Total Combined Length of Skips for all samples by the number of samples taken, (in feet, to tenths) to determine the Average Combined Length of Skips in 100 Ft. of Row (bottom line of item 11).
12.	Percent Crop	Subtract the Average Combined Length of Skips in 100 Ft. of Row
	Remaining	(bottom line of item 11) from 100 (length of sample), rounded to
		If stand reduction is the only damage to the unit, sampling is complete at this point. Omit items 13 through 43. Transfer results as a 3-place decimal fraction to Average Percent Crop Remaining (item
		44) of Part II - Computations - Stand Reduction (Only) Method for all damage that causes stand reduction (from emergence until mature,
		and for hail damage from emergence through VC stage and planted
		acreage with no emerged seed) and complete items 45 and 46.

12. Percent Crop	When hail occurs in the V1 through R12+ stage for AUP cotton or V1
Remaining (conti	nued) through R16+ for ELS cotton, transfer results to Average Percent Crop
	Remaining of Part III (item 47) for damage in the Vegetative Stage, or
	Part V (item 58) for damage in the Reproductive Stage.

HAIL DAMAGE METHOD - VEGETATIVE STAGE DAMAGE

For additional information, refer to paragraph 21 for Selecting Representative Samples, paragraph 23 for Stages of Growth, and subparagraph 26C for Hail Damage Method, Vegetative Stage Damage. If stand reduction has occurred, complete the applicable Stand Reduction Method first to account for plants destroyed. Next complete Plant Damage Computations (items 19 through 26) to account for hail damage to "live" plants partially destroyed and transfer results for each representative sample to Gross Percent Partially Destroyed (item 13).

Part I - Sample Determinations - Vegetative Stages

Element/Item Number	Description
13. Gross Percent Partially	Transfer % Loss (item 26) for each representative sample in the Plant
Destroyed	Damage Computations section.
	Total : Add the % Loss entries for all samples, to determine the Total Gross Percent Partially Destroyed.
	Average: Divide the Total Gross Percent Partially Destroyed by the number of samples taken, rounded to tenths, to determine the Average Gross Percent Partially Destroyed (bottom line of item 13). Omit items 14 through 18 and items 27 through 46.
	Transfer results as a 3-place decimal fraction to Average Gross Percent Partially Destroyed (item 48) of Part III - Computations - Stand Reduction and Plant Damage Method - Vegetative Stages. Complete items 49 through 54.

BOLL COUNT METHOD - REPRODUCTIVE STAGES

For additional information, refer to paragraph 21 for Selecting Representative Samples, paragraph 23 for Stages of Growth, paragraph 27 for Boll Count Method. Use this method for any type of damage, including hail (Stand Reduction and Hail Damage Methods are not used). Omit items 9 through 13.

Part I - Sample Determinations - Reproductive Stages

Element/Item Number	Description
14. No. of Bolls Remaining	Record the No. of Bolls Remaining for each representative sample.
	For AUP cotton, record the No. of Bolls Remaining when all samples
	have the same Number of Bolls Per Pound Factor for the
	predominant boll size. Refer to Exceptions in subparagraph 27E(7).
	Total : Add the No. of Bolls Remaining entries for all samples to determine the Total No. of Bolls Remaining.
	Average : Divide the Total No. of Bolls Remaining by the number of samples taken, rounded to tenths, to determine the Average No. of Bolls Remaining (bottom line of item 14). Omit items 15 through 54.
	Transfer results to Average Number of Bolls Remaining (item 55) of Part IV - Boll Count Method - Reproductive Stages and complete items 56 and 57.

HAIL DAMAGE METHOD - REPRODUCTIVE STAGE DAMAGE

For additional information, refer to paragraph 21 for Selecting Representative Samples, paragraph 23 for Stages of Growth, and subparagraph 26D for Hail Damage Method, Reproductive Stage Damage. If stand reduction has occurred, complete the applicable Stand Reduction Method first to account for plants destroyed. Next complete Plant Damage Computations (items 19 through 43) to account for hail damage to "live" plants partially destroyed and totally/partially destroyed fruiting limbs, bolls, and locks.

Part I - Sample Determinations - Reproductive Stages

Element/Item Number	Description
15. Gross Destroyed (30	Transfer % Loss (item 26) for each representative sample in the Plant
Plant Test)	Damage Computations section.
	Total : Add the % Loss entries for all samples to determine the Total Gross Destroyed (30 Plant Test).

15.	Gross Destroyed (30	Average : Divide the Total Gross Destroyed (30 Plant Test) by the
	Plant Test) (continued)	number of samples taken, rounded to tenths, to determine the Average Gross Destroyed (30 Plant Test).
		Transfer results as a 3-place decimal fraction to Average Gross Destroyed (30 Plant Test) (item 59) in Part V - Computations - Stand, Plant and Boll Damage Methods - Reproductive Stages.
16.	Percent Limbs Destroyed	Transfer % Loss (item 28) for each representative sample in the Plant Damage Computations section.
		Total : Add the % Loss entries for all samples to determine the Total Percent Limbs Destroyed.
		Average: Divide the Total Percent Limbs Destroyed by the number of samples taken, rounded to tenths, to determine the Average Percent Limbs Destroyed.
		Transfer results as a 3-place decimal fraction to Average Percent Limbs Destroyed (item 60) of Part V - Computations - Stand, Plant, and Boll Damage Methods - Reproductive Stages.
17.	Percent Bolls Destroyed	Result of adding the % Loss entries for Small Bolls (item 31), Large Bolls (item 34), and Mature Bolls (item 37) for each representative sample in the Plant Damage Computations section.
		Total : Add Percent Bolls Destroyed entries for all samples to determine the Total Percent Bolls Destroyed.
		Average : Divide the Total Percent Bolls Destroyed by the number of samples taken, rounded to tenths, to determine the Average Percent Bolls Destroyed.
		Transfer results as a 3-place decimal fraction to Average Percent Bolls Destroyed (item 61) of Part V - Computations - Stand, Plant, and Boll Damage Methods - Reproductive Stages.
18.	Percent Locks Destroyed	Transfer % Loss (item 43) for each representative sample in the Plant Damage Computations section.
		Total : Add the % Loss entries for all samples to determine the Total Percent Locks Destroyed.
		Average: Divide the Total Percent Locks Destroyed by the number of samples taken, rounded to tenths, to determine the Average Percent Locks Destroyed.
		Transfer results as a 3-place decimal fraction to Average Percent Locks Destroyed (item 62) in Part V - Computations - Stand, Plant, and Boll Damage Methods - Reproductive Stages, and complete items 63 thru 68.

Part I - Sample Determinations - Plant Damage Computations

For hail damage to Vegetative Stage plants (V1 through V6), complete items 19 through 26. For hail damage to Reproductive Stage plants and bolls (R1 through R12+ for AUP cotton and R1 through R16+ for ELS cotton), complete items 19 through 43. Refer to Hail Damage Method in paragraph 26 for additional instructions.

Element/Item Nun	nber Description
19. Cut-Off Symbol	Record the Cut-Off Symbol for AUP or ELS cotton (CC, C1, C2,
	etc., or RR, R1, R2, etc.) that identifies the location of the cut-off for
	"Live" Plants Partially Destroyed determined from the 30
	consecutive "live" plants. Refer to subparagraphs 26C or D.
20. Plants Cut-Off	Record one mark across from the Cut-Off Symbol, entered in item
	19, that identifies the location of the Cut-Off determined for each
	cut-off plant from the 30 consecutive "live" plants.
21. Factor	Record the cut-off Factor determined for Plants Partially Destroyed
	(cut-off above the cotyledonary node and at or below the eighteenth
	node) from the applicable AUP or ELS cotton table where the Stage
	of Growth at date of damage (horizontal line) intersects the Cut-Off
	Symbol (vertical line) for plants cut-off. For table selection
	instructions, refer to Factor Charts for Plants Partially Destroyed in
	subparagraph 26C(4) for vegetative stages and subparagraph 26D(5)
	for reproductive stages.
22. Result	Multiply the number of Plants Cut-Off (item 20) times the
	determined Factor (item 21).
23. Total	Add the Result column (item 22) entries. Transfer results to Total
	Column (item 24).
24. Total Column	Transfer result from Total (item 23).
25. Factor	The constant Factor 30 for the number of consecutive "live" plants
	selected.
26. % Loss	Divide the Total Column (item 24) by the constant Factor 30 (item
	25), rounding to tenths.
	Transfer each representative sample % Loss (item 26) result to Gross
	Destroyed (30 Plant Test) (item 15) of Part I - Sample
	Determinations - Reproductive Stages.
27. Limbs Destroyed	
(Fruiting)	from the 10-plant sample selected from the 30-plant sample. Refer
	to subparagraph 26D(6). Save the 10-plant sample to determine boll
	damage (items 29 through 43).
28. % Loss	Record the Percent of Loss for Limbs Destroyed selected from the
	applicable table (for the type cultivar and/or state), where the
	Number of Limbs Destroyed 10 Plants line (vertical) intersects the
	Stage of Growth line (horizontal) for each representative sample.
	For table selection instructions, refer to Factor Charts for Number of
	Fruiting Limbs Destroyed in subparagraph 26D(7).

28. % Loss (continued)	Transfer % Loss results for each representative sample to Percent
	Limbs Destroyed (item 16) of Part I - Sample Determinations -
	Reproductive Stages.

Boll Damage Computations - Reproductive Stages

If bolls have formed and boll damage has occurred from hail, use the same 10-plant sample (used to determine the number of fruiting limbs destroyed) to account for destroyed bolls and locks. Refer to Counting the Number of Bolls and Locks Destroyed subparagraph 26D(8). Complete the following items:

Element/Item Number	Description
29. Small Bolls	Result of counting the number of Small Bolls destroyed from the 10-
	plant sample. Small bolls are less than ½ of mature boll size.
30. Factor	Constant Factor .25 for Small Bolls.
31. % Loss	Multiply the number of Small Bolls destroyed (item 29) times the
	constant Factor .25 (item 30), rounding to tenths.
32. Large Bolls	Result of counting the number of Large Bolls destroyed from the 10-
	plant sample. Large bolls are ½ or more of the mature boll size, but
	not a mature boll.
33. Factor	Constant Factor .50 for Large Bolls.
34. % Loss	Multiply the number of Large Bolls (item 32) times the constant
	Factor .50 (item 33), rounding to tenths.
35. Mature Bolls	Result of counting the number of Mature Bolls destroyed from the
	10-plant sample. Mature bolls are maximum size with low moisture
	content.
36. Factor	Constant Factor 1.00 for Mature Bolls.
37. % Loss	Multiply the number of Mature Bolls destroyed (item 35) times the
	constant Factor 1.00 (item 36).
38. Locks Destroyed	Result of counting the number of Locks Destroyed, determined from
	the 10-plant sample.
39. Locks/Boll	Record the average number of Locks/Boll (usually 4 or 5 for AUP
	cotton or 3 for ELS cotton) determined from 10 or more bolls from
	the 10-plant sample.
40. Equiv. Bolls	Divide the number of Locks Destroyed (item 38) by the number of
	Locks Per Boll (item 39), rounding to tenths. Transfer results to
44 77 1 1 7 11	Equivalent Bolls (item 41).
41. Equivalent Bolls	Transfer result from Equiv. Bolls (item 40).
42. Factor	Record the Factor selected, from exhibit 7, Table L for AUP cotton
	or Table O for ELS cotton that represents the size of the boll (small,
12 0/ 7	large, or mature) converted from Locks Destroyed (item 38).
43. % Loss	Multiply Equivalent Bolls (item 41) times Factor (item 42), rounding
	to tenths.
	Transfer % Loss results for each representative sample to Percent
	Locks Destroyed (item 18) of Part I - Sample Determinations -
	Reproductive Stages.
	1 reproductive stages.

Part II - Computations - Stand Reduction (Only) Method

E	lement/Item Number	Description
44.	Average Percent Crop Remaining	Transfer Average Percent Crop Remaining, converted to a 3-place decimal fraction, from the bottom line of item 10 or item 12 of Part I - Sample Determinations - Stand Reduction.
45.	Yield Per Acre	Record the appropriate Yield Per Acre (maximum appraisal) for the field or subfield. If the acreage is:
		(1) irrigated solid-planted or irrigated skip-row, enter in whole pounds, the per-acre Approved APH Yield from the APH form.
		(2) non-irrigated solid-planted or non-irrigated skip-row acreage planted in a pattern that does not qualify as a skip-row pattern (as defined by FSA), enter in whole pounds, the per acre Approved APH Yield from the APH form.
		(3) non-irrigated skip-row acreage planted in a pattern that qualifies as a skip-row pattern (as defined by FSA), enter in whole pounds, the results obtained by multiplying the Approved APH Yield from the APH form times the applicable Skip-Row Yield Conversion Factor for the planting pattern and row-width from exhibit 10.
		The yield conversion factor will not apply to non-irrigated skip-row cotton acreage if the land between the rows of cotton is planted to any spring planted crop. Cotton acreage interplanted with another spring planted crop is not insurable unless allowed by the SP or a WA. Refer to paragraph 11.
46.	Pounds Per Acre	Multiply the Average Percent Crop Remaining (item 44) times the Yield Per Acre (item 45), rounding to the nearest whole pound.

Part III - Computations - Stand Reduction and Plant Damage Method - Vegetative Stages

E	lement/Item Number	Description
47.	Average Percent Crop	Transfer Average Percent Crop Remaining, converted to a 3-place
	Remaining	decimal fraction, from the bottom line of item 10 or item 12 of Part I
		- Sample Determinations - Stand Reduction Method.
48.	Average Gross %	Transfer Average Gross % Partially Destroyed, converted to a 3-
	Partially Destroyed	place decimal fraction, from the bottom line of item 13 of Part I -
	-	Sample Determinations - Vegetative Stages.

49.	Net Loss Plant Damage	Multiply Average Percent of Crop Remaining (item 47) times Average Gross % Partially Destroyed (item 48), rounding to nearest 3-place decimal.
50.	Average Percent Crop Remaining	Transfer entry from Average Percent Crop Remaining (item 47).
51.	Net Loss Plant Damage	Transfer entry from Net Loss Plant Damage (item 49).
52.	Percent Crop Remaining	Subtract Net Loss Plant Damage (item 51) from Average Percent Crop Remaining (item 50).
53.	Yield Per Acre	Record the appropriate Yield Per Acre (maximum appraisal) for the field or subfield. If the acreage is: (1) irrigated solid-planted or irrigated skip-row, enter in whole
		pounds, the per acre Approved APH Yield from the APH form. (2) non-irrigated solid-planted or non-irrigated skip-row acreage planted in a pattern that does not qualify as a skip-row pattern (as defined by FSA), enter in whole pounds, the per acre Approved APH Yield from the APH form.
		(3) non-irrigated skip-row acreage planted in a pattern that qualifies as a skip-row pattern (as defined by FSA), enter in whole pounds, the result obtained by multiplying the Approved APH Yield from the APH form times the applicable Skip-row Yield Conversion Factor for the planting pattern and row-width from exhibit 10.
		The yield conversion factor will not apply to non-irrigated skip-row cotton acreage if the land between the rows of cotton is planted to any spring-planted crop. Cotton acreage interplanted with another spring-planted crop is not insurable unless allowed by the SP or a WA. Refer to paragraph 11.
54.	Pounds Per Acre	Multiply Percent Crop Remaining (item 52) times Yield Per Acre (item 53) rounding to the nearest whole pound.

Part IV - Boll Count Method - Reproductive Stages

E	lement/Item Number	Description						
55.	Average Number of	Transfer Average Number of Bolls Remaining from bottom line of						
	Bolls Remaining	item 14 in Part I - Sample Determinations - Reproductive Stages.						
56.	Number of Bolls Per	Record the Number of Bolls Per Pound Factor, from the chart in Boll						
	Pound Factor	Count Appraisal Method subparagraph 27E(4) for AUP cotton or						
		subparagraph 27F(4) for ELS cotton.						
57.	Pounds Per Acre	Divide Average Number of Bolls Remaining (item 55) by the						
		Number Bolls Per Pound Factor (item 56), rounding to the nearest						
		whole pound or record the Pounds Per Acre appraisal from						
		calculations in the Remarks section (omitting items 55 and 56).						

Part V - Computations - Stand, Plant, and Boll Damage Methods - Reproductive Stages

E	lement/Item Number	Description
58.	Average Percent Crop Remaining	Transfer Average Percent Crop Remaining, converted to a 3-place decimal fraction, from the bottom line of item 10 or item 12 of Part I - Sample Determinations - Stand Reduction.
59.	Average Gross Destroyed (30 Plant Test)	Transfer Average Gross Destroyed (30 Plant Test), converted to a 3-place decimal fraction, from bottom line of item 15 of Part I - Sample Determinations - Reproductive Stages.
60.	Average Percent Limbs Destroyed	Transfer Average Percent Limbs Destroyed, converted to a 3-place decimal fraction, from bottom line of item 16 of Part I - Sample Determinations - Reproductive Stages.
61.	Average Percent Bolls Destroyed	Transfer Average Percent Bolls Destroyed, converted to a 3-place decimal fraction, from bottom line of item 17 of Part I - Sample Determinations - Reproductive Stages.
62.	Average Percent Locks Destroyed	Transfer Average Percent Locks Destroyed, converted to a 3-place decimal fraction, from bottom line of item 18 of Part 1- Sample Determinations - Reproductive Stages.
63.	Net Loss Plant Damage	Multiply Average Percent Crop Remaining (item 58) times the sum of Average Gross Destroyed (30 Plant Test) (item 59), Average Percent Limbs Destroyed (item 60), Average Percent Bolls Destroyed (item 61), and Average Percent Locks Destroyed (item 62). Rounded to the nearest 3-place decimal.
64.	Average Percent Crop Remaining	Transfer Average Percent of Crop Remaining, as a 3-place decimal fraction, from item 58.
65.	Net Loss Plant Damage	Transfer Net Loss Plant Damage, as a 3-place decimal fraction, from item 63.
66.	Percent Crop Remaining	Subtract Net Loss Plant Damage (item 65) from Average Percent Crop Remaining (item 64).
67.	Yield Per Acre	Record the Yield Per Acre (maximum appraisal) for the field or subfield. If the acreage is:
		(1) irrigated solid-planted or irrigated skip-row, enter in whole pounds, the per acre Approved APH Yield from the APH form.
		(2) non-irrigated solid-planted or non-irrigated skip-row acreage planted in a pattern that does not qualify as a skip-row pattern (as defined by FSA), enter in whole pounds, the per acre Approved APH Yield from the APH form.
		(3) non-irrigated skip-row acreage planted in a pattern that qualifies as a skip-row pattern (as defined by FSA), enter in whole pounds, the results obtained by multiplying the Approved APH Yield from the APH form times the applicable Skip-row Yield Conversion Factor for the planting pattern and row-width from exhibit 10.

67.	Yield Per Acre (continued) Pounds Per Acre	The yield conversion factor will not apply to non-irrigated skip-row cotton acreage if the land between the rows of cotton is planted to any spring-planted crop. Cotton acreage interplanted with another spring-planted crop is not insurable unless allowed by the SP or a WA. Refer to paragraph 11. Multiply Percent Crop Remaining (item 66) times the Yield Per Acre						
		(item 67), rounded to whole pounds.						
69.	Remarks	Document the following:						
		(1) Calculations for the pounds per acre appraisal when the AUP cotton predominant boll size is different for each representative sample.						
		(2) Document:						
		(a) the planting pattern and row-widths within the planting pattern for any skip-row planted acreage; or						
		(b) the row-width of any "UNR" planted cotton.						
		(3) Unusual information pertinent to the appraisal.						
		(4) Entries as required by the AIP.						
		(5) Calculations for any approved deviation or modification, bulletin number, and date of authorization.						
		(6) The cotton stalk inspection. Refer to Part 4.						

The following required entries are not illustrated on the Appraisal Worksheet examples below.

Elemen	t/Item Number	Description
70. Insure	ed's Signature and	Insured's (or insured's authorized representative's) signature and
Date		date: Before obtaining the signature, review all entries on the
		Appraisal Worksheet with the insured, (or insured's authorized
		representative) particularly explaining codes, etc., which may not be
		readily understood.
	ster's Signature, Number, and	Signature of adjuster, code number, and date signed after the insured (or insured's authorized representative) has signed. If the appraisal is performed prior to signature date, document the date of appraisal in the Remarks section of the Appraisal Worksheet (if available); otherwise, document the appraisal date in the Narrative of the PW.
Page Numb	bers	Page numbers - (Example: Page 1 of 1, Page 1 of 2, Page 2 of 2, etc.).

STAND REDUCTION METHOD – AUP COTTON (short form) One Square Yard Sample Method – Plants Per Square Yard

Company: Any C	ompan	y).: X	<u>XXXXXX</u>
For Illustration Pu	irposes	ONLY	1 Insured's Na	ame		2 Policy Nu	mber 3 Ui	nit Number	4	Crop Year
	1			A. Insure		XXXXX		0002-0000B		YYYY
APPRAISAL W		EET	5 Field Number	er	6 Loc./Farm Numbe	er	7 St	age of Grow	th 8	No. Acres
COTT	ON		8		430)		V1		39.9
				SAMPL	E DETERMINATIO		•			
		STAND!	REDUCTION		VEGETATIVE STAGES		REPRO	DUCTIVE	STAGE	ES
CANEDY F	9	10	11	12	13	14	15	16	17	18
SAMPLE NO.	Plants		Combined		Gross Percent	No. of	Gross	Percent	Perce	
110.	Per		Length		Partially	Bolls	Destroyed		Boll	
	Square Yard		of Skips in 100 Ft. of Row		Destroyed	Remaining	(30 Plant Test)	Destroyed	Destro	yed Destroyed
1	6	1	1001110111011				Test)			
2	3									
3 4	4									
5	4	•								
6										
7										
<u>8</u>										
10										-
11										
12		_								
TOTAL	13	Percent Crop Remaining	R	Percer Crop Remain						
AVERAGE	3.3	14.3								
Use long form when hail dar					•	•		•	.1	
	P	ART II - C			AND REDUCTION		IETHOD			
APPRAISED PRODUCTION	44 Ave Percent Crop F		45 Yield Per A	Acre	46 Pounds Pe	r Acre				
PRODUCTION		.143	× 3	25	= 4	16.475 = 46	i			
PART IV - BOLL COUNT	г метно	OD - REPR	ODUCTION S	TAGES						
	55 Av	erage	56 Number of	Bolls Pe	er 57 Pounds Pe	r Acre				
APPRAISED	Numb Remai	er of Bolls	Pound Factor							
PRODUCTION	Keiliai	ning								
			×		=					
69 Remarks										
UNRC 15-inch row space	ing									

This form example does not illustrate all required entry items (e.g., signatures, etc.).

STAND REDUCTION METHOD - AUP COTTON (short form) **100 Feet of Row Sample Method – Combined Length of Skips**

	_		Company Purposes	1 Insured's Name	;			2 Policy Nun	ıber	3 Unit N	Claim No Jumber		p Year
ONLY			т.	M. Insu	red		XXXXXX	ΥY	0.0	001-0001BU		YYYY	
				5 Field Number	IVI. IIISU		oc./Farm Numbe		1.7.	7 Stage of Growth		8 No. Acres	
	APPRA ORKS COTT	SHE	ET	В			FN-430				V3		10.8
				PA	RT I - SA		LE DETERMI			l		l e	
			STAND	REDUCTION		•	VEGETATIV STAGES	E	I	REPROD	UCTIVE ST	AGES	
SAMPLE	9		10	11	12		13	14		15	16	17	18
NO.	Plant Per Squ Yard	uare		Combined Length of Skips in 100 Ft. of Row 89.7	_	-	Gross Percent Partially Destroyed	No. of Bolls Remaining	Des	tross troyed ant Test)	Percent Limbs Destroyed	Percent Bolls Destroyed	Percent Locks Destroye
2				87.5	_								
3				74.2									
4				82.9		-				\ \			
5 6						-							
7													
8													
9													
10 11													
12					-	-							
TOTAL			Percent Crop Remaining	334.3	Percent Remain								
VERAGE			-	83.6	16.4	4							
se long for	n when l	hail d		to AUP or ELS cot		JC C	TAND DEDI	CTION (ON	T 3/2 3/	ETHAD			
	44	1 Ave		45 Yield Per Acro		13 - 3	46 Pounds Per		LY) IV	IE I HOD	<u> </u>		
APPRAIS			emaining	13 Tield Tel Tiel			TO T Outlies T el	71010					
PRODUCT	ION		164	125			(0.7	70					
			164	× 425 PART IV - BOLI			= 69.7 = ETHOD - REP		N ST	AGES			
APPRAIS: PRODUCT			erage Number Remaining	56 Number of Bo Pound Factor	lls Per		57 Pounds Per		21(51	IGES			
69 Remarks				×									
) Kemarks													
30-inch r	ow spac	ing											

This form example does not illustrate all required entry items (e.g., signatures, etc.).

HAIL DAMAGE METHOD - VEGETATIVE METHOD - AUP COTTON (long form) Page 1 of 2

Company: Any Company Claim No.: XXXXXXX For Illustration Purposes 1 Insured's Name 2 Policy Number 3 Unit Number 4 Crop Year XXXXXXX 0002-0000BU YYYY I. M. Insured 5 Field Number 6 Loc./Farm Number 7 Stage of Growth 8 No. Acres APPRAISAL WORKSHEET **COTTON** 10B V5 10.0 PART I - SAMPLE DETERMINATIONS VEGETATIVE STAND REDUCTION REPRODUCTIVE STAGES STAGES **SAMPLE** 9 12 13 14 15 18 Combined Length NO. Plants Gross Percent No. of Gross Percent Percent Percent Per Square of Skips in Partially Bolls Destroyed Limbs **Bolls** Locks Yard 100 Ft. of Row (30 Plant Test) Destroyed Destroyed Remaining Destroyed Destroyed 58.2 56.8 19.7 20.7 3 61.0 Percent Crop Percent Crop **TOTAL** 176.0 64.1 Remaining Remaining AVERAGE 58.7 21.4 41.3 PLANT DAMAGE COMPUTATIONS SAMPLE NO. 1 SAMPLE NO. 2 SAMPLE NO. 3 SAMPLE NO. 4 19 20 21 22 19 20 21 22 19 20 21 22 19 20 21 22 Cut-Off Plants Cut-Off Plants Plants Cut-Off Plants Cut-Off Result Factor Factor Result Factor Result Factor Result Symbol Cut-Off Symbol Cut-Off Symbol Cut-Off Symbol Cut-Off CC IIII I 50 300 CC Ш 50 250 CC IIII I 50 300 C1 C1 IIII 40 160 C1 IIII 40 160 Ш 40 200 C2 Ш 30 150 C2 IIII30 120 C2 Π 30 60 100 60 Ш III C3 20 C3 60 23 TOTAL 23 TOTAL 23 TOTAL 590 23 TOTAL 710 620 24 Total Column 25 Factor 24 Total 25 Factor 26 % Loss 24 Total Column 24 Total 25 26 % Loss 26% 19.7 590 30 620 30 30 27 Limbs 27 Limbs Destroyed 28 % Loss 27 Limbs 28 % Loss 28 % Loss 27 Limbs 28 % Loss Destroyed Destroyed Destroyed 29 Small Bolls 30 Factor 31 % 29 Small Bolls 30 Factor 31 % Loss 29 Small Bolls 30 31 % 29 Small Bolls 30 OSS Factor OSS Factor Loss .25 .25 32 Large Bolls 33 Factor 34 % 32 Large Bolls 33 Factor 34 % Los 32 Large Bolls 33 34% 32 Large Bolls 34 % Factor Loss OSS Factor Loss .50 .50 .50 35 Mature Bolls 37 % 35 Mature Bolls | 36 Factor 37 % Los 35 Mature Bolls 35 Mature Bolls 36 Factor 36 36 Factor Factor 1.00 = 1.00 × 1.00 1.00 = 38 Locks Destroyed 40 38 Locks 39 Locks/ 40 Equiv. 38 Locks Destroyed 39 40 Equiv. 38 Locks 40 Locks/BollEquiv. Destroyed Boll Bolls Bolls Destroyed Locks/ ocks/ Equiv. Bolls Roll Boll Bolls 42 Factor 43 % Loss 41 Equivalent 42 Factor 43 % Loss 41 Equivalent Bolls 42 43 % 41 Equivalent 43 % Los 41 Equivalent Bolls 42 Factor Loss

HAIL DAMAGE METHOD - VEGETATIVE METHOD - AUP COTTON (long form) Page 2 of 2

	PART II - COMPUTATIONS - STAND REDUCTION (ONLY) METHOD											
	44 Average Percen	t	45 Yield			46 Pou	nds Per A	Acre				
APPRAISED	Crop Remaining											
PRODUCTION	1 0											
			×			=						
PA	RT III- COMPUT	ATIONS- ST	AND RE	DUC	TION AND	PLANT	DAMAG	E METHOD	- VEGETATI	VE STAGES	S	
APPRAISED	47 Average Percent				let Loss	50 Averag	e Percent	51 Net Loss	52 Percent	53 Yield	54 Pounds	
PRODUCTION	Crop Remaining	Partially Destr			t Damage	Crop Rem		Plant	Crop	Per Acre	Per Acre	
111020011011	crop remaining	Turning Desir	5,00	1 1411	· Dumage	Crop reem		Damage	Remaining	1 01 1 1010	1 61 1 1010	
				ļ			ı	Duringe	remaining	I	1	
	.413 × .214 = .088 .413088 = .325 × 603 = 196											
	PART IV – BOLL COUNT METHOD - REPRODUCTIVE STAGE											
	55 Average Number		56 Numb				nds Per A					
	Bolls Remaining		Per Pound			0,100						
APPRAISED	Dono realisming		T CT T CWIII									
PRODUCTION			ı			ı						
			÷			=						
P	ART V - COMPUT	TATIONS - S	STAND. P	LAN	T AND BO	LL DAM	AGE MF	THODS - R	EPRODUCTIV	E STAGES		
	58 Average Percen				60 Average		61 Avera		2 Average Perce		Loss Plant	
	Crop Remaining	(30 Plant Tes		0,00	Limbs Des		Percent		ocks Destroyed			
	crop remaining	(501 11111 150	•)			uo juu	Destroye		soons B courcy cu	Dunings		
APPRAISED		×(+	-		+	+) =		
PRODUCTION	64 Average Percen	t 65 Net Loss	Plant Dan	nage	66 Percent	Crop	67 Yield	Per Acre 6	8 Pounds Per A	cre		
	Crop Remaining			Remaining								
	1 8				I							
		-		=	:		×	=				
69 Remarks												
Picker-type co	tton planted in 38-in	ich rows.										

This form example does not illustrate all required entry items (e.g., signatures, etc.).

HAIL DAMAGE METHOD - REPRODUCTIVE STAGES – AUP COTTON (long form) Page 1 of 2

Claim No.: XXXXXXX Company: Any Company **For Illustration Purposes** 1 Insured's Name 2 Policy Number 3 Unit Number 4 Crop Year **ONLY** I. M. Insured XXXXXXX 0002-0000BUYYYY 5 Field Number 6 Loc./Farm Number 7 Stage of Growth 8 No. Acres APPRAISAL 9.9 WORKSHEET COTTON \mathbf{C} 430 R12+ PART I - SAMPLE DETERMINATIONS VEGETATIVE STAND REDUCTION REPRODUCTIVE STAGES STAGES 10 **SAMPLE** 9 11 12 13 14 15 16 17 18 NO. Plants Combined Length Gross Percent No. of Percent Percent Gross Percent Bolls Locks Per Square of Skips in Partially Destroyed Limbs **Bolls** Yard 100 Ft. of Row Destroyed Remainin 30 Plant Test Destroyed estroyed Destroyed 50.2 37.0 12.0 12.0 1.5 2 50.8 58.5 12.0 11.5 4.0 50.1 45.7 9.0 11.0 3.4 4 Percent Crop Percent Crop **TOTAL** 151.1 141.2 34.5 33.0 8.9 Remaining Remaining AVERAGE 50.4 47.1 11.0 11.5 3.0 49.6 PLANT DAMAGE COMPUTATIONS SAMPLE NO. 1 SAMPLE NO. 2 SAMPLE NO. 3 SAMPLE NO. 4 22 19 19 22 19 21 20 22 19 20 20 21 20 21 Cut-Off Plants Cut-Off Plants Cut-Off Cut-Off Plants Plants Factor Result Factor Result Factor Result Factor Result Cut-Off Cut-Off Symbol Cut-Off Symbol Cut-Of Symbol Symbol 400 300 CC IIII 100 CC Ш 100 CC Ш 100 300 C1 C1 C1 III 100 300 100 IIII III 300 100 400 100 200 C3 C2 C4 II C7 IIII 75 300 C5 Ш 100 500 C7III 75 225 C11 II 45 Ш 75 375 C9 II 60 120 45 C17 10 20 C11 180 Ш 45 225 II IIII C11 23 TOTAL 1110 23 TOTAL 1755 23 TOTAL 1370 23 TOTAL 24 Total Column 25 Factor 26 % Loss 1755 1110 37.0 30 1370 30 = 27 Limbs Destroyed 28 % Loss 12.0 29 Small Bolls 30 Factor 31 % Loss 32 Large Bolls 33 Factor 34 % Loss 33 Factor 34 % Loss 33 Factor 34 % Loss 32 Large Bolls 32 Large Bolls 33 Factor 34 % Loss 32 Large Bolls 12 .50 = .50 35 Mature Bolls 35 Mature Bolls 35 Mature Bolls 36 Factor 37 % Loss 36 Factor 37 % Loss 36 Factor 37 % Loss 35 Mature Bolls 36 Factor 37 % Loss 1.00 1.00 38 Locks Destroyed 39 Locks/ 40 Equiv. 38 Locks Destroyed 39 Locks/ 40 Equiv. 38 Locks Destroyed 39 Locks/40 Equiv. 38 Locks Destroyed 39 Locks/40 Equiv. Boll Bolls Boll Bolls Boll Boll 3.0 8.0 41 Equivalent Bolls 42 Factor | 43 % Loss | 41 Equivalent Boll | 42 Factor | 43 % Loss 41 Equivalent Bolls 42 Factor 43 % Loss 41 Equivalent Bolls 42 Facto 43 % Loss 3.0 8.0 4.0 6.8 .50 3.4 .50 1.5 .50

HAIL DAMAGE METHOD - REPRODUCTIVE STAGES – AUP COTTON (long form) Page 2 of 2

		PART II - COMPUTA				ONLY) MET	THOD			
APPRAISED	44 Average Percer	nt 45 Yield Per Ac	re 46 Pou	ınds Per A	cre					
PRODUCTION	Crop Remaining						l			
D.A.	DT III. COMBUT	X X X X X X X X X X X X X X X X X X X	=	DI ANTI	DAMACI	E METHOD	VECETAT	PIME STACES		
PA	47 Average	ATIONS - STAND REI 48 Average Gross %	49 Net Loss	50 Averag		51 Net Loss	52 Percent			
APPRAISED	Percent	Partially Destroyed	Plant Damage	Percent	gc	Plant	Remaining	Per Acre Per Acre		
PRODUCTION	Crop Remaining	Taraan ja aan ay aa	I min Burnage	Crop Ren	naining	Damage	remaining	1 61 7 161 6		
	-		=	1	Č					
		X DADTIV DOLL		OD DED	PODUC	TIVE STAC	= TE	x =		
	PART IV - BOLL COUNT METHOD - REPRODUCTIVE STAGE DDD ALGED 55 Average Number of 56 Number of Bolls 57 Pounds Per Acre									
APPRAISED	Bolls Remaining	Per Pound Facto		37 Tour	ids i ci i ic					
PRODUCTION		÷		=						
P	ART V - COMPU	TATIONS - STAND, PI	LANT AND BO	LL DAMA	GE ME					
	58 Average	59 Average Gross	60 Average		61 Avera			rcent 63 Net Loss Plant		
	Percent Crop	Destroyed	Limbs Dest		Percent B		ocks Destroye	ed Damage		
	Remaining	(30 Plant Test)			Destroyed	d				
A DDD A IGED										
APPRAISED PRODUCTION	.496	×(.471	+ .110	+	.11		.030) = .360		
TRODUCTION	64 Average	65 Net Loss Plant Dama		Crop	67 Yield	Per Acre 6	8 Pounds Per	Acre		
	Percent Crop		Remaining							
	Remaining									
	.496	360	= .136	;	× 4	16 =	57			
(0 D 1	E . C . 21	C 137.7.7.11.F								
69 Remarks	Factors for item 21	from exhibit 7, Table F.								
AUP "Picker"	Cotton – Solid Plan	ited 40 inch rows.								

This form example does not illustrate all required entry items (e.g., signatures, etc.)

BOLL COUNT METHOD – AUP COTTON (short form)

Compan	y: Any	Company	y					Claim N	o.: XX	XXXXX	
	stration Pu		1 Insured's Name		2	Policy Number	r	3 Unit Numb	er 4 Crop	Year	
	MPLE Plants Per Square Yard 1 2 3 4 5 6 7 8 9 10 11		I. N	M. Insured		XXXXX	XXX	0001-00011	BU	YYYY	
	DD 1 10 1		5 Field Number	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	6 Loc./Farm Nu			7 Stage of Gro			
			E			FN-430	Mature		9.2		
		11	E		FN-430			Mature		9.2	
	COTTON		PA	RT I - SA	 MPLE DETER!	MINATIONS					
		STAND	REDUCTION		DUCTIVE S	TAGES					
	9		11	12	STAGES 13	14	15	16	17	18	
NO.	Plants Per Square		Combined Length of Skips in 100 Ft. of Row		Gross Perce Partially Destroyed	nt No. of Bolls	Gross Destroyed	Percent Limbs	Percent Bolls Destroyed	Percent Locks	
						See					
						D / 1			1		
			—			Remarks			-		
						Section					
12				-							
TOTAL		Percent Crop Remaining		Percent Cro Remainin							
AVERAGE											
Use long form	n when hail da	mage occurs	to AUP or ELS cott	on in the veg	getative stages (V	and above) or r	reproductive sta	ages (R1 and al	oove).		
	11 Avor	rage Percent	45 Yield Per Acı		46 Pounds Po	UCTION (ON	LY) METHO	<u>D</u>			
APPRAISE PRODUCTI	U Crop De	emaining	×		=						
	- 1		PART IV - BOL				ON STAGES				
APPRAISE PRODUCTION		age Number Remaining	56 Number of Bo Pound Factor	olls Per	57 Pounds P	er Acre					
TRODUCTA	or Bons	Remaining	÷		= 18						
76 bol 64 bol 54 bol	ow spacing $ls \div \frac{3.20}{3.25} \text{ fact}$ $ls \div \frac{3.25}{3.25} \text{ fact}$ $ls \div \frac{4.15}{3.45} \text{ fact}$ $ls \div \frac{5.45}{3.45} \text{ fact}$	or = $\frac{19.7}{13.0} = \frac{2}{13.0}$ or = $\frac{13.0}{16.3} = \frac{1}{1}$	<mark>0</mark> lbs. <mark>3</mark> lbs.	= <mark>18.3</mark> = <mark>18</mark>	1						

This form example does not illustrate all required entry items (e.g., signatures, etc.).

BOLL COUNT METHOD – ELS COTTON (short form)

	y: Any (0 P 1:	NT 1	3 Unit Numbe		XXXXXX	
For Illustration Purposes ONLY		1 Insured's Name			2 Policy	2 Policy Number		er 4 C	4 Crop Year		
		I. M. Insured			XXXXXXX		0003-0001BU		YYYY		
4.7			5 Field Number	6 Loc	c./Farm Number	-		7 Stage of Gre	owth 8 N	o. Acres	
	PPRAISAI				EX	1.015		M. 4		6.0	
	ORKSHEE	41	Α		FN	I-215		Mature		6.0	
	COTTON		DAI	DTI SAMD	LE DETERMIN	ATIONS		<u></u>			
		CITE A N.		XI I - SAIVII	VEGETATIVE		DEDDO	DI CENTE C	TE L GEG		
		STAN	D REDUCTION		STAGES			DUCTIVE S	TAGES		
SAMPLE	9	10	11	12	13	14	15	16	17	18	
NO.	Plants		Combined Length		Gross Percent	No. of	Gross	Percent	Percent	Percent	
	Per Square Yard		of Skips in 100 Ft. of Row		Partially Destroyed	Bolls Remaining	Destroyed (30 Plant Tes		Bolls Destroyed	Locks Destroyed	
1	Tara		100 Tt. 01 Row		Bestroyed	86	(50 Tidilit Tes	i) Destroyed	Destroyee	Destroyee	
2						64					
3						54					
4						24					
5			_								
7			_								
8											
9											
10											
11											
12											
TOTAL		Percent Cr Remainin		Percent Crop Remaining		228					
VERAGE		Kemamin	8	Kemaning		57.0					
Jse long forn	n when hail da	mage occurs	to AUP or ELS cotton	in the vegetat	tive stages (V1 and	above) or re	productive sta	ges (R1 and ab	ove).		
			PART II - COMPUT	TATIONS - S	STAND REDUCT	TION (ONI	LY) METHO	D			
APPRAISE PRODUCTI	Cron Por	ige Percent naining	45 Yield Per Acre		46 Pounds Per A	Acre					
			PART IV - BOLL			ODUCTIO	N STAGES				
APPRAIS			of 56 Number of Bo		57 Pounds Per A						
PRODUCTI		maining 57.0	Pound Factor	4	= 14						
	<u>l</u>	37.0	*	4	= 14						
69 Remarks											
38-inch r	ow spacing										

This form example does not illustrate all required entry items (e.g., signatures, etc.)

Verify and/or make the following entries for each PW element/item number. A completed PW example is at the end of this exhibit. For general form standards and other general information, refer to subparagraph 2D and paragraph 51.

]	Element/Item Number	Description
1.	Crop/Code #	Cotton (0021) or ELS Cotton (0022). For ELS cotton, ELS cotton
		procedures apply even though all or any part of the unit has been
2	TT '. //	replanted to AUP cotton.
2.	Unit #	Unit number from the Summary of Coverage after it is verified to be correct.
3.	Location Description	Land location that identifies the legal description, if available, and the location of the unit (e.g., section, township, and range; FSA Farm Numbers; FSA CLUs and tract numbers; GPS identifications; or Grid identifications) as applicable for the crop.
4.	Date(s) of Damage	First three letters of the month(s) during which the determined insured damage occurred for the inspection and cause(s) of loss listed in item 5 below. If no entry in item 5 below, make no entry. For progressive damage, enter in chronological order the month that identifies when the majority of the insured damage occurred. Include the specific date where applicable as in the case of hail damage (e.g., Aug 11). Enter additional dates of damage in the extra spaces, as needed. If more space is needed, document the additional dates of damage in the Narrative (or on a Special Report). Refer to the illustration in item 6 below.
		If there is no insurable cause of loss and a no indemnity due claim will be completed, make no entry.
5.	Cause(s) of Damage	Name of the determined insured cause(s) of damage for this crop as listed in the LAM for the date of damage listed in item 4 above for this inspection. If an insured cause(s) of damage is coded as "Other," explain in the Narrative. Enter additional causes of damage in the extra spaces, as needed. If more space is needed, document the additional determined insured causes of damage in the Narrative (or on a Special Report). Refer to the example in item 6 below.
		If it is evident that no indemnity is due, enter "NO INDEMNITY DUE" across the columns in item 5 (refer to the LAM for more information on no indemnity due claims).
6.	Insured Cause %	Preliminary: Make no entry.
		Final : Whole percent of damage for the insured cause of damage listed in item 5 above for this inspection. Enter additional "Insured Cause %" in the extra spaces, as needed. If additional space is needed, enter the additional determined "Insured Cause %" in the Narrative (or on a Special Report). The total of all "Insured Cause %" including those entered in the Narrative must equal 100%.

6.	Insured Cause % (continued)	If there is no insurable cause of loss, and a no indemnity due claim will be completed, make no entry.				
		Example:	ple: Entries for items 4-6 and the Narrative, reflecting entries for multiple dates of damage, the corresponding insured causes of damage and insured cause percentages:			
			4. Date(s) of Damage	MAY 30	JUN	AUG
			5. Cause(s) of Damage	Tornado	Drought	Heat
			6. Insured Cause %	20	25	45
			Narrative: Additional d	ate of dama	ge – SEP 5	; Cause
			of Damage – Hail; Insur	ed cause pe	ercent – 10°	%.
						·
7.	Company/Agency		company and agency servi			
8.	Name of Insured		insured that identifies exac	tly the pers	on (legal ei	ntity) to
		· · · · · · · · · · · · · · · · · · ·	licy is issued.			
9.	Claim #		er as assigned by the AIP.			
10.	Policy #		igned policy number.			
11.	Crop Year	Four-digit crefiled.	op year, as defined in the p	olicy, for w	hich the cla	aim is
12.	Additional Units	Preliminary	: Make no entry.			
		final inspecti been complet PW.	number(s) for all non-loss on. A non-loss unit is any ted. Additional non-loss units are needed for non-loss of "Non-Loss Units," in the N	unit for wh nits may be units, enter	ich a PW h entered on the unit nu	as not a single mbers,
		Special Repo	-	varrative or	on an anac	iiou
13.	Est. Prod. Per Acre		: Make no entry.			
			nated yield per acre, in who		of all non-l	oss units
14.	Date(s) of Notice of	Preliminary	:			
	Loss	(1) 5				0 .1
		unit in i	e first or second notice of catem 2, in the 1st or 2nd spate date (MM/DD/YYYY) f	ace, as appli	icable. Ent	
		needed) notice f	e of damage or loss for a the requires an additional set for a third preliminary inspected second set of PWs.	of PWs. Er	nter the dat	e of

14. Date(s) of Notice of Loss (continued)	(3) Reserve the "Final" space on the first page of the first set of PWs for the date of notice for the final inspection.
	(4) If the inspection is initiated by the AIP, enter "Company Insp." instead of the date.
	(5) If the notice does not require an inspection, document as directed in the Narrative instructions.
	Final : Transfer the last date in the 1st or 2nd space to the final space on the first page of the first set of PWs if a final inspection should be made as a result of the notice. Always enter the complete date of notice (MM/DD/YYYY) for the final inspection in the final space on the first set of PWs. For a delayed notice of loss or delayed claim, refer to the LAM.
15. Companion Policy(s)	(1) If no other person has a share in the unit (insured has 100 percent share), make no entry.
	(2) In all cases where the insured has less than a 100 percent share of a loss-affected unit, ask the insured if the other person sharing in the unit has a multiple-peril crop insurance contract (i.e., not crop-hail, fire, etc.). If the other person does not, enter "NONE."
	(a) If the other person has a multiple-peril crop insurance contract and it can be determined that the same AIP services it, enter the contract number. Handle these companion policies according to AIP instructions.
	(b) If the other person has a multiple-peril crop insurance contract and a different AIP or agent services it, enter the name of the AIP and/or agent (and contract number) if known.
	(c) If unable to verify the existence of a companion contract, enter "Unknown" and contact the AIP for further instructions.
	(3) Refer to the LAM for further information regarding companion contracts.

Section I – Determined Acreage Appraised, Production, and Adjustments

Make separate line entries for varying:

- (1) Rate classes or farming practices, classes, sub-classes, intended uses, irrigated practices, cropping practices, or organic practices, as applicable;
- (2) APH yields;
- (3) Appraisals;
- (4) Adjustments to appraised mature production (quality);
- (5) Stages or intended use(s) of acreage;
- (6) Shares (e.g., 50 percent and 75 percent shares on the same unit); or
- (7) Appraisals for damage due to hail or fire if Hail and Fire Exclusion is in effect.

Element/Item Number	Description
16. Field ID	The field or subfield identification symbol from a sketch map or an
	aerial photo. Refer to the Narrative instructions.
17. Multi-Crop Code	***The applicable two-digit code for first crop and second crop. Refer to the LAM for instructions regarding entry of first crop and second crop codes.
18. Reported Acres	In the event of over-reported acres, handle in accordance with the individual AIP's instructions. In the event of under-reported acres, enter the reported acres to tenths for the field or sub field. If there are no under-reported acres, make no entry.
19. Determined Acres	Refer to the LAM for definition of acceptable determined acres used herein. Enter the determined acres to tenths for the field or subfield for which consent is given for other use and/or: (1) Put to other use without consent;
	 (2) Abandoned; (3) Damaged by uninsured causes; (4) On which the cotton stalks are destroyed prior to inspection, if applicable; or
	(5) For which the insured failed to provide acceptable records of production.
	Refer to the CIH for determined acres of skip-row planted cotton and ELS cotton. Refer to the LAM for procedures regarding when estimated acres are allowed and documentation requirements.

19.	Determined Acres (continued)	***Determined acres to tenths. Acreage breakdowns within a unit or field may be estimated (refer to the LAM) if a determination is impractical.
		Account for all planted acreage in the unit.
20.	Interest or Share	Insured's interest in the crop to three decimal places as determined at the time of inspection. If shares vary on the same unit, use separate line entries.
21.	Risk	Three-digit code for the correct "Rate" specified on the actuarial documents. If a "Rate" or "High Risk Area" is not specified on the actuarial documents, make no entry. Verify with the Summary of Coverage and if the "Rate" is found to be incorrect, revise according to the AIP's instructions. Refer to the LAM. Unrated land is uninsurable without a WA.
22.	Type	Three-digit code number, entered exactly as specified on the actuarial documents for the type grown by the insured. If "No Type Specified" is shown in the actuarial documents, enter the appropriate three-digit code number from the actuarial documents (e.g., 997). If a type is not specified on the actuarial documents, make no entry.
23.	Class	Three-digit code number, entered exactly as specified on the actuarial documents for the class grown by the insured. If "No Class Specified" is shown in the actuarial documents, enter the appropriate three-digit code number from the actuarial documents (e.g., 997). If a class is not specified on the actuarial documents, make no entry.
24.	Sub-Class	Three-digit code number, entered exactly as specified on the actuarial documents for the sub-class grown by the insured. If "No Sub-Class Specified" is shown in the actuarial documents, enter the appropriate three-digit code number from the actuarial documents (e.g., 997). If a sub-class is not specified on the actuarial documents, make no entry.
25.	Intended Use	Three-digit code number, entered exactly as specified on the actuarial documents for the intended use of the crop grown by the insured. If "No Intended Use Specified" is shown in the actuarial documents, enter the appropriate three-digit code number from the actuarial documents (e.g., 997). If an intended use is not specified on the actuarial documents, make no entry.
26.	Irr. Practice	Three-digit code number, entered exactly as specified on the actuarial documents for the irrigated practice carried out by the insured. If "No Irrigated Practice Specified" is shown in the actuarial documents, enter the appropriate three-digit code number from the actuarial documents (e.g., 997). If an irrigated practice is not specified on the actuarial documents, make no entry.

27. Cropping Practice	Three-digit code number, entered exactly as specified on the actuarial documents for the cropping practice (or practice) carried out by the insured. If "No Cropping Practice Specified" or "No Practice Specified" is shown in the actuarial documents, enter the appropriate three-digit code number from the actuarial documents (e.g., 997). If a cropping practice (or practice) is not specified on the actuarial documents, make no entry.
28. Organic Practice	Three-digit code number, entered exactly as specified on the actuarial documents for the organic practice carried out by the insured. If "No Organic Practice Specified" is shown in the actuarial documents, enter the appropriate three-digit code number from the actuarial documents (e.g., 997). If an organic practice is not specified on the actuarial documents, make no entry.
29. Stage	Preliminary: Make no entry.
	Final : Stage abbreviation as shown below.
	 Stage
20 Hag of A 2022	Gleaned Acreage: Refer to the LAM for information on gleaning.
30. Use of Acreage	Use the following "Intended Use" abbreviations. Use "To soybeans", etc Use made of the acreage. "WOC"
	"UH" Unharvested.

30. Use of Acreage (continued)	Verify any "Intended Use" entry. If the final use of the acreage was not as indicated, strike out the original line and initial it. Enter all data on a new line showing the correct "Final Use."
	If at the time of a stalk inspection on harvested acreage, production records for net weight or records for QA are not available, instruct the insured to notify their agent when the records do become available so the claim can be completed.
	Prevented Planting : Refer to the PPSH for proper codes for any eligible prevented planting acreage.
	Gleaned Acreage: Refer to the LAM for information on gleaning.
31. Appraised Potential	Per-acre appraisal, in whole pounds, of potential production for the
	acreage appraised as shown on the appraisal worksheet. (Refer to Part 3, "Appraisals" for additional instructions.)
	If there is no potential on UH acreage enter "0." Refer to the LAM
	for procedures for documenting zero yield appraisals.
3233.	Make no entry.
34. Production Pre QA	***Result of multiplying column 31 times column 19, rounded to
	whole pounds. If no entry in column 31, make no entry.
35. Quality Factor	Final:
	(1) AUP or ELS Cotton: Mature unharvested appraised production may be adjusted for quality when damaged by insured causes, and a price (value per pound) can be determined from harvested ginned production, from the same unit, that was eligible for QA. Enter the factor, to four decimal places, of the last bale ginned from the unit as shown in column 65 of Section II.
	AUP Cotton Only: Colored lint cotton is not eligible for QA.
	(2) ELS Cotton Only : Any appraisal of AUP cotton on acreage originally planted to ELS cotton in the same growing season will be reduced by entering the factor, to four decimal places, of the last AUP cotton bale ginned from the unit as shown in Section II item 65.

36.	Production Post QA		t of multiplying column 34 times column 35 rounded to unds. If there is no entry in column 35, transfer entry from 4.
37. Uninsured Causes		appraisal 19, round	t of per acre appraisal for uninsured causes (taken from worksheet or other documentation) multiplied by column ed to whole pounds. Refer to the LAM for information on etermine uninsured cause appraisals. If no uninsured causes, entry.
		(1) Hail	and Fire Exclusion not in effect.
		(a)	Enter the result of multiplying column 19 entry by not less than the insured's production guarantee per acre (Refer to production guarantee (per acre) definition in exhibit 1) for yield protection or for revenue protection, not less than the amount of production that when multiplied by the harvest price equals the revenue protection guarantee, in pounds, for the line, (calculated by multiplying the elected coverage level percentage times the approved APH yield per acre shown on the APH form) for any "P" stage acreage.
		(b)	If required by the AIP or SP, cotton stalks must not be destroyed until the earlier of an inspection or 15 days after harvest is completed on the unit and a notice of probable loss is given. Document your initials, code number, and the reason(s) for the stalk inspection in the Remarks section.
		(c)	On preliminary inspections, advise the insured to keep the harvested production from any acreage damaged solely by uninsured causes separate from other production.
		(d)	For acreage that is damaged partly by uninsured causes, enter result of multiplying the appraised uninsured loss of production per acre in pounds by column 19 entry for any such acreage.

37. Uninsured Causes (continued)	Cotton acreage planted with Bt (gene-altered) seed; e.g., Bollgard TM , is insurable with no restrictions. Cotton acreage planted in required Bollgard TM "refuge" areas is insurable. However, any loss of production due to insect damage resulting from compliance with "refuge" insect control requirements will be considered an uninsured cause of loss. The difference in production per acre between the Bt-seeded acres and the "refuge"-(non-Bt)-seeded acres due to insect damage will be considered lost due to an uninsured cause. ("Refuge" areas, are the acreage on which the required number of acres are planted with non-Bt cottonseed.)
	(2) When there is late-planted acreage, the applicable per-acre production guarantee for such acreage is the production guarantee per-acre that has been reduced for late-planted acreage, multiplied by column 19 entry.
	(3) Refer to the LAM when a Hail and Fire Exclusion is in effect and damage is from hail or fire.
	(4) Enter the result of adding uninsured cause appraisals to Hail and Fire Exclusion appraisals.
	(5) For fire losses, if the insured also has other fire insurance (double coverage), refer to the LAM.
38. Total to Count	Result of adding item 36 and item 37.
39. Total	Preliminary: Make no entry.
	Final: Total determined acres (column 19), to tenths.
40. Quality	***Check the applicable QA condition affecting the unit's
	production (refer to Table below). Check the condition that applies
	to the unit's appraised and harvested production (refer to the CP).
	QA Condition
	Other
	None
	(1) If "Other" is checked, document in the Narrative (or on a Special Report) the cause of the QA condition applicable to the unit's production and the result the QA condition has on the cotton. (e.g., cause is drought stress with the result being low micronaire.)
	(2) Check "None" if QA does not apply to the unit's production.

41.	Make no entry.
42. Totals	Total of entries in columns 34, 36, 37 and 38. If a column has no
	entries, make no entry.

Narrative Instructions

If more space is needed, document on a Special Report, and enter "See Special Report." Attach the Special Report to the PW.

a.	If no acreage is released on the unit, enter "No acreage released", adjuster's initials, and date.
b.	If notice of damage was given and no inspection is required, enter "No Inspection", the unit number(s), date, and adjuster's initials (do not enter unit numbers for which notice has not been given). The insured's signature is not required.
c.	Explain any uninsured causes, unusual, or controversial cases.
d.	If there is an appraisal in Section I, column 37 for uninsured causes due to a hail/fire exclusion, show the original hail/fire liability per acre and the hail/fire indemnity per acre.
e.	Document the actual appraisal date if an appraisal was performed prior to the adjuster's signature date on the appraisal worksheet, and the date of the appraisal is not recorded on the appraisal worksheet.
f.	State that there is "No other fire insurance" when fire damages or destroys the insured crop and it is determined that the insured has no other fire insurance. Also refer to the LAM.
g.	Explain any errors found on the Summary of Coverage.
h.	Explain any commingled production. Refer to the LAM.
i.	Explain any entry for "Production Not to Count" in Section II, column 62 and/or any production not included in Section II, column 56 (e.g., harvested production from uninsured acreage that can be identified separately from the insured acreage in the unit).
j.	Explain a "NO" checked in item 44, "Damage Similar to Other Farms in the Area?"
k.	For production that qualifies for QA, include the following supporting documentation in the insured's claim file:
	(a) Explain any ".0000" QAF entered in Section I, column 35 or Section II, column 65.
	(b) Explain any deficiencies, substances, or conditions that are allowed for QA, as well as any which were not allowed.
	(c) Refer to the LAM for additional documentation requirements.
1.	Attach a sketch map or aerial photo to identify the total unit:
	 If consent is or has been given to put part of the unit to another use; If uninsured causes are present; or For unusual or controversial cases.
	Indicate on the aerial photo or sketch map, the disposition of acreage destroyed or put to other use with or without consent.

m.	Explain any difference between date of inspection and signature dates. For an absentee
	insured, enter the date of the inspection and the date of mailing the PW for signature.
n.	When any other adjuster or supervisor accompanied the adjuster on the inspection, enter the
	code number of the other adjuster or supervisor and the date of inspection.
0.	Explain the reason for a "No Indemnity Due" claim. "No Indemnity Due" claims are to be
	distributed in accordance with the AIP's instructions.
p.	Explain any delayed notices or delayed claims as instructed in the LAM.
q.	Document any authorized estimated acres, as instructed in the LAM, shown in Section I, column 19.
r.	Document the method and calculations used to determine acres for the unit. Refer to the
	LAM.
s.	Specify the type of insects or disease when the insured cause of damage or loss is listed as
	insects or disease. List the control measures used and explain why they did not work.
t.	Document Price B from the Cotton Quality Adjustment Worksheet.
u.	Document the calculations used to determine the QAF used to reduce any AUP cotton
	harvested or appraised from acreage originally planted to ELS cotton in the same growing
	season.
v.	Document the name and address of the charitable organization when gleaned acreage is
	applicable. Refer to the LAM for more information on gleaning.
w.	Record any new planting pattern established after the FPD. Explain the cause of damage and
	the reason the insured chose to plant in a different planting pattern.
х.	Document any other pertinent information, including any data to support any factors used to
	calculate the production.

Section II – Determined Harvested Production

- (1) Account for all harvested production for all entities sharing in the crop. This includes all cotton retrieved from the ground by the use of a "Rudd" (brand name) or any other method.
- (2) There generally will be no "harvested production" entries in columns 47 through 66 for preliminary inspections.
- (3) If additional lines are necessary, the data may be entered on a continuation sheet. Use separate lines for:
 - (a) Separate disposition; e.g., bales, remnants, or unginned cotton.
 - (b) Varying determinations of production; e.g., prices and factors for QA.
 - (c) Varying shares; e.g., 50% and 75% shares on the same unit.
- (4) If there is harvested production from more than one insured practice and a separate approved APH yield has been established for each, the harvested production also must be entered on separate lines in columns 47 through 66 by practice. If production has been commingled, refer to the LAM.

E	lement/Item Number	Description
43.	Date Harvest/Sale	Used to determine if there is a delayed notice or a delayed claim.
	Completed	Refer to the LAM.
	1	
		Preliminary: Make no entry.
		Final:
		(1) The earlier of the date the entire acreage on the unit was either:
		(a) harvested,
		(b) totally destroyed,
		(c) put to other use,
		(d) the calendar date for the end of the insurance period, or
		(e) a combination of harvested, destroyed, put to other use, or
		harvested and the cotton (modules) removed from the
		field (unit).
		(2) If at the time of final inspection (if prior to the end of the
		(2) If at the time of final inspection (if prior to the end of the insurance period), there is any unharvested insured acreage on
		the unit that the insured does not intend to harvest, enter
		"Incomplete."
		(3) If at the time of final inspection (if prior to the end of the
		insurance period), none of the insured acreage on the unit has
		been harvested, and the insured does not intend to harvest such
		acreage, enter "No Harvest."
		(4) If the claim involves a Certification Form, enter the date from
		the Certification Form when the entire unit is put to another use. Refer to the LAM.
44.	Damage Similar to	Preliminary: Make no entry.
77.	Other Farms in the	1 1 Chimmaly. Wake no chuy.
	Area?	Final: Check "Yes" or "No." Check "Yes" if the amount and cause
	>	of damage due to insurable causes is similar to the experience of
		other farms in the area. If "No" is checked, explain in the Narrative.
45.	Assignment of	Check "Yes" only if an assignment of indemnity is in effect for the
	Indemnity?	crop year; otherwise, check "No." Refer to the LAM.
46.	Transfer of Right to	Check "Yes" only if a transfer of right to indemnity is in effect for
	Indemnity?	the unit for the crop year; otherwise, check "No." Refer to the LAM.
47a.	Share	Record only varying shares on same unit to three decimal places.

47b. Field ID	(1) If only one practice and/or type of harvested production is listed
	in Section I, make no entry.
	(2) If more than one practice and/or type of harvested production is listed in Section I, and a separate approved APH yield exists, indicate for each practice/type the corresponding Field ID (from Section I, column 16).
48. Multi-Crop Code	The applicable two-digit code for first crop and second crop. Refer to the LAM for instructions regarding entry of first crop and second crop codes.
4952.	Name of gin, town, and state where cotton was ginned.
5354.	Make no entry.
55. Gross Prod.	Make separate line entries to show the identification numbers when bales have varying QAFs, disposition, or share. Combine lines when bales have the same QAFs, disposition, and share. Enter "Unginned" for cotton that has been harvested but not ginned. For a remnant, enter "REM."
56. Bu., Ton, Lbs., CWT	Circle "Lbs." in column heading. Determine the Net Weight of all bales, remnants, or unginned cotton on a line basis as follows:
	(1) For bales of cotton, the Net Weight is the bonded warehouse weight in which the cotton is sold, and which is also required for placing cotton into the CCC Loan Support program. In some areas, gins own the warehouse which provide the bonded warehouse weight, and in other areas, gins ship the cotton bales to a warehouse which weighs the bales and issues the bonded weight.
	Exception: An exception to using the bonded warehouse weight is that in some areas, a gin may have a purchase contract direct with a mill. In this case, the cotton does not go to a warehouse, but direct to a mill. Only in these situations will gin weights be used. Explain in the Narrative that gin weights were used and why and for any other unusual circumstances in which gin weights were used.
	(2) For remnants, the Net Weight is the gin weight.
	Note : For bales and remnants deduct the weight of bagging and ties unless already deducted at the gin or warehouse.

56. Bu., Ton, Lbs., CWT (continued)

(3) For small amounts of harvested unginned cotton (not in a module or trailer), determine the Net Weight by estimating the gross weight of the unginned cotton, then multiply by the percent of turnout (from the gin) of the last module (or trailer) ginned on the unit = Net Weight (Lbs.) of production.

Example: 300 lbs. (gross weight estimate) \times .15 (percent of turnout) = 45 lbs.

(4) For harvested unginned cotton in a trailer, determine the Net Weight of small amounts by using the tare weight of the cotton in the trailer (Lbs.) multiplied by the percent of turnout (from the gin) of the last trailer (or module) ginned on the unit = Net Weight (Lbs.) of production.

Example: 1,800 lbs. (tare weight) \times .20 (percent of turnout) = 360 lbs.

(5) For harvested unginned cotton in a traditional rectangular module or round bale/module, determine the Net Weight by measuring the traditional rectangular module or round bale/module in feet, to tenths, after receiving approval from the AIP:

Traditional rectangular module of AUP cotton harvested by a stripper harvester without a burr extractor:

Length × Width × Height × Cubic Foot Factor* × Percent of Turnout from the most recent module (or trailer) ginned on the unit = Net Weight (Lbs.) of Production

Example: 32 ft. \times 7.5 ft. X 5.5 ft. = 1,320 \times 8.5 factor \times 15% turnout = 1,683 lbs.

Round bale/module:

 $Pi \times radius^2 \times Height \times Cubic Foot Factor* \times Percent of$ Turnout from the most recent module (or trailer) ginned on the unit = Net Weight (Lbs.) of Production

Example: 3.14×9 ft. $(3^2) \times 8$ ft. $\times 14.5$ factor $\times 25\%$ turnout = 820 lbs.

56. Bu., Ton, Lbs., CWT (continued)	*Average number of pounds of seed cotton in a cubic foot. For AUP cotton harvested by a stripper harvester without a burr extractor, the cubic foot factor for traditional rectangular cotton modules is 8.5. For AUP cotton harvested by a picker harvester or harvested by a stripper harvester with a burr extractor, the cubic foot factor for traditional rectangular cotton modules is 10. For AUP cotton harvested by a picker harvester with an onboard round module builder, the cubic foot factor for round cotton modules is 14.5. For ELS cotton harvested by a picker harvester, the cubic foot factor is 11. If no cotton has been ginned nor will be ginned from the unit, use the Average Percent of Turnout, on the date of final inspection, from the gin where the cotton would have been delivered for ginning. Refer to Quality Factor (Section II, column 65) for QA procedures
	for items (3), (4), and (5) above. Document, on a Special Report, the calculations used to determine the Net Weight of any unginned cotton in items (3), (4), or (5) above. Explain the reason requiring their use and the date of approval from the AIP when required.
	QA – Refer to exhibit 11 for Cotton QA procedures for 64a and 64b column entries.
5760b.	Make no entry.
61. Adjusted Production	Transfer the entry from column 56, in whole pounds.
62. Prod. Not to Count	Production not to count, to the nearest whole pound, when acceptable records identifying such production are available, from harvested acreage which has been assessed an appraisal of not less than the production guarantee per acre, and there is also harvested production from such acreage or from other sources (e.g., other units or uninsured acreage) in the same module or trailer, or, if applicable, where stalks were destroyed without consent.
	This entry must never exceed production shown on the same line. Explain any "production not to count" in the Narrative.
63. Production Pre-QA	Result of subtracting column 62 from column 61.
64a. Value	Record Price A (value per pound), to four decimal places, for production eligible for QA from the Cotton Quality Adjustment Worksheet.
64b. Mkt. Price	Record Price B, to four decimal places, from the Cotton Quality Adjustment Worksheet.

65.	Quality Factor	Divide column 64a by column 64b, rounded to four decimal places (or enter the factor from the Cotton Quality Adjustment Worksheet).
		Harvested unginned cotton damaged by insured causes may be
		adjusted for quality when a price (value per pound) can be
		determined from harvested ginned production from the same unit that
		was eligible for QA. The factor (to four decimal places) of the last
		bale ginned from the unit is used to quality adjust unginned cotton
		production for items (3), (4), or (5) of Section II, column 56.
66.	Production to Count	(1) If QA does not apply, transfer entry from column 63.
		(2) If QA does apply, multiply column 63 times column 65,
		rounding to the nearest whole pound.
67.	Total	Total of column 63. If no entry in column 63, make no entry.
68.	Section II Total	Preliminary: Make no entry.
	~	Final: Enter the figure from Section II, column 66 total.
69.	Section I Total	Preliminary: Make no entry.
		Final : Enter the figure from Section I, column 38 total.
70.	Unit Total	Preliminary: Make no entry.
		Final: Total of column 68 and column 69.
71.	Allocated Prod.	Refer to the LAM for instructions for determining allocated
		production. Enter the total production, in whole pounds, allocated to
		this unit that is included in Sections I or II of the PW. Document
		how allocated production was determined and record supporting
		calculations in the Narrative or on a Special Report.
72.	Total APH Prod.	Result of subtracting the total of column 37 (item 42 "Totals") and
		item 71 (Allocated Prod.) from item 70 (Unit Total). If no entries in
		column 37 and item 71 transfer the entry in item 70. Make no entry
		when separate APH yields are maintained by type, practice, etc.,
		within the unit.

The following required entries are not illustrated on the following PW example.


Element/Iter	m Number	Description
73. Insured's S Date	Signature and	Insured's (or insured's authorized representative's) signature and date. Before obtaining insured's signature, review all entries on the PW with the insured (or insured's authorized representative), particularly explaining codes, etc., that may not be readily understood.
		Final indemnity inspections should be signed on bottom line.
74. Adjuster's Code #, an	Signature, ad Date	Signature of adjuster, code number, and date signed after the insured (or insured's authorized representative) has signed. For an absentee insured, enter adjuster's code number only. The signature and date will be entered after the absentee has signed and returned the PW.
		Final indemnity inspections should be signed on bottom line.
75. Page Num	lbers	Preliminary : Page numbers – "1," "2," etc., at the time of inspection.
		Final : Page numbers - (Example: Page 1 of 1, Page 1 of 2, Page 2 of 2, etc.).

							_ \															
						PRC	DU	CTIO	N WO	RKSHE	ET (E	CXAN	IPLE	E 1: A	UP CO	TTON	D					
1. Crop/o	Code #	2	2. Unit #	3. I	ocatio			7. Comp			NY CON					e of Insure						
	Cotton							Agen	cy		ANY AG	ENCY						I.M. IN	SURED			
	0021		0001-0001		-	<mark>1</mark> -430			•		_				Clain				11. Cr	op Year		
	s) of Dam)	JUN		JL 8												XXXXX				YYY	
	(s) of Da	ŭ	Drough		Iail										10. Poli					XXX		
	d Cause 9		85		15										14. Date		lst		2nd	F	inal	
	tional Un		0002-0001	BU											Notice o			D/YYYY			MM/DD	VYYYY
	Prod. Per		515	A CE A DI	ND 4 IC	TED DE	ODI	CELON	AND ADII	TOTAL AND NAMED OF	,				15. Con	npanion P	olicy(s)					
	<u>n i – de</u> Uarial		NED ACKE	AGE API	'KAIS	SED, PE	KODUC	CTION	AND ADJU	JSTMENTS	<u> </u>				В. РОТЕ	NITTAL X	ZEL D					
A. ACI	UAKIAL												ı		b. ruir	32a.	IELD					
16. 1	7.	18.	19.	20.	21.	22.	23.	24.	25.	26.	27.	28.	29.	30.	31.	32b.	33.	34.	35.	36.	37.	38.
	ulti-	eported	Determine	Interest	Ris	_		Sub-	Intended		Cropping	Organic		Use of	Appraised		Shell %,	Production	Ouality	Production	Uninsur	ed Total
m C	rop	Acres	Acres	or	k	Type	Class	Class		Irr Practice		Practice	Stage		Potential	<u>%</u>	Factor,	Pre O A	Factor	Post QA	Causes	to
	ode '			Share	+ +											Factor	or Value			,	 	Coun
A 1	NS		9.8	1.000		997					003		Н	Н								
В	NS		10.8	1.000		997					003		UH	UH	70			756		756		756
E 1	NS		9.2	1.000		997					003		UH	UH	18			<mark>166</mark>	.6864	114		114
	39.	TOTAL	29.8	Scle	rotinia	a □ E1	rgoty [CoFo	☐ Other	mitoxin □ ☑ None th organizati			•		k Roast □	42.	TOTALS	922		<mark>870</mark>		870
Field A n Price B =	neasured 1 .5214 (90	by wheel. 0% of Pri	ce B = .4693	nd E acrea 3). Quality	ge usir / dama	ng MPC nge from	I acreas droug	ge report ht caused	. Acreage v	would measu fiber strengt	re within h. See at	5 percer ttached Q	nt. QAl Quality	F for Field Adjustmer	l E determin nt Workshee	ned from het for calc	narvested ulations.	ginned pro	duction f	rom Field	A in Secti	on II.
			NED HAR	VESTED								1										
43. Date	Harvest (44.]	Damage	sımıla	r to other	farms in th	ne area?		45. As	signme	nt of Inde	mnity		46.	Transfer of				_
	N	IM/DD/Y	YYY				Yes	X	No					Yes		N X			Yes	No	X	
A MEA	SUREM	ENTC			D (DOCC	DDAN	UCTIO	NT .	C ADIII	TMENT	rs to u	ADVE	CTED DE	RODUCTION	ON						
47a. 47b.	48.	49.	50. 51	. 52.	53		4.	55.	56.	57.	58a. 58b.	59a 59b	ì.	60a. 60b.	61.	62.		63	64a. 64b.	6:	5.	66.
Share		Longth			Ne	t Cor	nver-		Bu. Ton	Shell/		Moistu		Test WT	Adjusted		Dro	duction	Value			Production
Field	Multi-	Length or	Width Dep	Deduc-	Cub		on	Gross	Lbs.	Sugar	1.101/0	Wioistu	116 /0	Test W I	Production	Prod. 1	Not Dr	a O A		Ouglity		to Count
ID	Crop Code	Diameter	widiii Dep	tion	Fee		ctor	Prod.	Cwt.	Factor	Factor	r Fact	or	Factor	Floduction	to Cou	int F1	e-QA N	Akt. Price	e Quanty	racioi	to Count
	NS	Fan	mers Gin, Any	Town			4	126-455	4,190						4,190		4	,190	.3579 .5214	.68	364	2,876
																67. TO	ΓAL 4	,190	68	8. Section	II Total	2,876
																			6	9. Section	I Total	<mark>870</mark>
	-	Thia ¢	OMM OVO	mula	ممد	not:	111124	nata a	II magass	inad ant	ur ita-	ma (a	~ c:	anatırı	og det	na ota	`				nit Total	3,746

This form example does not illustrate all required entry items (e.g., signatures, dates, etc.).


LOLD	ı Stai	iiuai u	3 — I	LIUU	ucuo	11 44	OLKS	ncci (Conti	ucuj													
									PRO	DUCT	ION WO	RKSH	EET (ELS	COT	TON)							
1. Crop	/Code #		2.	Unit #	:	3. Lo	ocation	Descripti				ANY COM	,				of Insure	d					
	Cotto								Ag	gency		ANY AGI	ENCY						I.M. IN	NSURED			
	0022		(0003-00				215				_				9. Clain				11. Cr	op Year		
	(s) of Da			APF			L 30					_				10 70 11		XXXXX				YY	
	e(s) of I			Ha			[ail		_							10. Poli					XXX		
	ed Caus			9000		<u> </u>	10									14. Date	\ /	st	DAMMA	2nd		inal	20000
	litional U Prod. P		(0002-00 79					_							Notice o	t Loss panion Po		D/YYYY			MM/DL	D/YYYY
			HNET		-	A DDD	AISED	DDANI	ICTION	ANDAD	JUSTMENTS					13. Con	ipanion Po	oney(s)					
	TUARIA		urtea	HCK	EAGE A	11 I I	AISED	, i KOD	CHON	AND AD	JUSTIMENTS					В. РОТЕ	NTIAL V	TELD.					
																	32a.				ľ		
16.	17.	18.		19.	20	١.	21.	22.	23. 2	4. 25.	26.	27.	28.	29.	30.	31.	32b.	33.	34.	35.	36.	37.	38.
Field	Multi-	Reported	1 Det	termine	Inter				Sı	ıb- Intend	led	Cropping	Organic		Use of	Appraised		Shell %,	Production	n Quality	Production	Hninem	.ed Total
ID	Crop	Acres		Acres	OI		Risk	Гуре	lace	ass Use	I Irr Practice		Practice	Stage	Acreage	* *	%	Factor,	Pre QA	Factor		Cause	s to
1.0	Code	7 10105		7 10105	Sha	re				uss osc	<u> </u>	Tiuctice	Tractice		ricreage	1 oteritar	Factor	or Value	110 0/1	T uctor	1 051 Q11	Caase	Count
A	NS			6.0	1.00	00		997				002		UH	To Plow	14			84	.7908	66	<u></u>	66
В	NS			10.5	1.00	00		997				002		Н	Н							1	
С	NS			90.5	1.0	00		997				002		Н	Н								
										. –				. –			L						
	3	9. TOT <i>A</i>	I	107.0							omitoxin □ F r ⊠ None □		☐ Garlio	ску Ц	Dark R	oast ⊔	42 5	ΓΟΤΑLS	84		66	1	66
	3	19. TOTA	L	107.0							lth organization		limits?	Ves □			42.	IOIALS	04		00	ii	00
			Щ.			•			i, State o	other nea	in organization	maximiani	illinio.										
NARRA No inch	TIVE (I	If more sp nsured rep	ace is	needec	d, attach	a Spe	cial Rej	ort) w 1 VVV	V N	Jo increcti	on, Aug. 15, Y	VVV											
Line 2 S	ection II	I ELS cot	ton Pr	rice B =	.8125 (90% o	of Price	$\dot{B} = .7313$). All fie	lds measu	red by wheel, s	ee attached	Special F	Report	for calcul	lations. See	attached (Cotton Q	uality Adi	ustment V	Vorksheet f	or calcul	lations.
See atta	ched Spe	ecial Rep	ort for	AUP c	otton fa	ctor ca	alculatio	ns for Li	ne 1 of Se	ection II.	Quality damage	due to exc	ess soil w	ater re	sulting in	reduced mi	cronaire.						
		DETER		D HAF	RVESTI								1					1		251.4			
43. Dat	e Harves	st Comple		73.7		4	14. Dan		lar to oth	er farms in	the area'?		45. Assı	gnmei	nt of Inde		37	1 46.	Transfer of		Indemnity		-
A ME	ACTIDE	MM/DE MENTS	<i>)/</i>	(Y		т	O CDO	OSS PRO		X No	C. ADJUS	TMENITO	TOHAD	VECT	Yes	No	X			Yes	No	X	•
47a.												58a.	59a.	VESI	60a.					64a.	\top	<u> </u>	
47b.	48	3. 49	٠. :	50.	51.	52.	53.	54.	55.	56.	57.	58b.	59b.		60b.	61.	62.	6	53.	64b.	65.		66.
		_	_					_					Moistu	re _							+		
Share	Multi-	Crop Len	gth	(7: 44). T	D. D.	educ-	Net	Conver-	Gross	Bu To		FM%	%	1	est WT	Adjusted Production	Prod. No	of I	uction	Value	O1:4 E		Production
Field	Coo			Vidth D	Jeptn t	ion	Cubic Feet	sion Factor	Prod.	Lbs Cwt.		Factor	Factor	. 1	Factor	Production	to Coun	t Pre	-QA	лкt. Price	Quality F	actor	to Count
ID		Dian	ш				rcct	ractor		Cwt.	Pactor	Factor	ractor		ractor				I.				
	NS NS	S	Farmer	rs Gin. A	ny Town				810-82	2 5,890	,					5,890		5.	890	.4444	.5571		3,281
					,					- ,										.7977			-, -
	- NS	S	Farmer	rs Gin, A	any Town				901-92	5 12,03	8					12,038		12	,038	.6425 .8125	.7908	3	9,520
																	67. TOTA	AL 17	,928	68.	Section II	Total	12,801
																			•	69.	. Section I	Гotal	66
		This	for	m ov	ampl	a da	oe n	at illus	strata	all rea	uired ent	ry itam	c (o c	sim	natura	e data	a oto)				70. Unit '		12,867
		1 1112	101	ш сх	ашрі	e ut	JC3 11	ot mus	uate	an req	un eu enti	y item	s (e.g.,	, sig	natuft	s, uates	s, etc.).				Allocated 1		
																				72.	Total APH l	Prod.	12,867

AUP COTTON VEGETATIVE STAGE ILLUSTRATION



Stage Number	Average Time Interval	Characteristics					
VC	9 days from emergence	Plants are 1 to 3 inches in height; terminal bud located at the junction of cotyledonary stem and main stem.					
V1	4 days	Internode above cotyledonary node has elongated ½ inch or more; first true leaf approaching full size; second true leaf developing rapidly and approaching full size near the end of period.					
V2	4 days	Second internode has elongated ½ inch or more.					
V3	4 days	Third internode has elongated ½ inch or more.					
V4	4 days	Fourth internode has elongated ½ inch or more.					
V5	4 days	Fifth internode has elongated ½ inch or more.					
V6	4 days	Sixth internode has elongated ½ inch or more.					

Note: Plants are classified in a vegetative stage until the first reproductive stage (R1) is reached. Under certain conditions, vegetative stages may end before or after the sixth node stage.




AUP REPRODUCTIVE STAGE ILLUSTRATIONS

Stage Number	Average Time Interval	Characteristics
R1	4 days	The first square may appear on the plant as low as the fifth or as high as the seventh node under certain conditions. The square grows at an average rate of one millimeter per day. The plant is approximately 33 days post emergence.
R2	5 days	The next internode has elongated ½ inch or more. The first fruiting branch is beginning to elongate at the first "R" node. Cotyledons have shed from the plant.
R3	3 days	Two fruiting branches should be visible and a square appearing at the leaf axle of the third "R" node.
R4	3 days	The plant is approximately 45 days post emergence. Third "R" internode has elongated ½ inch or more.
R5	3 days	Fourth "R" internode has elongated ½ inch or more. Plant is squaring freely.
R6	3 days	Fifth "R" internode has elongated ½ inch or more.
R7	3 days	Sixth "R" internode has elongated ½ inch or more.


Stage Number	Average Time Interval	Characteristics
R8	3 ½ days	The first white bloom normally appears at this stage on the fruiting branch elongated from the first "R" node. The plant is approximately 57 days post emergence.
R9	3 ½ days	Eighth "R" internode has elongated ½ inch or more.
R10	3 ½ days	Ninth "R" internode has elongated ½ inch or more.
R11	3 ½ days	Tenth "R" internode has elongated ½ inch or more.
R12	-	Bolls are present on fruiting branches attached to first and second "R" nodes.
R12+	-	The plant now has twelve or more "R" nodes; squares and bolls continue to develop. Plants will be identified as R12+ throughout the remaining growth and development period.

ELS COTTON VEGETATIVE STAGE ILLUSTRATIONS



Stage Number	Average Time Interval	Characteristics					
VC	12 days from emergence	Plants are 1 to 3 inches in height; a terminal bud at the junction of cotyledonary stem and main stem.					
V1	5 days	Internode above cotyledonary node has elongated ½ inch or more; first true leaf approaching full size; second true leaf developing rapidly and approaching full size near the end of period.					
V2	5 days	Second internode has elongated ½ inch or more.					
V3	5 days	Third internode has elongated ½ inch or more.					
V4	5 days	Fourth internode has elongated ½ inch or more.					
V5	5 days	Fifth internode has elongated ½ inch or more.					
V6	5 days	Sixth internode has elongated ½ inch or more.					

Note: Plants are classified in a vegetative stage until the first reproductive stage (R1) is reached. Under certain conditions, vegetative stages may end before or after the sixth node stage.



Stage Number	Average Time Interval	Characteristics
R1	4 days	The first square may appear on the plant as low as the fifth or as high as the seventh node under certain conditions. The square grows at an average rate of one millimeter per
		day. The plant is approximately 42 days post emergence.
R2	5 days	The next internode has elongated ½ inch or more. First fruiting branch is beginning to elongate at the first "R" node. Cotyledons have shed from the plant.
R3	3 days	Two fruiting branches should be visible and a square appearing at the leaf axle of the third "R" node.
R4	3 days	The plant is approximately 54 days post emergence. Third "R" internode has elongated ½ inch or more.
R5	3 days	Fourth "R" internode has elongated ½ inch or more. Plant is squaring freely.
R6	3 days	Fifth "R" internode has elongated ½ inch or more.
R7	3 days	Sixth "R" internode has elongated ½ inch or more.
R8	4 days	The first yellow bloom normally appears at this stage on the fruiting branch elongated from the first "R" node. The plant is approximately 65 days post emergence.

Stage Number	Average Time Interval	Characteristics					
R9	4 days	Eighth "R" internode has elongated ½ inch or more.					
R10	4 days	Ninth "R" internode has elongated ½ inch or more. The first small bolls may be present on fruiting branches attached to the first and second "R" nodes.					
R11	4 days	Tenth "R" internode has elongated ½ inch or more.					
R12	4 days	Eleventh "R" internode has elongated ½ inch or more.					
R13	4 days	Twelfth "R" internode has elongated ½ inch or more. The plant normally has the maximum number of bolls.					
R14	4 days	Thirteenth "R" internode has elongated ½ inch or more; bolls continue to develop.					
R15	4 days	Fourteenth "R" internode has elongated ½ inch or more; bolls continue to develop.					
R16	4 days	Fifteen internodes have developed.					
R16+	-	The plant now has 16 or more "R" nodes; bolls continue to develop. Plants will be identified as R16+ throughout the remaining growth and development period.					

Table A – Minimum Representative Sample Requirements

Acres in Field or Subfield	Minimum No. of Samples*
0.1 - 10.0	3
*Add one additional sample for each additional	40.0 acres (or fraction thereof) in the field or
subfield.	

Table B – Single Row Length For Each Sample

Row Width	<u>1/100 Acre</u>
42 inches	124 feet
40 inches	131 feet
38 inches	138 feet
36 inches	145 feet
34 inches	154 feet
32 inches	163 feet
30 inches	174 feet
28 inches	
26 inches	201 feet
24 inches	218 feet
22 inches	238 feet
20 inches	261 feet
18 inches	290 feet
16 inches	327 feet

Table C – AUP "Picker" Cotton

Vegetativ	ve Stage	es – Pla	nts Parti	ially De	stroyed	Factor	Chart
Stage of			Cut-	Off Syr	nbol		
Growth	CC	C1	C2	C3	C4	C5	C6
V1	25	15					
V2	30	25	15				
V3	40	30	20	10			
V4	45	35	25	15	10		
V5	50	40	30	20	15	10	
V6	55	45	35	25	20	15	10

Table D – AUP "Stripper" Cotton

Vegetativ	e Stage	s – Plar	ts Parti	ally Des	stroyed	Factor (Chart
Stage of			Cut-	Off Syr	nbol		
Growth	CC	C1	C2	C3	C4	C5	C6
V1	30	20					
V2	40	30	20				
V3	50	40	30	20			
V4	60	50	40	30	20		
V5	70	60	50	45	35	25	
V6	85	75	65	60	50	40	40

Table E – AUP "Picker" Cotton

	Rep	rodu	ctive	Stag	es – l	Plant	s Par	tially	Dest	roye	d Fac	tor C	hart	– CA	and	AZ (Only		
Stage of								(Cut-C	off Sy	ymbo	1							
Growth	CC	C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16	C17	C18
R1	60	50	40	30	25	20	15	10											
R2	65	55	45	35	30	25	20	15	10										
R3	70	60	50	40	35	30	25	20	15	10									
R4	75	65	55	45	40	35	30	25	20	15	10								
R5	80	70	60	50	45	40	35	30	25	20	15	10							
R6	90	80	70	60	50	45	40	35	30	25	20	15	10						
R7	100	90	80	70	60	50	45	40	35	30	25	20	15	10					
R8	100	100	90	80	70	60	50	45	40	35	30	25	20	15	10				
R9	100	100	100	100	90	80	60	50	45	40	35	30	25	20	15	15			
R10	100	100	100	100	100	90	70	60	50	45	40	35	30	25	20	15	15		
R11	100	100	100	100	100	100	80	70	60	50	45	40	35	30	25	20	20	15	
R12	100	100	100	100	100	100	80	75	70	60	50	45	40	35	30	25	20	15	15

Table F – AUP "Picker" Cotton

Reprod	luctiv	e Sta	ages -	– Pla	nts P	artial	ly D	estro	yed F	acto	r Cha	ırt — A	ALL	State	s Ex	cept	CA a	nd A	Z
Stage of								(Cut-C	off S	ymbo	ol							
Growth	CC	C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16	C17	C18
R1	60	50	40	30	25	20	15	10											
R2	65	55	45	35	30	25	20	15	10										
R3	70	60	50	40	35	30	25	20	15	10									
R4	75	65	55	45	40	35	30	25	20	15	10								
R5	80	70	60	50	45	40	35	30	25	20	15	10							
R6	90	80	70	60	50	45	40	35	30	25	20	15	10						
R7	100	90	80	70	60	50	45	40	35	30	25	20	15	10					
R8	100	100	90	80	70	60	50	45	40	35	30	25	20	15	10				
R9	100	100	100	100	90	80	60	50	45	40	35	30	25	20	15	10			
R10	100	100	100	100	100	90	70	60	50	45	40	35	30	25	20	15	10		
R11	100	100	100	100	100	100	80	70	60	50	45	40	35	30	25	20	15	10	
R12	100	100	100	100	100	100	80	75	70	60	50	45	40	35	30	25	15	10	5

Table G – AUP "Stripper" Cotton

			Repi	oduc	tive	Stage	es - P	lants	Part	ially	Dest	roye	l Fac	tor C	hart				
Stage of								(Cut-C	off Sy	mbo	1							
Growth	CC	C1	C2	C3	C4	C5	RR	R1	R2	R3	R4	R5	R6	R 7	R8	R9	R10	R11	R12
R1	100	90	80	75	70	65	60	50											
R2	100	100	90	80	75	70	65	55	45										
R3	100	100	100	90	80	75	70	60	50	40									
R4	100	100	100	100	90	80	75	65	55	45	35								
R5	100	100	100	100	100	90	80	70	60	50	40	30							
R6	100	100	100	100	100	100	90	80	65	55	45	35	25						
R7	100	100	100	100	100	100	100	90	80	70	60	50	35	20					
R8	100	100	100	100	100	100	100	90	80	70	60	50	35	20	10				
R9	100	100	100	100	100	100	100	95	85	75	65	50	35	20	10	5			
R10	100	100	100	100	100	100	100	95	85	75	65	50	35	20	10	5	2		
R11	100	100	100	100	100	100	100	95	90	80	70	55	40	25	15	10	5	2	
R12	100	100	100	100	100	100	100	95	90	80	70	55	40	25	15	10	5	2	0

Stripper-Type Cut-off Symbols: $RR = \text{cut-off} \underline{\text{below}} \ 1^{\text{st}}$ fruiting limb; $R1 = \text{cut-off} \underline{\text{above}} \ 1^{\text{st}}$ fruiting limb; $R2 = \text{cut-off} \underline{\text{above}} \ 2^{\text{nd}}$ fruiting limb, etc.

Table H – AUP "Picker" Cotton

R	epro	ducti	ve S	tages	s – F1	ruitir	ng Li	mbs	Dest	roye	d % (of Lo	oss C	hart	– CA	and	ΙAΖ	Only	7	
Stage of						N	umb	er of	Lim	bs D	estro	yed-	- 10	Plan	ts					
Growth	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100
R1	0																			
R2	1	2																		
R3	1	2	5	7																
R4	1	2	5	7	9	11														
R5	1	2	5	7	9	11	13	15												
R6	2	3	5	7	9	11	13	15	17	19										
R7	2	3	5	7	9	11	13	15	17	19	21	23								
R8	2	3	6	8	10	12	14	16	18	20	22	24	26	28						
R9	2	3	6	8	10	12	14	16	18	20	22	24	26	28	30	32				
R10	2	3	6	8	10	12	14	16	18	20	22	24	26	28	31	33	35	37		
R11	2	3	6	8	10	12	15	17	19	21	23	25	27	29	32	34	36	38	40	42
R12	2	4	7	9	11	13	16	18	20	22	24	26	29	31	33	36	38	40	42	44
R12+	3	5	8	10	12	15	17	20	22	25	27	30	32	35	37	40	41	45	47	50

Table I – AUP "Picker" Cotton

Reproduc	tive	Sta	ges -	– O1	rigir	nal S	stand	140	Pla	nts (or L	ess]	In 10	0 Fe	et –	Fru	itin	g Li	imb	s Des	stroye	ed %	of L	oss
											Cł	art												
							A	LL	Sta	tes I	EXC	EP'	ТС	A ar	nd A	Z								
Stage of								Nu	mbe	r of	Lir	nbs	De	stro	yed	- 1	0 Pl	ants	S					
Growth	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	110	115	120
R1	0																							
R2	3	6																						
R3	3	6	8	11																				
R4	3	6	8	11	14	17																		
R5	3	6	8	11	14	17	20	22																
R6	3	6	8	12	15	18	20	23	25	29														
R7	3	6	9	12	15	18	21	24	26	30	32	35												
R8	4	7	9	12	15	19	22	25	27	31	33	36	38	42										
R9	4	7	9	12	16	20	23	27	29	32	34	37	40	44	45	48								
R10	4	7	10	13	17	21	24	28	31	34	36	39	43	46	48	51	53	56						
R11	4	7	10	14	18	22	25	29	32	36	38	42	46	49	52	55	58	62	64	67				
R12	4	7	12	16	20	23	26	30	34	38	41	45	49	53	56	60	64	68	71	75	79	82		
R12+	5	8	13	17	22	25	29	34	37	41	45	49	53	57	62	66	70	74	78	82	86	90	94	98

Table J - AUP "Picker" Cotton

Reprodu	ıctiv	e St	age	s – (Orig	inal	Sta	nd E	EXC					s in	10 F	reet	– F1	uiti	ng I	Limb	s Des	stroye	ed %	of
								A T T	C.			s Ch		۱۸ -	1 .	. 7								
G. C															nd A		D1							
Stage of															oye					1				
Growth	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	110	115	120
R1	0																							
R2	2	4																						
R3	2	4	6	8																				
R4	2	4	6	8	11	12																		
R5	2	4	6	8	11	12	15	16																
R6	2	4	6	9	12	13	15	17	19	21														
R7	2	4	7	9	12	13	16	17	20	22	23	26												
R8	3	5	7	9	12	12	16	17	20	23	24	27	29	30										
R9	3	5	7	9	12	13	16	18	21	24	25	28	30	32	34	35								
R10	3	5	7	9	12	14	16	19	21	24	26	29	31	33	36	38	39	41						
R11	3	5	7	10	13	15	17	20	22	25	27	30	32	34	37	39	42	44	47	49				
R12	3	6	8	11	14	17	20	22	25	28	31	34	37	39	42	45	48	51	53	56	59	62		
R12+	4	7	9	12	16	19	22	25	28	31	34	37	40	43	47	50	53	56	59	62	65	68	71	74

Table K – AUP "Stripper" Cotton

		R	lepr	odu	ctive	e Sta	ages	- F	ruit	ing]	Lim	bs I)esti	oye	d Pe	erce	nt o	f Lo	ss C	har	t			
Stage of]	Nun	ıber	of l	Lim	bs D	estr	oye	d –	10 F	lant	S						
Growth	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	110	115	120
R1	1	2																						
R2	1	2	4	5																				
R3	3	6	9	12	15																			
R4	3	6	9	12	15	18	21	24																
R5	4	8	12	16	20	24	28	32	36	40														
R6	4	8	12	16	20	24	28	32	36	40	44	48												
R7	5	10	15	20	25	30	35	40	45	50	55	60	65	70										
R8	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80								
R9	3	5	10	15	20	25	30	35	40	50	56	62	68	75	80	85	88	91						
R10	3	5	10	15	20	25	30	35	40	50	56	62	68	75	80	85	88	91	94	96				
R11	2	4	7	10	15	20	25	30	37	45	52	60	66	72	78	86	90	93	95	97	98	98		
R12	1	4	7	10	15	20	25	30	37	45	52	60	66	72	78	86	90	93	95	97	98	98	99	100

Table L - AUP Cotton Boll Factors

Small Bolls .25 (Bolls are less than ½ mature size.)

Large Bolls .50 (Bolls are more than ½ mature size.)

Mature Bolls 1.00 (Bolls are maximum size, of 1½ to 2 inches long, low moisture content, carpel

walls fully developed.)

Table M – ELS Cotton

						I	ALL S	tages	– Pla	nts Pa	rtially	y Dest	royed	Facto	or Cha	art							
Stage of												Off Sy											
Growth	CC	C1	C2	C3	C4	C5	RR	R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	R11	R12	R13	R14	R15	R16
V1	75	70																					
V2	80	75	65																				
V3	85	80	70	60																			
V4	90	85	75	65	55																		
V5	95	90	80	70	60	50																	
V6	100	95	90	80	70	60	50																
R1	100	95	85	80	75	70	65	55															
R2	100	100	95	85	80	75	70	60	50														
R3	100	100	100	95	85	80	74	65	55	45													
R4	100	100	100	100	95	85	80	70	60	50	40												
R5	100	100	100	100	100	95	85	75	65	55	45	35											
R6	100	100	100	100	100	100	95	85	70	60	50	40	30										
R7	100	100	100	100	100	100	100	93	83	73	63	53	38	23									
R8	100	100	100	100	100	100	100	93	83	73	63	53	38	23	13								
R9	100	100	100	100	100	100	100	95	85	77	67	54	40	25	15	8							
R10	100	100	100	100	100	100	100	95	85	77	67	54	40	25	14	8	5						
R11	100	100	100	100	100	100	100	96	92	82	72	57	42	27	17	10	7	1					
R12	100	100	100	100	100	100	100	96	92	82	72	57	42	27	17	10	7	4	3				
R13	100	100	100	100	100	100	100	97	93	83	73	58	43	29	19	12	9	6	5	2			
R14	100	100	100	100	100	100	100	97	93	83	73	58	43	29	19	12	9	6	5	2	1		
R15	100	100	100	100	100	100	100	98	94	84	74	59	44	30	20	13	10	7	6	3	2	1	
R16	100	100	100	100	100	100	100	99	95	85	75	60	45	30	20	15	10	7	6	3	2	1	0

Cut-off Symbols: C3 = Cut-off above 3rd True Leaf; RR = Cut-off below 1st Fruiting Limb; R1 = Cut-off above 1st Fruiting Limb; R4 = Cut-off above 4th Fruiting Limb, etc.

Table N – ELS Cotton

							Rep	orod	ucti	ve S	tage	s-F	ruit	ing l	Lim	bs D	estro	oyed	Per	cent	ofl	Loss	Cha	ırt								
Stage of												Nu	mbe	r of	Lim	bs D	estr	oye	1 – 1	0 Pl	ants											
Growth	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	110	115	120	125	130	135	140	145	150	155	160
R1	1	30																														
R2	1	26	30	35																												
R3	2	23	27	32	36																											
R4	2	18	24	30	36	40	46	50																								
R5	3	15	20	25	30	35	40	45	50	55																						
R6	4	10	17	23	29	33	38	43	48	54	60	65																				
R7	4	7	11	15	20	25	30	35	40	45	51	58	65	72																		
R8	5	7	12	16	21	25	30	35	40	45	51	58	65	72	77	82																
R9	6	7	11	16	20	23	28	33	38	44	50	56	63	70	75	80	84	88														
R10	5	6	10	15	18	22	27	33	38	44	50	55	62	68	73	78	82	86	90	94												
R11	4	5	7	8	13	18	23	28	34	42	48	53	60	67	71	76	80	84	88	92	94	96										
R12	3	4	6	8	13	18	23	28	34	42	48	53	60	67	71	76	80	84	88	92	94	96	97	98								
R13	2	3	5	7	11	16	20	24	30	38	43	50	57	64	68	74	78	82	86	90	92	94	96	97	98	99						
R14	1	2	4	6	10	15	19	22	28	35	41	48	55	62	66	72	76	80	84	88	90	92	94	95	96	97	98	99				
R15	0	1	3	5	9	12	17	20	26	33	38	44	52	60	64	70	74	78	82	86	88	90	92	93	94	96	97	98	99	100		
R16	0	1	2	4	8	10	15	19	25	31	36	43	51	59	62	68	73	77	81	85	87	90	92	93	94	96	97	98	99	99	100	100

Table O – ELS Cotton Boll Factors

Small Bolls .25 (Bolls are less than $\frac{1}{2}$ mature size.)

Large Bolls .50 (Bolls are more than ½ mature size.)

Mature Bolls 1.00 (Bolls are maximum size, of 1½ to 2 inches long, low moisture content, carpel walls fully developed.)

A. General Information

In high wind areas, producers may plant a small grain (usually wheat or rye) during the fall to prevent soil erosion during the winter and spring months. Building organic matter in the soil, prevention of soil compaction, cutting costs, improving yields, and moisture conservation are other reasons to employ a conservation tillage practice. The small grain is then chemically terminated but remains standing between the rows of cotton to reduce wind-caused damage to the cotton seedlings and soil erosion. The small grain should be terminated in the early to mid-boot stage of growth in order to provide maximum erosion reduction and yet not use excessive amounts of soil moisture needed to produce the cotton crop.

Under some conditions, although herbicide practices are properly applied to terminate the small grain crop, the plants may produce seed heads. This may occur when the small grain is stressed and is not sufficiently translocating the herbicide to cause quick termination. For AUP cotton, check the applicable SP for insurability impacts for any cotton that is grown where a small grain crop has reached the heading stage in the same calendar year. The ELS Cotton CP contain a provision that makes any cotton uninsurable that is grown where a small grain crop has reached the heading stage in the same calendar year, unless:

- (1) the acreage is irrigated; or
- (2) adequate measures are taken to terminate the small grain crop prior to heading (if non-irrigated); and
- (3) less than fifty percent (50%) of the small grain plants reach the heading stage.

B. Standard Procedures for a Conservation Tillage Practice

Any small grain crop utilized in a conservation tillage practice will not be considered headed out unless fifty percent (50%) or more of the small grain plants have reached the heading stage. If proper herbicide practices are utilized to terminate the small grain crop, this threshold should not be reached. Proper practices include applying recommended amounts of herbicide at a time that, under normal growing conditions, will result in the termination of the small grain plants before plants reach the heading stage.

When the above conservation tillage practice exists and the acreage is all or part of a claim for indemnity, the loss adjuster must document, on a Special Report, the following:

- (1) The insured does not have an insurance policy in effect for the small grain on the acreage;
- (2) The operator (producer) complied with all requirements of the CP, including but not limited to applying a recommended herbicide in the required amounts at the proper stage of growth to achieve vegetative kill before 50 percent or more of the small grain plants reached the heading stage; and
- (3) The actual percentage of small grain plants that have reached the heading stage on the acreage.

A. General Information

From the Definitions section of the Cotton (AUP) and ELS Cotton CP, "Skip-row" means a planting pattern that:

- (1) Consists of alternating rows of cotton and fallow land or land planted to another crop the previous fall; and
- (2) Qualifies as a skip-row planting pattern as defined by the FSA or successor agency.

Refer to the CIH for additional guidance regarding skip-row planted cotton and ELS cotton.

B. FSA Rules

The FSA Acreage Compliance Determinations Handbook (2CP) provides the methods of determining acreage of solid plant and skip-row cotton.

C. Verifying Row-Widths and Planting Patterns

Adjusters are to verify the insured producer's reported and determined row widths and planting patterns with the FSA rules before determining percent of acres planted and that yield conversion factors have been applied correctly to approved yields when completing the claim for indemnity. See Table 4 in exhibit 10, for percent of acres planted to cotton. Use the following information when applying FSA rules.

- (1) Non-irrigated and Irrigated Cotton. If the insured acreage is:
 - (a) Non-irrigated cotton and the skips in any skip-row planting pattern do not meet the qualifications according to FSA rules as a skip-row pattern and the entire area is considered devoted to the crop, use a yield conversion factor of 1.00 and the percent planted factor of 1.000.
 - (b) Irrigated cotton and the skips in any skip-row planting pattern do not meet the qualifications according to FSA rules as a skip-row pattern and the entire area is considered devoted to the crop, use the percent planted factor of 1.000.

For any acreage that was not defined and reported correctly on the AR according to FSA rules and this procedure, adjusters are to follow current procedure for revising ARs before and after the final ARD in subparagraph C.

(2) Establishing Planting Patterns Before and After the FPD

Occasions do occur when an insured initially plants cotton in a skip-row pattern or a solid planted pattern, the crop is damaged or destroyed and the insured replants to a new (or different) planting pattern. For AR and claim for indemnity purposes, the planting pattern established on the FPD is used for determining acreage and yield.

C. Verifying Row-Widths and Planting Patterns (continued)

Use the following examples and instruction for recording planting patterns or changes in planting patterns occurring before or after the FPD.

- Example 1:
- Before the FPD. The insured initially plants cotton in a skip-row planting pattern of 2 in \times 1 out (40-inch rows), the acreage is damaged or destroyed and the insured replants acreage in a new planting pattern, solid planted (40-inch rows). On the FPD, the new planting pattern of solid planted (40-inch rows) is the planting pattern established and is used to determine percent of acres planted and yield.
- Example 2:
- After the FPD. The insured's cotton planting pattern established and reported on the FPD was 2 in \times 1 out (40-inch rows), the acreage is damaged or destroyed and the insured replants to a new planting pattern of solid planted (40-inch rows). If at a later date the insured files a claim for indemnity, the planting pattern established on the FPD is retained for determining acreage and yield. Adjusters are to record the new planting pattern in the Narrative of the PW and explain.
- Example 3:

Use of FSA Certified Acres. Caution is required in the use of FSA certified acres to avoid overpayment or underpayment of indemnities. Adjusters are to compare the planting pattern row-width(s) reported for crop insurance purposes with the planting pattern row-width(s) certified at FSA, if available. A planting pattern could have been reported for insurance as a skip-row planting pattern, as in example 2 above, and certified as solid planted at FSA. Since FSA requires the producer to report the planting pattern established at the time of certification, in this example the producer reported correctly to the insurer and FSA. Adjusters are to explain the reason for the difference in the Narrative of the PW.

For any acreage replanted that was not defined and reported correctly, according to FSA rules and the before or after the FPD examples above, adjusters are to revise the AR to correct the acreage and yield.

(3) Reporting Acreage and Production for APH

Acreage and production reported for APH purposes must also be reported according to the applicable FSA rules for skip-row planting patterns for the crop year.

A. General Information

- (1) Acreage determinations and qualifying skip-row planting patterns must agree with the FSA Rules and Verifying Row-widths and Planting Patterns in exhibit 9.
- (2) Refer to Table 4, below, for Percent Planted Factors for 30 to 40-inch planting patterns.

B. Yield Conversion Factor Tables

To compute the AR yield for non-irrigated skip-row planting pattern(s) carried out, multiply the approved solid-planted yield from the APH form times the yield conversion factor for the qualifying skip-row planting pattern. Irrigated acreage does not qualify for skip-row yield conversion factors.

If the entire area is considered devoted to cotton (solid planted) by FSA, a yield conversion factor of 1.00 must be used. Use the following tables to convert qualifying non-irrigated skip-row cotton yields to a solid-planted basis:

Table 1 – These factors apply to Arkansas, Louisiana, Missouri, and all states east of these states.

Planting Pattern	Row Width*	Yield Conversion Factor
Solid-planted or non-qualifying skip-row patterns as determined by FSA or RMA		1.00
2 planted × 1 skipped	30 to 40 inch	1.33
2 planted × 1 narrow skip (40-40-24**)	30 to 40 inch	1.23
2 planted × 1 narrow skip (38-38-26***)	30 to 40 inch	1.25
2 planted × 2 skipped	30 to 40 inch	1.50
2 planted × 4 or more skipped	30 to 40 inch	1.67
4 planted × 1 skipped	30 to 40 inch	1.20
4 planted × 2 skipped	30 to 40 inch	1.33
4 planted × 4 skipped	30 to 40 inch	1.33
6 planted × 1 skipped	30 to 40 inch	1.14
6 planted × 2 or more skipped	30 to 40 inch	1.20
Other	Cannot Exceed 40 Inch	RMA rules

^{*} Row widths are equal unless otherwise indicated.

^{** 40} inch planted row width with 24 inch skip width.

^{*** 38} inch planted row width with 26 inch skip width.

For planting patterns of unequal row widths within the pattern, or row patterns other than those listed in Table 1, compute the yield conversion factor as follows:

- (1) Divide the width in inches of the area skipped in the pattern (as defined by FSA) by the width in inches of the whole pattern, rounded to 2 decimals.
- (2) Add 1.00 to the results obtained in item A.

Example: 3 planted
$$\times$$
 1 skipped (40" rows) = $40 \div 160 = .25 + 1.00 = 1.25$

In some areas, mixed patterns are planted such as 4 planted \times 1 skipped \times 2 planted \times 1 skipped. To calculate the factor for these patterns, determine the factor for each part (4 \times 1 and 2 \times 1) and compute a weighted factor based on the number of planted rows.

Example:
$$4 \times 1 \times 2 \times 1 \text{ (40" rows)}$$

 $4 \times 1 = 40 \div 200 = .20 + 1.00 = 1.20 \times 4 = 4.80$
 $2 \times 1 = 40 \div 120 = .33 + 1.00 = 1.33 \times 2 = 2.66$
 $7.46 \div 6 \text{ rows} = 1.24$

- (3) The result of item B must not exceed:
 - (a) 1.67 for any pattern or part of a pattern of 1 planted row or 2 consecutive planted rows alternating with idle land.
 - (b) 1.45 for any pattern or any part of a pattern of 3 consecutive planted rows alternating with idle land.
 - (c) 1.33 for any pattern or part of a pattern of 4 consecutive planted rows alternating with idle land.
 - (d) 1.20 for any pattern or part of a pattern of 5 or 6 consecutive planted rows alternating with idle land.
 - (e) 1.00 for any pattern or a part of a pattern of 7 or more consecutive planted rows alternating with idle land.

Table 2 – These factors apply to New Mexico, and the following counties in Texas: Baylor, Concho, Runnels, Schleicher, Shackleford, Sutton, Taylor, Throckmorton, Valverde, Wilbarger, and all counties west of these counties.

Planting Pattern	Row Width*	Yield Conversion Factor
Solid-planted or non-qualifying skip-row patterns as determined by FSA or RMA		1.00
1 planted × 1 skipped	40 inch	1.32
1 planted × 1 skipped	36 inch	1.19
1 planted × 1 skipped	32 inch	1.06
2 planted × 1 skipped	30 to 40 inch	1.29
2 planted × 2 skipped	30 to 40 inch	1.29
3 planted × 1 skipped	30 to 40 inch	1.19
3 planted × 2 skipped	30 to 40 inch	1.19
4 planted × 1 skipped	30 to 40 inch	1.14
4 planted × 2 skipped	30 to 40 inch	1.14
4 planted × 4 skipped	30 to 40 inch	1.02
5 planted × 1 skipped	30 to 40 inch	1.12
5 planted × 2 skipped	30 to 40 inch	1.12
6 planted × 1 skipped	30 to 40 inch	1.10
6 planted × 2 skipped	30 to 40 inch	1.10
7 planted × 1 skipped	30 to 40 inch	1.08
7 planted × 2 skipped	30 to 40 inch	1.08
8 planted × 1 skipped	30 to 40 inch	1.07
8 planted × 2 skipped	30 to 40 inch	1.07
Other	Cannot Exceed 40 Inch	RMA rules

^{*} Row widths are equal unless otherwise indicated.

Table 3 – These factors apply to Kansas, Oklahoma, and all Texas counties for which **Table 2** does not apply.

Planting Pattern	Row Width*	Yield Conversion Factor
Solid planted or non-qualifying		
skip-row patterns as determined by		1.00
FSA or RMA		
1 planted × 1 skipped	40 inch	1.40
1 planted × 1 skipped	36 inch	1.26
1 planted × 1 skipped	32 inch	1.12
2 planted × 1 skipped	30 to 40 inch	1.35
2 planted × 2 skipped	30 to 40 inch	1.35
3 planted × 1 skipped	30 to 40 inch	1.23
3 planted × 2 skipped	30 to 40 inch	1.23
4 planted × 1 skipped	30 to 40 inch	1.17
4 planted × 2 skipped	30 to 40 inch	1.17
4 planted × 4 skipped	30 to 40 inch	1.04
5 planted × 1 skipped	30 to 40 inch	1.14
5 planted × 2 skipped	30 to 40 inch	1.14
6 planted × 1 skipped	30 to 40 inch	1.12
6 planted × 2 skipped	30 to 40 inch	1.12
7 planted × 1 skipped	30 to 40 inch	1.10
7 planted × 2 skipped	30 to 40 inch	1.10
8 planted × 1 skipped	30 to 40 inch	1.09
8 planted × 2 skipped	30 to 40 inch	1.09
Other	Cannot Exceed 40 Inch	RMA rules

^{*} Row widths are equal unless otherwise indicated.

Yield Conversion Factors for Planting Patterns not listed in Tables 2 and 3. The following procedures provide instructions for calculating the skip-row yield conversion factor for skip-row planting patterns not listed in Tables 2 or 3 for skip-row planted cotton in Kansas, New Mexico, Oklahoma and Texas.

Using the following table, assign the appropriate row factor for each individual row, including the skipped row, in the planting pattern. Row factors are based on the planting pattern only; therefore, turning at the end of the field has no effect on the calculation. Once all rows in the pattern are assigned a row factor, sum the row factors, and then divide the total by the total number of rows in the planting pattern, including the skipped rows. Round the result to the nearest four decimal places. Divide the result by the FSA percent planted factor applicable to the skip-row planting pattern, and round the result to two decimal places.

County	Individual Row Factors										
County Where Crop	Row	Skipped	Planted Row on	Planted Row on	Skipped						
is Planted	Width	Row	Both Sides	One Side, Skipped	Row on						
15 I failted	Width	Row	Dom Sides	Row on Other Side	Both Sides						
Counties in	40	0.00	1.00	1.29	1.32						
Table 2	36	0.00	1.00	1.29	1.19						
Table 2	32	0.00	1.00	1.29	1.06						
Counties in Table 3	40	0.00	1.00	1.35	1.40						
	36	0.00	1.00	1.35	1.26						
Table 3	32	0.00	1.00	1.35	1.12						

Example 1: Insured planted cotton in Baylor County, Texas, using a 2 rows planted, 3 rows skipped, 1 row planted with 40 inch rows planting pattern. To calculate the skip-row yield conversion factor, assign the appropriate row factor to each individual row as follows.

Planting Pattern = 2 x 3 x 1 with 40 Inch Row Width										
Row 1 Row 2 Row 3 Row 4 Row 5 Row 6 Planted Planted Skipped Skipped Skipped Planted										
Assigned Row Factor	1.29	1.29	0.00	0.00	0.00	1.32				

Sum the row factors, then divide the total by the total rows in the planting pattern.

$$1.29 + 1.29 + 0.00 + 0.00 + 0.00 + 1.32 = 3.90 \div 6 \text{ rows} = 0.6500$$

Divide the result by the FSA percent planted factor for the planting pattern. The skip-row yield conversion factor for the planting pattern is 1.30.

$$0.6500 \div 0.5000 = 1.30$$

Example 2: Insured planted cotton in Baylor County, Texas, using a 4 rows planted, 1 row skipped, 2 rows planted, 1 row skipped with 36 inch rows planting pattern.

To calculate the skip-row yield conversion factor, assign the appropriate row factor to each individual row as follows.

Planting Pattern = 4 x 1 x 2 x 1 with 40 Inch Row Width										
Row	Row 1 Row 2 Row 3 Row 4 Row 5 Row 6					Row 7	Row 8			
Kow	Planted	Planted	Planted	Planted	Skipped	Planted	Planted	Skipped		
Assigned Row Factor	1.29	1.00	1.00	1.29	0.00	1.29	1.29	0.00		

Sum the row factors, then divide the total by the total rows in the planting pattern.

$$1.29 + 1.00 + 1.00 + 1.29 + 0.00 + 1.29 + 1.29 + 0.00 = 7.16 \div 8 \text{ rows} = 0.8950$$

Divide the result by the FSA percent planted factor for the planting pattern. The skip-row yield conversion factor for the planting pattern is 1.19.

$$0.8950 \div 0.7500 = 1.19$$

Table 4 – Acres Considered Planted by FSA Table

Cropping Definition	Row Width	Percent Planted to Cotton
1 planted 1 skipped	40 inch	50.00%
1 planted 1 skipped	36 inch	55.56%
1 planted 1 skipped	32 inch	62.50%
2 planted 1 skipped	30 to 40 inch	66.67%
2 planted 2 skipped	30 to 40 inch	50.00%
3 planted 1 skipped	30 to 40 inch	75.00%
3 planted 2 skipped	30 to 40 inch	60.00%
4 planted 1 skipped	30 to 40 inch	80.00%
4 planted 2 skipped	30 to 40 inch	66.67%
4 planted 4 skipped	30 to 40 inch	50.00%
5 planted 1 skipped	30 to 40 inch	83.33%
5 planted 2 skipped	30 to 40 inch	71.43%
6 planted 1 skipped	30 to 40 inch	85.71%
6 planted 2 skipped	30 to 40 inch	75.00%
7 planted 1 skipped	30 to 40 inch	87.50%
7 planted 2 skipped	30 to 40 inch	77.77%
8 planted 1 skipped	30 to 40 inch	88.89%
8 planted 2 skipped	30 to 40 inch	80.00%
Other patterns	FSA Rules	FSA Rules

A. General Information

The term "cotton classification" refers to the application of standardized procedures developed by USDA AMS for measuring those physical attributes of raw cotton that affect the quality of the finished product and/or manufacturing efficiency. The USDA AMS classification system currently consists of determinations of color grade, preparation, leaf grade, and extraneous matter (if any); and High Volume Instrument (HVI) measurements for fiber length, micronaire, strength, color, trash, and length uniformity.

At the gin, cotton fibers are separated from the seed, cleaned to remove plant residue and other foreign material, and pressed into bales of about 500 pounds. A sample of at least 4 ounces (114 grams) is taken from each side of the bale by a licensed sampling agent and delivered by the agent or designated hauler to the USDA AMS classing facility serving the area. Gin and warehouse operators serve as licensed sampling agents and perform this function under USDA supervision.

Classification procedures for American Pima cotton, also referred to as ELS cotton, are similar to those for American Upland cotton. Different grade standards are used because the color of American Pima cotton is a deeper yellow than that of Upland. Also, the ginning process for American Pima cotton (roller ginned) is not the same as for Upland (saw ginned). The roller gin process results in an appearance that is not as smooth as that of the saw ginned process.

The USDA AMS, at the request of producers, classes practically all of the cotton grown in the United States. While classification is not mandatory, growers generally find it essential to marketing their crop and for participation in certain USDA programs.

B. Cotton Classification Information

The AMS classing office provides most classification information to the industry via the internet. At the gins, adjusters may use the producer's bale listing or the gin-recorded ledgers that must contain a minimum of the information listed below. The following numbered items explain the information provided on the bale listing as number codes.

- (1) **Permanent Bale Identification (PBI)** (Columns 1-12) A bar-coded bale identification tag, preprinted with the gin code number and gin bale number, is placed between the two halves of the sample for identification purposes. This tag is referred to as the Permanent Bale Identification (PBI) tag, which gives each bale a unique 12-digit number that is not repeated within a five-year period.
 - (a) Gin Code Number (Columns 1-5) The gin code number is composed of five digits. The first two digits denote the classing office and the last three digits identify the gin.
 - (b) Gin Bale Number (Columns 6-12) The seven-digit bale numbers are assigned by the gin.
- (2) **Date Classed** (Columns 13-20) This is the date the classification data for the bale was released by the classing office.

- (3) Module, Trailer, or Single Bale (Column 21) This one digit code indicates whether the sample was outturned as a single bale or from a bale that was module/trailer averaged. Single bale = 0; Module = 1; Trailer = 2.
- (4) **Module/Trailer Number** (Columns 22-26) A five-digit number identifies the module/trailer number assigned at the gin.
- (5) Bales in Module/Trailer (Columns 27- 28) A two-digit number that identifies the number of bales in the module/trailer that were released with the module average calculations.
- (6) Official Color Grade (Columns 29-30) A number that refers to an official Upland color grade that appears on the classification record. Certain special condition codes listed below are shown in the color grade columns for Upland and Pima. Color refers to the gradations of grayness and yellowness in the cotton. There are 25 official color grades for American Upland cotton, plus five categories of below grade color, as shown in the table below.

Color Grades of AUP Cotton										
	White Light Spotted		Spotted	Tinged	Yellow Stained					
Good Middling	11*	12	13							
Strict Middling	21*	22	23*	24	25					
Middling	31*	32	33*	34*	35					
Strict Low Middling	41*	42	43*	44*						
Low Middling	51*	52	53*	54*						
Strict Good Ordinary	61*	62	63*							
Good Ordinary	71*									
Below Grade	81	82	83	84	85					

^{*}Physical Standards. All others are descriptive.

Special Condition Codes for American Upland Cotton:

96 – Mixture of Upland and Pima; 97 – Fire Damaged; 98 – Water Damaged

American Pima Grades – has six official grades 01, 02, 03, 04, 05, 06, all represented by physical standards, plus below grade 07 which is descriptive.

Special Condition Codes for American Pima Cotton:

93 – Mixture of Pima and Upland; 94 – Fire Damaged; 95 – Water Damaged

(7) Fiber Length – 32nds of an inch (Columns 31-32); 100ths of an inch (Columns 54-56) – Classification instruments measure length in hundredths of an inch. Fiber length (staple length) is reported in both 32nds and 100ths of an inch on the classification record. Refer to conversion chart below:

Upland Length Conversion Chart										
Length (32nds)	Length (Inches)	Length (32nds)	Length (Inches)							
24 (below 13/16)	.79 & shorter	36 (1 1/8)	1.11 - 1.13							
26 (13/16)	.8085	37 (1 5/32)	1.14 - 1.17							
28 (7/8)	.8689	38 (1 3/16)	1.18 - 1.20							
29 (29/32)	.9092	39 (1 7/32)	1.21 - 1.23							
30 (15/16)	.9395	40 (1 1/4)	1.24 - 1.26							
31 (31/32)	.9698	41 (1 9/32)	1.27 - 1.29							
32 (1")	.99 - 1.01	42 (1 5/16)	1.30 - 1.32							
33 (1 1/32)	1.02 - 1.04	43 (1 11/32)	1.33 - 1.35							
34 (1 1/16)	1.05 - 1.07	44 & longer (1 3/8)	1.36 & longer							
35 (1 3/32)	1.08 - 1.10									

A separate chart is used to convert American Pima fiber length from 32nds to 100ths of an inch.

American Pima Length Conversion Cha								
Length (32nds)	Length (Inches)							
40	1.20 & lower							
42	1.21 - 1.25							
44 (1 3/8)	1.26 - 1.31							
46	1.32 - 1.36							
48	1.37 - 1.42							
50	1.43 - 1.47							
52	1.48 & above							

(8) **Micronaire** (Columns 33-34) – An airflow instrument is used in the HVI system to measure fiber fineness. The measurements are commonly referred to as micronaire or "mike" readings. Micronaire readings are expressed with or without a decimal (e.g., 3.5 or 35).

Relationship of Micronaire Readings to Market Value American Upland

Premium Range 3.7-4.2 3.5-3.6 Base Range 4.3-4.9 3.4 and below Discount Range 5.0 and up

Micronaire Readings for American Pima

Range

3.5 and Above

3.3 - 3.4

3.0 - 3.2

2.7 - 2.9

2.6 and Below

- (9) **Strength** (Columns 35-37) Fiber strength is measured in grams per tex and represents the force in grams to break a bundle of fibers one tex unit in size.
- (10) Leaf Grade (Column 38) Leaf refers to small particles of the cotton plant's leaf which remain in the lint through the ginning process. Upland leaf grades are identified by numbers of 1 through 7, all represented by physical standards. Leaf grade 8 (Below grade) is used to identify samples having more leaf than leaf grade 7. Pima leaf grades are identified by numbers 1 through 6, all represented by physical standards, and leaf grade 7 (Below grade) which is used to describe samples having more leaf than leaf grade 6.
- (11) Extraneous Matter (Columns 39-40) Extraneous matter is any substance in the cotton other than fiber or leaf, such as bark, grass spindle twist, seed coat fragments dust, or oil. The amount of extraneous matter in the cotton will be reported as level 1 and level 2, with level 2 indicating the heavier contamination. The code numbers identifying the presence and level of extraneous matter in a sample are as follows:

Code	Description	Code	Description
01	Prep Level 1	41	Oil Lever 1
02	Prep Level 2	42	Oil Lever 2
11	Bark Level 1	51	Spindle Twist Level 1
12	Bark Level 2	52	Spindle Twist Level 2
21	Grass Level 1	61	Other Level 1
22	Grass Level 2	62	Other Level 2
31	Seed Coat Fragments Level 1	<mark>71</mark>	Plastic Level 1
32	Seed Coat Fragments Level 2	<mark>72</mark>	Plastic Level 2

(12) **Remarks** (Columns 41-42) – The HVI assigns the remarks code 75 where applicable. Classers identify other special condition cotton. Some of these items cause processing problems and lower yarn quality. The following remarks codes identify special condition cotton:

Code	Description
75	Other Side Two or More Color Grades and/or Color Groups or One
	Color Grade and One Color Group Higher
76	Reginned
77	Repacked
78	Redder than normal (Pima)
92	Pima ginned on saw gin

- (13) HVI Color Code and Color Quadrant etc. (Columns 43-53) These columns are not required for QA purposes.
- (14) Length Uniformity Percent (Columns 57-59) These columns are not required for ELS cotton QA purposes.
- (15) Upland or Pima (Columns 60) The one digit code indicates whether the sample is Upland or American Pima. 1 = Upland; 2 = Pima.
- (16) **Record Type** (Columns 61) the one digit code gives the type of record according to the following: 0 = Original; 1 = Review; 2 = Reworked ***
- (17) Record Status (Column 62) the one digit code indicates whether or not the manual classing information has been corrected: 0 = Not a correction 1 = Correction.
- (18) CCC Loan Premium or Discount Points (Columns 63-67) The five digit code gives the CCC loan premium and discount points for Upland cotton. The physical loan price for Pima cotton is shown in cents per pound. Upland column 63 (+) if Premium, (-) if Discount. These columns will be left blank if bale is not eligible for loan.

C. AUP and ELS Cotton QA Procedure

The following is quality loss adjustment procedures for AUP and ELS cotton. Mature white AUP cotton and mature ELS cotton may be adjusted for quality when production has been damaged by insured causes and qualifies for QA. Production will be reduced if Price A is less than 90 percent of Price B.

(1) For AUP and ELS cotton QA, Price B will be established in accordance with the SP.

(2) Price A is the loan value per pound for the bale determined in accordance with the FSA Schedule of Premiums and Discounts for the applicable crop year.

Note: Colored AUP cotton lint is NOT eligible for QA.

- (3) The quality dimensions on which quality will be measured are grade, staple length, leaf content, bark and extraneous matter, micronaire, strength, and length uniformity. However, length uniformity is not a grading factor for ELS cotton so it is not a quality dimension on which ELS cotton will be measured.
- (4) The documents used to determine cotton values for mature cotton that has been damaged by an insurable cause and qualifies for QA are the:
 - (a) Bale listing;
 - (b) State Price B calculated in accordance with the SP for AUP and ELS cotton;
 - (c) AUP & ELS FSA Cotton NALR; and
 - (d) FSA Schedule of Premiums and Discounts.

The current crop's FSA Schedule of Premiums and Discounts can be accessed from the FSA website at the following address:

www.fsa.usda.gov/programs-and-services/price-support/commodity-loan-rates/index

- (5) Determine Price A by completing the Cotton Quality Adjustment Worksheet as follows:
 - (a) Bale listing with FSA Loan Values:
 - (i) Transfer information from the bale listing to the Cotton Quality Adjustment Worksheet. The bale listing includes bale identification numbers, net weights and calculated FSA loan values for each bale produced on the unit.
 - (ii) For each bale produced on the unit, transfer bale numbers to column 7, net weights to column 8 and FSA loan values to column 15 (Price A) of the Cotton Quality Adjustment Worksheet.
 - (iii) Attach the bale listing to the Cotton Quality Adjustment Worksheet.
 - (b) Bale listing without FSA Loan Values:
 - (i) Use information from the bale listing to complete the Cotton Quality Adjustment Worksheet. The bale listing includes bale identification numbers, net weights and HVI quality information for each bale produced on the insured unit. Use only the allowable criteria listed in item C(3) above.

- (ii) For each bale produced on the unit, transfer bale numbers to column 7 and net weight to column 8 of the Cotton Quality Adjustment Worksheet.
- (iii) Use the allowable quality information from the bale listing and FSA Loan Premium and Discount Schedule for the crop year recorded as item 4 to complete columns 10-14 of the Cotton Quality Adjustment Worksheet for each bale.
- (iv) For each individual bale, sum columns 10-14 (sum may be a negative number), and add to the applicable FSA Cotton NALR (item 5a). Record the results (Price A) in column 15.
- (v) Attach the bale listing to the Cotton Quality Adjustment Worksheet.
- (6) Any AUP cotton harvested or appraised from acreage originally planted to ELS cotton in the same growing season will be reduced by the factor obtained by dividing the price per pound for AUP cotton by the price per pound for ELS cotton. If AUP cotton is replanted, identify in the Narrative the line(s) applicable to ELS and AUP cotton. Also, document the calculations used to determine the QAF in the Narrative. The prices used for AUP cotton will be the applicable FSA Cotton NALR adjusted by any applicable FSA premiums and discounts. The price used for ELS cotton will be the applicable ELS FSA Cotton NALR.

Example:

The AUP cotton was harvested and the net weight of bale #122 is 500 pounds.

Step 1: Determine the AUP cotton price of each harvested bale.

.4949 (FSA Cotton NALR)

- <u>.0505</u> (net FSA AUP cotton premiums and discounts for bale's allowed quality dimensions)

.4444 equals Price A for AUP cotton harvested bale #122

Step 2: Determine the price for ELS cotton.

The applicable ELS FSA Cotton NALR is .7977.

Step 3: Bale #122 is reduced as follows:

 $.4444 \div .7977 = .5571$ Factor x 500 lbs. = 278.6 = 279 lbs.

Any appraisal of AUP cotton on acreage originally planted to ELS cotton in the same growing season will be reduced by the factor determined in Step 3 (AUP cotton Price $A \div ELS$ cotton NALR = factor).

- (7) When a field lies in more than one state, average the state Price B from the multiple states the field lies in to establish the applicable state Price B.
- (8) When cotton produced in two neighboring states is delivered, graded, and classed at a single gin in one state, the state Price B for the state where the cotton is produced is used.
- (9) The following table shows how to determine state Price B for AUP cotton and is used in the example Cotton Quality Adjustment Worksheet in exhibit 12. All shaded information in the following pages are used to complete the example Cotton Quality Adjustment Worksheet on page 108.

	Example FSA Premiums and Discounts Associated with Predominant Quality											Example		Price	
State "X"	Color	Leaf	Staple		Strength		Uniformity		Mike		Extraneous Matter		AUP Cotton NALR		B
	31	3	35		29		81		4.6		None				
		.0255		+	.0010	+	.0000	+	.0000	+	.0000	+	\$.4949	=	\$.5214

Example of FSA Premiums and Discounts for Grade, Staple Length, and Leaf Content – Crop AUP Cotton

			Loan Rates (points per lb.)									
	Color	Leaf	Staple									
			26-31	32	33	34	35	36	37	38+		
	SM &	Leaf 1-2	-305	-220	-55	125	350	470	520	535		
	better	3	-375	-245	-85	100	285	400	445	460		
	11 & 21	4	-415	-265	-160	60	195	310	340	340		
		5	-525	-360	-270	-70	105	180	190	190		
		6	-695	-510	-435	-280	-210	-175	-170	-170		
		7	-770	-600	-535	-380	-320	-285	-280	-280		
	MID	Leaf 1-2	-395	-245	-100	85	285	420	450	460		
W	31	3	-440	-255	-110	80	255	375	405	415		
Н		4	-500	-295	-210	40	140	235	260	270		
Ι		5	-575	-390	-295	-125	45	110	120	120		
T		6	-740	-535	-440	-295	-245	-215	-210	-210		
E		7	-830	-620	-540	-385	-345	-315	-315	-315		
	SLM	Leaf 1-3	-560	-345	-195	40	140	240	260	270		
	41	4	-610	-370	-285	Base	95	185	205	215		
		5	-650	-470	-385	-205	-95	-25	-20	-20		
		6	-800	-595	-525	-375	-315	-275	-275	-275		
		7	-920	-700	-645	-490	-425	-405	-400	-400		
	LM	Leaf 1-4	-715	-565	-425	-260	-180	-150	-145	-145		
	51	5	-765	-660	-595	-400	-315	-275	-275	-275		
		6	-925	◆ Used for color, leaf, staple differences, item 10				-435	-435	-435		
		7	-1025	-825	-800	-640	-585	-560	-560	-560		
	SGO	Leaf 1-5	-790	-705	-650	-470	-410	-395	-395	-395		
L	61	6	-935	-825	-780	-655	-600	-575	-575	-575		

Micronaire Differences Upland Cotton

Micronaire Reading	Points
2.4 & lower	-975
2.5 through 2.6	-910
2.7 through 2.9	-605
3.0 through 3.2	-365
3.3 through 3.4	-200
3.5 through 3.6	0
3.7 through 4.2 a/	10
4.3 through 4.9	0
5.0 through 5.2	-230
5.3 & higher	-380

a/ Premium applies only to white grades 11-41, leaf 1-6;

←Used for micronaire differences, item 11

^{51,} leaf 1-5; light spotted grades 12-32, leaf 1-5;

^{42,} leaf 1-4; and 52, leaf 1-3.

Fiber Strength									
Upland Cotton									
Strength points									
17.9 & lower	-500								
18.0-18.9	-250								
19.0-19.9	-250								
20.0-20.9	-250								
21.0-21.9	-250								
22.0-22.9	-205								
23.0-23.9	-175								
24.0-24.9	-165								
25.0-25.9	-145								
26.0-26.9	0								
27.0-27.9	0								
28.0-28.9	0								
29.0 – 29.9	10								
30.0 – 30.9	30								
31.0 – 32.9	50								
33.0 & above	60								

[◆]Used for strength differences, item 12

Length Uniformity Upland Cotton

Uniformity	Points
77.9 & lower	-100
78.0 - 78.9	- <mark>85</mark>
79.0 - 79.9	-75
80.0 - 80.9	0
81.0 - 81.9	0
82.0 - 82.9	5
83.0 - 83.9	15
84.0 - 84.9	25
85.0 - 85.9	35
86.0 & above	45

← Used for uniformity differences, item 13

Extraneous Matter Upland Cotton

	Level 1	Level 2			
	Points of	f discounts			
Tex-NM-Oklahoma-KS Bark	-340	-505			
Prep. All Locations	-175	-610			
Other 1/	-455	-695			

1/ Bark in locations other than TX/NM/OK/KS. Extraneous matter other than bark and preparation, in all locations.

Used for extraneous matter differences, Item 14

Use this worksheet to calculate the prices necessary for the QA of AUP or ELS cotton.

- (1) Convert all FSA loan rate values and point differences to cents per pound. For example, micronaire point -200 becomes -.0200.
- (2) Attach completed QA worksheets to the cotton PW.
- (3) List each bale separately.

Verify and/or make the following entries for each QA worksheet element/item number. A completed QA worksheet example is at the end of this exhibit.

	Element/Item Number	Description					
1.	Insured's Name	Name of the insured that identifies exactly the person (legal entity) to whom the policy is issued.					
2.	Policy Number	Insured's assigned policy number.					
3.	Unit Number	Unit number from the Summary of Coverage after it is verified to be correct.					
4.	Crop Year	The crop year applicable to the insured crop.					
5a.	FSA Cotton NALR	Record the applicable FSA Cotton NALR for the applicable crop year, to four decimal places.					
5b.	Price B	Record the applicable state Price B in accordance with the SP for the applicable crop year, to four decimal places.					
6.	90% of Price B	Multiply Price B (item 5b) by .90 to determine 90% of Price B. QA applies if Price A is less than 90% of Price B.					
7.	Bale Number	Bale number from computer printout, gin record, or bale listing.					
8.	Net Weight	Net Weight of the bale for the bale number recorded in column 7.					
9.	Color/Leaf/Staple/Mike	Record the numeric grades for color and leaf, staple length, and micronaire (mike) from the computer printout, gin record, or bale listing. If a bale listing with FSA Loan Values will be attached to the					
		worksheet, make no entry. Refer to exhibit 11(C)(5)(a).					
10.	Color/Leaf/Staple +/- Differences	Record the +/- differences (additions or deductions) determined from the appropriate crop year's (item 4) FSA Premium and Discount schedule for the color, leaf, and staple length recorded on the computer printout or bale listing (gin recap) for the bale number designated in column 7.					
		If a bale listing with FSA Loan Values will be attached to the worksheet, make no entry. Refer to exhibit 11(C)(5)(a).					

11. Micronaire +/-	Record the +/- differences (additions or deductions) determined from
Differences	the appropriate crop year's (item 4) FSA Premium and Discount
	schedule for the Micronaire recorded on the computer printout or
	bale listing (gin recap) for the bale number designated in column 7.
	If a bale listing with FSA Loan Values will be attached to the
	worksheet, make no entry. Refer to exhibit 11(C)(5)(a).
12. Strength +/-	Record the +/- differences (additions or deductions) determined from
Differences	the appropriate crop year's (item 4) FSA Premium and Discount
	schedule for the Strength recorded on the computer printout or bale
	listing (gin recap) for the bale number designated in column 7.
	If a bale listing with FSA Loan Values will be attached to the
	worksheet, make no entry. Refer to exhibit 11(C)(5)(a).
13. Uniformity +/-	Record the +/- differences (additions or deductions) determined from
Differences	the appropriate crop year's (item 4) FSA Premium and Discount
	schedule for the Length Uniformity recorded on the computer
	printout or bale listing (gin recap) for the bale number designated in
	column 7. Length uniformity is not a grading factor for ELS cotton
	so it is not a quality dimension on which ELS cotton will be
	measured.
	If a bale listing with FSA Loan Values will be attached to the
	worksheet, make no entry. Refer to exhibit 11(C)(5)(a).
14. Ex. Matter +/-	Record the +/- differences (additions or deductions) determined from
Differences	the appropriate crop year's (item 4) FSA Premium and Discount
	schedule for the Extraneous Matter recorded on the computer
	printout or bale listing (gin recap) for the bale number designated in
	column 7.
	If a bale listing with FSA Loan Values will be attached to the
	worksheet, make no entry. Refer to exhibit 11(C)(5)(a).
15. Price A	Sum the point differences recorded in columns 10 thru 14 (may be a
	negative number), and add to the FSA Cotton NALR recorded in
	item 5a to determine Price A.
	If Price A is determined by the AIP to have a negative or zero value
	based on the FSA Loan Rate, enter ".0000."
16. Factor	Divide Price A in column 15 by Price B in item 5b, rounded to four
	decimal places, to determine the Factor used to reduce the Net
	Weight of individual bales of cotton shown in column 8.
Page Numbers	Page numbers – (Example: Page 1 of 1, Page 1 of 2, Page 2 of 2,
	etc.).

Important: Combine net bale weights quality adjusted by the same factor (and share), then record in Bu., Ton, Lbs., CWT, column 56 of the PW. Transfer Price A to Value (column 64a) and Price B to Mkt. Price (column 64b) of the PW. Calculate the QAF (column 65) or enter the factor from the worksheet.

Note: This example follows the example in exhibit 11, C(9).

				CO'				y Name N PURPOSI JSTMENT V			Γ		
1. Insu	red's Nan	ne		2. I	2. Policy Number						4. Crop Year		
	I. M. In	sured		XXXXXXX			0001-0001BU			YYYY			
5a. FSA Cotton NALR 5b. Pri			rice B Multiplied by:			6. 90% of			Price B				
	.4949			.521	14			90			.4693		_
7. Bale Number	. 8. 9. lle Net Color/Lea:			10. Color/Leaf/Staple		11. Micronaire	12. Strength es +/- Differenc	+/-	13. niformity Differences		15. Price A	16. Factor	
		_							(A	UP only)	Differences		
024	482	51,	6, 30, 33	3	092	25	0200	.0030		0100	0175	.3579	.6864
									- 1				
											 		
								+			-	1	
		1			1	<u> </u>							
									-				
								+				 	

Page <u>1</u> of <u>1</u>