

United States
Department of
Agriculture



Federal Crop Insurance Corporation

FCIC-25015 (11-2019)

SESAME PILOT LOSS ADJUSTMENT STANDARDS HANDBOOK

2020 and Succeeding Crop Years

RISK MANAGEMENT AGENCY KANSAS CITY, MO 64133

TITLE: SESAME PILOT LOSS ADJUSTMENT STANDARDS HANDBOOK	NUMBER: 25015
EFFECTIVE DATE: 2020 and Succeeding Crop Years	ISSUE DATE: November 25, 2019
SUBJECT:	OPI: Product Administration and Standards Division
Provides procedures and instructions for administering the Sesame Pilot crop	APPROVED:
insurance program.	/s/ Richard H. Flournoy
	Deputy Administrator for Product Management

REASON FOR ISSUANCE

Major changes: See changes or additions in text which have been highlighted. Three stars (***) identify information that has been removed.

- 1. Throughout handbook, updated web addresses and links.
- 2. Throughout handbook, updated references to exhibits and paragraphs.
- 3. Subparagraph 1D, updated to standard language.
- 4. Paragraph 11(1), removed to eliminate redundancy. Renumbered (2) and (3) to (1) and (2), respectively.
- 5. Paragraph 11(2), updated replanting reference.
- 6. Paragraph 13 added as Part 3 has been eliminated (unnecessary with no replanting payment provisions).
- 7. Part 3 Replanting Payment Procedures has been removed and old Parts 4 and 5 renumbered to new Parts 3 and 4, respectively. Paragraphs renumbered as a result of the change.
- 8. Paragraph 21, minor updates to provide clarity and consistency.
- 9. Moved paragraph on "Sesame Phenotypes" to newly created exhibit 9.
- 10. Subparagraphs 25C(2), 26B(3)(a) and 27B(1), reworded reference to exhibit 6 for clarity.
- 11. Paragraph 28, replaced the terms "combined" with "harvested" and "harvest" with "production".

SESAME PILOT LOSS ADJUSTMENT STANDARDS HANDBOOK

REASON FOR ISSUANCE (continued)

- 12. Paragraph 28(5), removed net weight from (5) as it is determined in (6).
- 13. Paragraph 28(6)(c), corrected the moisture adjustment calculation.
- 14. Exhibit 3, item 9, removed instruction to enter the number of days after planting the damage occurred in the remarks section, item 37.
- 15. Exhibit 3, item 37, updated to add instruction to enter the number of days after planting that the damage occurred and for production in the mid-bloom stage, the number of node pairs.
- 16. Exhibit 3, Stand Reduction Appraisal Method Example Worksheet, corrections made and references to tables removed.
- 17. Exhibit 3, Plant Damage Appraisal Method Example Worksheet, added the number of node pairs to the remarks.
- 18. Exhibit 4, item 4, removed "in chronological order" to align with standard language.
- 19. Exhibit 4, items 35, 40, 65, and narrative instruction "u", added instruction when a federal or state agency orders destruction. Items 36 and 66 updated as a result.
- 20. Exhibit 5, split into exhibits 5, 6, 7 and 8 to align with handbook standards.
- 21. Exhibit 9, added exhibit replacing paragraph on phenotypes. The supplemental information on phenotypes was condensed.

SESAME PILOT LOSS ADJUSTMENT STANDARDS HANDBOOK

CONTROL CHART

Sesame Pilot Loss Adjustment Standards Handbook							
	TP Page(s)	TC Page(s)	Text Page(s)	Exhibit Number	Exhibit Page(s)	Date	Directive Number
Remove		Entire Handbook			11-2017	FCIC-25015	
Current	1-4	1-2	1-17	1-9	18-53	11-2019	FCIC-25015

FILING INSTRUCTIONS

This handbook replaces the 2018 Sesame Pilot Loss Adjustment Standards Handbook, FCIC-25015 (11-2017). This handbook is effective for the 2020 and succeeding crop years and is not retroactive to any 2019 or prior crop year determinations.

(Reserved)

${\bf SESAME\ PILOT\ LOSS\ ADJUSTMENT\ STANDARDS\ HANDBOOK}$

TABLE OF CONTENTS

	PAGE NO.
PART 1	GENERAL INFORMATION AND RESPONSIBILITIES
1	General Information
2	AIP Responsibilities
_) (Reserved)
PART 2	POLICY INFORMATION
11	Insurability3
12	Unit Division
13	Replanting Payment Procedures
14-2	20 (Reserved)
PART 3	APPRAISALS
21	Selecting Representative Samples
22	Measuring Row Width for Sample Selection
23	Stages of Growth
24	Appraisal Methods9
25	Stand Reduction Method
26	Plant Damage Method
27	Capsule Count Method
28	Harvested Production Method
29	Deviations and Modifications
30	General Information for Worksheet Entries and Completion Procedures
31-4	40 (Reserved)
PART 5	PRODUCTION WORKSHEET
41	General Information for Worksheet Entries and Completion Procedures

SESAME PILOT LOSS ADJUSTMENT STANDARDS HANDBOOK TABLE OF CONTENTS

PAGE NO.

EXHIBITS

1	Acronyms and Abbreviations	18
	Definitions	
3	Form Standards – Appraisal Worksheet	20
	Form Standards – Production Worksheet	
5	Minimum Representative Sample Requirements	44
6	Sample Row Length	
7	Percent Surviving Yield	
8	Seed Weight per Capsule	49
9	Sesame Phenotypes	50

PART 1 GENERAL INFORMATION AND RESPONSIBILITIES

1 General Information

A. Purpose and Objective

The RMA-issued loss adjustment standards for this crop are the official standard requirements for adjusting losses in a uniform and timely manner. The RMA-issued standards for this crop and crop year are in effect as of the signature date for this crop handbook located at www.rma.usda.gov.

This handbook remains in effect until superseded by reissuance of either the entire handbook or selected portions (through amendments, bulletins, or FADs). If amendments are issued for a handbook, the original handbook as amended shall constitute the handbook. A bulletin or FAD can supersede either the original handbook or subsequent amendments.

B. Related Handbooks

The following table identifies handbooks that shall be used in conjunction with this handbook.

Handbook	Relation/Purpose
CIH	Provides overall general underwriting (not crop specific) process.
DSSH	Provides the form standards and procedures for use in the sales and service of crop insurance contracts.
GSH	Provides general crop insurance information.
LAM	Provides overall general loss adjustment (not crop-specific) process.

- (1) Terms, abbreviations, and definitions general (not crop specific) to loss adjustment are identified in the GSH and the LAM.
- (2) Terms, abbreviations, and definitions specific to sesame loss adjustment and this handbook are in exhibits 1 and 2, herein.

C. CAT Coverage

Refer to the CIH, GSH and LAM for provisions and procedures not applicable to CAT coverage.

D. Irrigated Practice

Refer to the DSSH for irrigated practice guidelines and to CIH and LAM for other irrigated practice information.

2 AIP Responsibilities

A. Utilization of Standards

All AIPs shall utilize these standards for both loss adjustment and loss training for the applicable crop year. These standards, which include crop appraisal methods, claims completion instructions, and form standards, supplement the general (not crop-specific) loss adjustment standards identified in the LAM.

B. Form Distribution

The following is the minimum distribution of forms completed by the adjuster and signed by the insured (or the insured's authorized representative) for the loss adjustment inspection.

- (1) One legible copy to the insured; and
- (2) The original and all remaining copies as instructed by the AIP.

C. Record Retention

It is the AIP's responsibility to maintain records (documents) as stated in the SRA and described in the LAM.

D. Form Standards

- (1) The entry items and completion instructions in exhibits 3 and 4 are the minimum requirements for the Sesame Pilot Appraisal Worksheet and PW. All entry items are "Substantive" (they are required).
- (2) The Privacy Act and Non-Discrimination statements are required statements that must be printed on all forms or provided to the insured as a separate document. These statements are not shown on the example form(s) in exhibits 3 and 4. The current Non-Discrimination Statement and Privacy Act Statement can be found on the RMA website at www.rma.usda.gov.
- (3) The certification statement required by the current DSSH must be included on the PW directly above the insured's signature block immediately followed by the statement below:
 - "I understand the certified information on this Production Worksheet will be used to determine my loss, if any, to the above unit. The insurance provider may audit and approve this information and supporting documentation. The Federal Crop Insurance Corporation, an agency of the United States, subsidizes and reinsures this crop insurance."
- (4) Refer to the DSSH for other crop insurance form requirements (such as point size of font, and so forth). The current DSSH can be found on the RMA website at: www.rma.usda.gov.

3-10 (Reserved)

PART 2 POLICY INFORMATION

The AIP determines the insured has complied with all policy provisions of the insurance contract. The CP, which are to be considered in this determination include (but are not limited to):

11 Insurability

- (1) The insured crop and insurable acreage are defined in the Sesame Pilot CP. Refer to the BP, the Sesame Pilot CP, and the SP for a complete list of insurability requirements.
- (2) Any acreage of the insured crop damaged before the final planting date, to the extent that producers in the area would normally not further care for the crop, must be replanted unless the AIP agrees that it is not practical to replant. Refer to the SP and the LAM for additional replanting information.

12 Unit Division

Refer to the insurance contract for unit provisions. Unless limited by the CP or SP, a basic unit, as defined in the BP, may be divided into optional units if, for each optional unit, all of the conditions stated in the applicable provisions are met.

13 Replanting Payment Procedures

There is no replant payment available for sesame. Refer to paragraph 11(2) for replanting requirements prior to the FPD.

14-20 (Reserved)

PART 3 APPRAISALS

Potential production for all types of inspections will be appraised in accordance with procedure specified in this handbook and the LAM.

21 Selecting Representative Samples

- (1) Determine the minimum number of required samples for a field or subfield by the field size, the average stage of growth, age (size) and general capabilities of the plants to recover, and variability of potential production and plant damage within the field or subfield.
- (2) Split the field into subfields when:
 - (a) Variable damage causes the crop potential to appear to be significantly different within the same field; or
 - (b) The insured wishes to destroy a portion of a field.
- (3) Appraise each field or subfield separately.
- (4) Take not less than the minimum number (count) of representative samples required in exhibit 5 for each field or subfield.
- (5) Sample Size by Appraisal Method:
 - (a) Stand Reduction, Plant Damage, and Capsule Count Methods: One representative sample is equal to 1/1000 of an acre based on the row width as listed in exhibit 6.
 - (b) Harvested Production Method: One sample is the calculated area harvested by machine in each representative sample area.


22 Measuring Row Width for Sample Selection

Use these instructions for all appraisal methods that require row width determinations.

- (1) Use a measuring tape marked in inches or convert a tape marked in tenths, to inches, to measure row width (refer to the LAM for conversion table).
- (2) Measure across three or more row spaces, from the center of the first row to the center of the fourth row (or as many rows as needed) and divide the result by the number of row spaces measured across, to determine an average row width in whole inches.

Measuring Row Widths for Sample Selection (Continued)

Example:



- (3) Where rows are skipped for tractor and planter tires, refer to the LAM.
- (4) Apply the average row width to exhibit 6 to determine the sample row length required for the Stand Reduction, Plant Damage, and Capsule Count appraisal methods.

23 Stages of Growth

These instructions detail growth stages and directions for appraising potential production during various stages of growth. There are four major growth stages: Vegetative, Reproductive, Ripening, and Drying.

- (1) For the purposes of appraisal, the key points in the growth of the sesame plant are the appearance of buds in the pre-reproductive stage and the end of the reproductive stage when flowering ends.
- (2) Sesame produces flowers in the leaf axil (where the upper base of the petiole of the leaf joins the stem). The flowers have five petals that join to form a tubular shape corolla that is about 1 to 1.5 inches long. The flowers start as yellowish green in color and are considered buds until the day of pollination when they turn whitish to purple. One of the petals is longer, and the extra growth is known as a lip. The lip folds over the opening of the flower until the day the flower releases its pollen. The corolla drops at the end of the day, but the ovary (which will form the capsule and seed) stays on the plant. There may be flower abortion when the entire flower falls off the plant, but the dropping of the corolla will still allow the formation of a capsule.
- (3) Each leaf emerges from the stem at a node. In many species there is a distinct distance along the stem between leaves. In most sesame lines, the leaves are opposite with a pair of leaves forming on opposite sides of the stem with a minimal distance between the leaves. The next set of leaves rotates 90 degrees and are again on opposite sides of the stem. Some of the sesame appraisal methods count node pairs. This is synonymous with counting pairs of leaves and later pairs of capsules in leaf axils.
- (4) The first key definition is the start of the pre-reproductive stage when buds are visible without manually opening the growing tip. Technically, the bud can be seen with a hand lens after the 4th to 6th (variety dependent) pair of leaves forms.

23 Stages of Growth (Continued)

- (5) The second key definition is flower termination time which is when 90% of the plants do not have open whitish flowers on the main stem. At this point, many of the plants may still have very small yellowish green buds, but these buds rarely make flowers that will result in capsules and seeds.
- (6) In drought years, a late rain can induce regrowth. Because of the lack of moisture during the drought, the bottom leaves will have dropped letting light into the lower leaf axils. Branches will develop at those points and they will flower and produce capsules. If there are no flowers at the top of the main stem, the field should be considered at flower termination. The capsules on the regrowth make little seed and it is offset by the seed lost during the delay of the field drying down.
- (7) Sesame is an indeterminate species which means that it will continue to flower as long as there is adequate moisture, fertility, and heat. Sesame is a summer crop with the latter stages coming in the fall where there is a drop in temperatures. As a result, sesame appears to be determinate.
- (8) The four major stages are described in the following table. The stages are defined so that the appraiser can determine what appraisal methods can be used.
- (9) The stage in the field may vary, e.g., low parts of the field will flower longer. If there are significant differences, the fields may have to be divided into sub-fields.
- (10) The nominal number of days for each stage is provided as a general guideline. The days are expressed in days after planting (DAP). The nominal number of days for each stage is expressed in weeks. The actual number of days will depend on variety, amount of rainfall, amount of fertility, and temperature variation from normal temperatures.

PHASE/STAGE	DURATION	NARRATIVE	
VEGETATIVE	0-40 DAP	The plants primarily develop stems and leaves in order to	
		establish a photosynthetic base to produce seed.	
Germination	Weeks: 1	Emerges 3 to 7 days after planting depending on soil	
		temperatures and planting depth. Since sesame is a small	
		seeded plant, the initial plants are much smaller than many	
		other crops that are appraised. Sesame self-thins, and thus	
		the number of plants per foot at the emergence stage is	
		higher than the final number of plants at harvest.	
		End point: When the seedlings emerge.	
Seedling	Weeks: 3	The plants grow slowly as the plants are putting down deep	
		roots to follow the moisture.	
		End point: When the third pair of true leaves are the same	
		length as the second pair of true leaves.	

23 Stages of Growth (Continued)

PHASE/STAGE	DURATION	NARRATIVE
Juvenile	Weeks: 1	Dramatic surge in growth period. During this stage, the stem and branches are developing nodes which will contain the flower buds. The leaves increase in size from bottom to top until the 5 th or 6 th node pair when they will start to decrease in size primarily in leaf blade width and petiole length. The stems are succulent and can be damaged by large hail. End point: When the first yellowish green buds appear.
Pre-reproductive	Weeks: 1	From this point until the late bloom stage, the rate of growth is about the same. Immature buds can be seen without pushing open the new leaves on the growing point. These buds are yellowish green and the lip covers the opening at the tip of the flower. This stage indicates that the reproductive stage is imminent. End point: When 50% of the plants have at least one whitish open flower.
REPRODUCTIVE	41-80 DAP	The plant continues developing stems and leaves, but the distance between the leaves and the size of the leaves are reduced. The plants make flowers and capsules and start filling the seed.
Early bloom	Weeks: 1	The first flowers usually abort, and the first capsules normally form on the 4 th to 6 th node pair from the ground.
Mid bloom	Weeks: 3-4	End point: 5 node pairs of capsules. The plants bloom profusely as the flowers appear on the next higher stem node. In single capsule lines, 1-4 flowers will open on each growing point each day, with fewer flowers on the branches. In triple capsule lines, 1-9 flowers will open. About 70-75% of the flowers appear between the 2 nd and 3 rd week of bloom. Seed capsules grow rapidly, but it takes 25-40 days for the seed to fill and mature with the last capsules maturing faster. End point: Branches and minor plants stop flowering.
Late bloom	Weeks: 1	The number of flowers in the field is reduced, and there are fewer open flowers on the main stem. In a drought, the field can appear to be at this stage, and with no rain will proceed to ripening. However, with adequate rain can revert to the mid bloom stage. End point: Flower termination - 90% of plants do not have open whitish flowers.

23 Stages of Growth (Continued)

PHASE/STAGE	DURATION	NARRATIVE
RIPENING	81-105 DAP	The reproductive and ripening stages actually overlap in that older capsules at the base are filling while there are still flowers at the top of the plant. The ripening stage ends at physiological maturity when the seeds in the capsules three/fourths of the way up the capsule zone turn from a white color to a darker color (ranging from light buff to black). Early cold weather or an early frost will not damage seed yield after physiological maturity. A hard freeze may damage the seed and cause oil damage. Plants begin to self-defoliate from the base as lower capsules mature. End point: Physiological maturity.
DRYING	106-135 DAP	Seeds mature to the top of the plant and capsules begin to turn brown and open at the tip. Drying patterns differ with most starting in the middle of the capsule zone and going in both directions. As the capsules dry, the stems will dry. Once the seed begins losing moisture, it is less vulnerable to a hard freeze. This is the most difficult stage to determine in a field because there are so many differences. The edges of the field and lower (generally higher moisture) parts of the field dry down slower. Hills where the rainfall does not accumulate dry down faster with increased slope. On the other hand in a frost or freeze, cold air will settle in lower areas and cause those areas to dry down faster. Higher plant populations will dry down faster than lower plant populations due to thinner stems in the former.
Full maturity	Weeks: 1	All seed finishes filling. Although technically this stage ends when all the seed is mature, pragmatically, it ends when the seeds in the capsules two node pairs from the top are mature. The top capsules contribute little to yield. End point: All seed mature.
Initial drydown	Weeks: 2	Capsules begin to turn brown and open at the tip.
		End point: First dry capsules.
Late drydown	Weeks: 2	Once the seed begins losing moisture, it is less vulnerable to a hard freeze.
		End point: Full dry down of plants to the point where a combine can recover the seed at less than 6% moisture.

November 2019 FCIC-25015 8

24 Appraisal Methods

Appraisal Method	Use
Stand Reduction Method	for planted acreage with no stand, poor stand, or damaged stand on fields up to flower termination (no growing point putting on new leaves). Regardless of the time of the insurable event, if the data for the appraisal is not determined in the field before flower termination in the late bloom stage, the Capsule Count method must be used.
Plant Damage Method	between the pre-reproductive stage and flower termination in the late bloom stage (beyond the first true leaf pair and growing points are putting on new leaves). Regardless of the time of the insurable event, if the data for the appraisal is not determined in the field before flower termination, the Capsule Count method must be used.
Capsule Count Method	after flower termination. It is preferable to wait until the whole field has flower termination to avoid creation of excessive sub-fields.
Harvested Production Method	after flower termination. Use the amount actually harvested from representative areas within a field.

Note: Whenever possible, require the producer to maintain RSAs so the Harvested Production method can be used.

A. Scheduling Appraisals

If the reduction in stand is solely due to non-emerged seed due to insufficient soil moisture, do not complete appraisals prior to the time specified in the LAM. Refer to the paragraph in the LAM regarding deferred appraisals and non-emerged seed. For damaged stands, do not complete appraisals until a minimum of 10 days after the date of damage in order to determine which plants will survive.

B. Damaged Plant Characteristics for Stand Reduction Appraisals

The most common stand reducer is hail, but there can also be stand reduction due to heavy rains, diseases, or insects. Sesame may recover from heavy rains and from some insect damage to the cotyledons and leaves. Although there can be good recovery from hail, the amount of damage is dependent on the severity of the hail and the stage of growth. Sesame plants may be very susceptible to hail damage if damage occurs up to and including the first pair of true leaves. Sesame plants injured in the seedling stage may have either one to all cotyledons and leaves missing, the seedling beaten down, or the stem broken at the soil line. Plants with both cotyledons and the first true leaf pair broken or torn off, broken or badly bruised stems, and those broken off below the cotyledons rarely survive. After the first true leaf pair stage and prior to flowering, when the crop is leafing, sesame can be very hardy and generally will recover with varying yield loss. If the growing point is broken off, the plant will typically produce branches from axillary buds at the nodes. The amount of branching is dependent on sunlight striking the tips of the growing point. Broken branches above the first set of leaves on the branch can also form another branch from axillary buds at the base of the leaves. To qualify for stand reduction appraisals, damaged plants must:

- (1) not have any growing points putting on new leaves;
- (2) be injured and bruised to such an extent they are in a non-recoverable condition; or
- (3) be dead.

C. Stand Reduction Appraisal Method Standards

- (1) Select the required number of representative samples using the instructions in paragraph 21.
- Apply the average row width determined in paragraph 22 to exhibit 6 to determine the sample row length. For each representative sample, count the number of surviving plants in 1/1000 of an acre.
- (3) Refer to exhibit 7A to identify the percent surviving from sesame stand reduction for the relevant phenotype.

A. Plant Damage Characteristics

There are three main types of plant damage: defoliation, growing point damage, and capsule damage. Only the first two of these are considered in the Plant Damage Appraisal Method. They are evaluated after first accounting for any stand reduction associated with the plant damage.

The methodology requires a determination of the stage of development of the crop in order to get the amount of surviving yield in exhibit 7B and 7C. Refer to the Stages of Growth in paragraph 23. During the reproductive stage the tables are broken into columns based on the number of node pairs on dominant plants in a representative population. Dominant plants are all about the same height as the top of the canopy. These do not include the tallest plants which are off-types that rise above the canopy. Minor plants within the canopy normally have fewer nodes.

In order to count, the node pair must have a capsule formed that is at least one-half inch long. Node pairs that have a capsule missing because of flower or capsule abortion are counted.

In a drought, a crop may be in the late bloom stage and not have 15 node pairs. In this case, use the late bloom stage column.

(1) Defoliation

- (a) Recovery from hail depends on the amount of injury to leaves which supply the nutrients for seed development and the amount of growing season remaining. If injury occurs late in the season, the plant will not have sufficient time to compensate by forming new leaves. Although the sesame stems and capsules are green, they provide few nutrients for seed fill. A completely defoliated plant during flowering will make little seed although it has many capsules that have reached their maximum length.
- (b) Defoliation is that proportion of the leaves that has been removed or severely injured.
- (c) Although sesame leaves vary in size, leaf damage should be assessed based on the number of leaves and the percent damage to each leaf. Sesame leaves develop at each node on the main stem and branches. Most sesame varieties have opposite leaves and thus it is easier to count the number of node pairs and multiply by two to determine the number of leaves prior to injury. Do not count cotyledons as leaves. Cotyledons have a rounded tip whereas true leaves have a point. The cotyledons are at the base of the plant, but at some point (variety and sunlight related) they shed.

A. Plant Damage Characteristics (continued)

(d) There is a misconception that the effects of damage caused to leaves formed during the vegetative stage are minimal. The plants are still short at this point, and there will be a substantial leaf mass that will form during the reproductive stage that will hide the amount of damage. In addition, many of these damaged leaves will later self-defoliate. However, there is substantial damage because these lower leaves provide nutrients to the roots and the first buds, and loss of this photosynthesis at this critical stage is not recoverable.

(e) Loss of leaves includes:

- (i) A partial loss leaves that have a hole or are torn.
- (ii) Total losses leaves that are torn off the plant or broken at the petiole and wilting.

(2) Growing Point (GP) Damage

- (a) A sesame crop is indeterminate and blooms for an extended period as successive nodes and the associated flower buds form capsules up the stems and branches. The main stem of the plant produces the majority of the seed. If hail or some other peril does not damage the growing point on the main stem, the loss of leaf surface is less damaging than if the growing point is broken. Loss of the growing point on a branch has less effect on final yield because one branch does not contribute a significant percentage of seed and rarely are all growing points on one plant broken.
- (b) Hail injury if severe may break the growing point of the main stem or branch, and capsule formation on that stem will cease. Within a few days the plant will react by having a secondary growing point begin to form a branch on the main stem or a secondary branch on the branch as long as there is light to the growing tip. Usually there is light at the leaf axils because severe enough hail to break a stem will damage enough leaf surface to allow the light to penetrate to the secondary growing points. When the growing point on the main stem is broken, the plants will direct more nutrients to these secondary growing points. Within a few days, there is rapid growth, but there will be a delay in the start of flowering. Although the plants will produce more capsules, there are fewer capsules produced than if the main stem growing point had not broken off.
- (c) There are cases where the growing point on the main stem breaks over but stays attached to the stem. Within a few days the tip will react and start growing towards light and will usually start to flower and form capsules. Although there will be seeds in these new capsules, the effect on yield is similar to a completely broken growing point because the plant does not direct more nutrients to the secondary growing points.

A. Plant Damage Characteristics (continued)

(d) In sesame in high populations, some plants will grow faster than adjacent plants and become dominant plants that will have higher seed production. The minor plants are shaded by the dominant plants and will have less or even no seed production. In some hail storms, the hail will break off the growing point on the dominant plants and leave the minor plants intact. While the dominant plants are recovering, the minor plants will grow through the canopy and become the dominant plants. Thus, in counting the number of plants that have lost the growing point on the main stem, these minor plants should be counted as intact since they can become almost as productive as non-damaged dominant plants.

(3) Capsule Damage

Capsule damage prior to the end of flowering is not considered in this method of appraisal in sesame. Since sesame flowers for such an extended time (an average of 40 days), early loss of 100% of the capsules does not equate to 100% loss of production. On the other hand, when a capsule is not lost, but the leaves are lost, it is the equivalent of a loss of a capsule. This loss is accounted for in the loss of leaves. The amount of later capsule loss is important in the ripening stage and is accounted for in the Capsule Count method of appraisal, paragraph 27.

B. Plant Damage Appraisal Method Standards

(1) First account for any stand reduction in the manner described in paragraph 25.

(2) Defoliation

- (a) In a representative sample area, determine the percentage of defoliation from a sample of 10 successive plants in the same row of representative plants. This same area will be used for the growing point damage assessment.
- (b) Count the number of leaves on 10 plants by counting the number of node pairs and multiplying by two. The leaves on branches that are broken down should be counted. However, the leaves on plants that are broken down are not included because these were accounted for in the stand reduction counts.
- (c) Count the number of damaged leaves as follows (it may be easier to count the leaves that are not damaged and subtract that number from the total number of leaves):
 - (i) For leaves that are torn off or kinked at the petiole, count 1 damaged leaf.
 - (ii) For leaves that are still on the plant estimate the amount of damage to the nearest half and count as ½ or 1 damaged leaf as follows, greater than 75% damage = 1 damaged leaf, 20 to 75% = .5 damaged leaf, and less than 20% = 0 damaged leaf. Include only the area removed or affected by a hole or tear.

B. Plant Damage Appraisal Method Standards (continued)

(d) To determine the percent of leaf loss add the total number of damaged leaves from the 10 plants and divide the result by the number of leaves prior to the leaf damage.

(3) Growing point (GP) damage

- (a) Apply the average row width determined in paragraph 22 to exhibit 6 to determine the sample row length. In the representative sample that includes the 10 plants used for determining the amount of defoliation, count the number of plants.
- (b) While counting the total number of surviving plants, see whether it will be easier to count the surviving plants with an intact GP on the main stem or to count the surviving plants with a damaged GP on the main stem. Count the appropriate number.
- (c) To determine the percent of surviving plants with the GP intact, divide the number of plants with a GP intact by the total number of plants in the sample.
- (d) To determine the percent of surviving plants with the GP damaged, subtract the proportion of plants with the GP intact from 1.00.

27 Capsule Count Method

A. Capsule Characteristics

- (1) The amount of seed in a capsule varies due to many factors including variety, environment, plant position, branching style, and capsules per leaf axil.
- (2) Varieties have differing seed sizes and number of seeds per capsule. The lower yield factors are compensated by having more capsules per plant.
- (3) The capsule weight will vary based on population and available moisture and fertility. Higher populations, less moisture, and/or less fertility will have capsules with less seed weight.
- (4) The capsules on the tops of the plant have less seed weight. The highest weights are in the middle of the capsule zone on the main stem.
- (5) The capsules on branches have less weight. However, having more capsules per plant compensates for the lower weight.
- (6) The axillary capsules in a triple capsule line have less seed weight. However, the less weight is compensated by having more capsules per plant. The seed weight in the central capsules is comparable to the seed weight in single capsule lines.

A. Capsule Characteristics (continued)

(7) The nature of commercially viable sesame is to have non-dehiscence. This allows the capsules to hold the majority of the seed until the combine harvests the field and yet release the seed in the combine. One of the keys is to have the capsules open as they dry down. Although it is easy to thresh the seed in a combine or plot thresher, it is very time consuming to shell the seeds out of the capsules manually.

B. Capsule Count Appraisal Method Standards

- (1) Apply the average row width determined in paragraph 22 to exhibit 6 to determine the sample row length. Identify the first and last plants in the sample. Capsules from plants within the sample length are counted even if they extend outside the length of the row. Capsules from plants outside the sample length are not counted even if they bend inside the length of the row.
- (2) Count the number of capsules on the main stem and on the branches.
- (3) Plants that died from disease or plants that were defoliated in the reproductive stage may not make marketable seed. In fields with hail or disease damage, start with the capsules at the top of the plant and open them to find the first capsule that does not have immature seed. Then count that capsule and the capsules below on the main stem. Repeat the procedure when counting the capsules on the branches. Only count the capsules with seed that is filled out. Immature seed is brownish and flat.

28 Harvested Production Method

- (1) The number of RSAs shall be determined in accordance with the LAM.
- (2) The area of each must be measured with a tape, GPS, or wheel.
- (3) The sample areas cannot be harvested until dry enough to produce seed with 6.0% moisture or less.
- (4) The combine must be cleaned prior to the harvest. The production must be weighed by an official USDA weighing station with the results on an official weight ticket with the name of the insured, field ID, and unit number. The moisture should be taken of a representative sample. Samples must be drawn using a USDA-approved method.
- (5) A representative sample of this harvest must be submitted to a laboratory to determine the amount (percentage) of each: dockage, foreign matter, broken, and damaged.

28 Harvested Production Method (Continued)

- (6) The net weight shall be computed as follows, with the proportions that are dockage, foreign matter, broken, damaged, or moisture expressed as hundredths:
 - (a) Calculation of weight 1 (WT1) after removal of dockage:

```
WT1 = gross weight - (gross weight x dockage)
```

(b) Calculation of weight 2 (WT2) after adjustment for foreign matter, broken, and damaged seed:

```
WT2 = WT1 - (WT1 \times (foreign matter + broken + damaged))
```

(c) Calculation of net weight at the equivalent of 5.0% moisture content:

```
Net Weight = \frac{\text{WT2} \times (1.00 - \text{moisture \%})}{0.95}
```

29 Deviations and Modifications

- (1) Deviations in appraisal methods require RMA written authorization (as described in the LAM) prior to implementation.
- (2) There are no pre-established modifications contained in this handbook. Refer to the LAM for additional information.

30 General Information for Worksheet Entries and Completion Procedures

- (1) Include the AIP's name in the appraisal worksheet title if not preprinted on the AIP's worksheet or when a worksheet entry is not provided.
- (2) Include the claim number on the appraisal worksheet (when required by the AIP), when a worksheet entry is not provided.
- (3) Separate appraisal worksheets are required for each unit appraised, and for each field or subfield including fields or subfields which have a differing base (APH) yield or farming practice (applicable to preliminary and final claims). Refer to paragraph 21 for sampling requirements.
- (4) For every inspection, complete items 1 through 11 and items 34 through 39.
- (5) Standard appraisal worksheet items are numbered consecutively in exhibit 3. Example appraisal worksheets are also provided to illustrate how to complete item entries.
- (6) For zero appraisals, refer to the LAM.

31-40 (**Reserved**)

PART 4 PRODUCTION WORKSHEET

41 General Information for Worksheet Entries and Completion Procedures

- (1) The PW is a progressive form containing all notices of damage for all preliminary and final inspections, including "No Indemnity Due" claims, on a unit.
- (2) If a PW has been prepared on a prior inspection, verify each entry and enter additional information as needed. If a change or correction is necessary, strike out all entries on the line and re-enter correct entries on a new line. The adjuster and insured should initial any line deletions.
- (3) Refer to the LAM for instructions regarding the following:
 - (a) Acreage report errors.
 - (b) Delayed notices and delayed claims.
 - (c) Corrected claims or fire losses (double coverage) and cases involving uninsured causes of loss, unusual situations, controversial claims, concealment, or misrepresentation.
 - (d) Claims involving a Certification Form (refer to the LAM).
 - (e) "No Indemnity Due" claims (which must be verified by an appraisal or notification from the insured that the production exceeded the guarantee).
- (4) The late planting provisions of the BP are not applicable.
- (5) Prevented planting does not apply to sesame.
- (6) The adjuster is responsible for determining if any of the insured's requirements under the notice and claim provisions of the policy have not been met. If any have not, the adjuster should contact the AIP.
- (7) Instructions labeled "Preliminary" apply to preliminary inspections only. Instructions labeled "Final" apply to final inspections only. Instructions not labeled apply to all inspections.
- (8) If the AIP determines the claim is to be denied, refer to the LAM for PW completion instructions.
- (9) Standard PW items are numbered consecutively in exhibit 4. An example PW is also provided to illustrate how to complete item entries.

The following table provides the acronyms and abbreviations used in this handbook.

Approved Acronym/Abbreviation	Term	
AIP	Approved Insurance Provider	
BP	Basic Provisions	
CAT	Catastrophic Risk Protection	
CIH	Crop Insurance Handbook, FCIC-18010	
CP	Crop Provisions	
DSSH	Document and Supplemental Standards Handbook, FCIC-24040	
FSA	Farm Service Agency	
GSH	General Standards Handbook, FCIC-18190	
GP	Growing Point	
LAM	Loss Adjustment Manual, FCIC-25010	
RMA	Risk Management Agency	
SP	Special Provisions	
PW	Production Worksheet	
RSA	Representative Sample Area	
UUF	Unavoidable Uninsured Fire	

Definitions specific to sesame are provided in the Sesame Pilot CP.

Verify and/or make the following entries for each appraisal worksheet element/item number. A completed appraisal worksheet example is at the end of this exhibit. For general form standards and other general information, refer to subparagraph 2D and paragraph 30.

E	lement/Item Number	Description
1.	Company	Name of AIP if not preprinted on the worksheet. (Company Name).
2.	Insured's Name	Name of insured that identifies exactly the person (legal entity) to
		whom the policy is issued.
3.	Policy Number	Insured's assigned policy number.
4.	Unit Number	Unit number from the Summary of Coverage after it is verified to be correct.
5.	Date of Damage	First three letters of the month during which most of the insured
		damage (including progressive damage) occurred for each inspection.
		Include the specific date where applicable as in the case of hail
		damage (e.g., AUG 11).
6.	Claim Number	Claim number as assigned by the AIP.
7.	Crop Year	Four-digit crop year, as defined in the policy, for which the claim is filed.
8.	Phenotype	Enter the phenotype of the sesame grown in terms of branching habit and number of capsules per leaf axil.
9.	Phase/Stage (days after	Determined phase/stage of growth and the number of days after
	planting)	planting at the time of the appraisal. ***
10.	Acres	Number of determined acres, to tenths, in the field or subfield being appraised
11.	Practice	For non-irrigated, 003. For irrigated, 002.
12.	Sample Number	Make no entry. Sample identification numbers are printed on the
		appraisal form. If more than 6 samples are needed, use additional
		pages and number the samples 7, 8, 9, etc.
13.	Field ID	Field or subfield identification symbol.

Stand Reduction Appraisal Method

For additional information refer to paragraph 25.

14. Surviving Stand	Number of live plants remaining in the representative sample (see
	exhibit 6 for row width and row length). Any plant with a growing
	point putting on new leaves is considered a live plant.
15. % Surviving Yield	Factor for percent of surviving yield from exhibit 7A.
16 25.	Make no entry. Applicable only to Plant Damage Appraisal Method.
26. APH Yield	Approved APH yield entered in whole pounds from APH form.
27. Total Pounds per Acre	Result of multiplying item 15 by item 26, rounded to pounds.
28 33.	Make no entry. Applicable only to Capsule Count Method.
34. Subtotal	Sum of entries in column 27.

Plant Damage Appraisal Method

For additional information refer to paragraph 26.

Number of the plants remaining in the representative sample (see exhibit 6 for row width and row length). Any plant with a growing point putting on new leaves is considered a live plant. 15. % Surviving Yield 16. Percent Leaf Loss 17. Percent Plants with Growing Point (GP) Intact 18. Factor for Computing Percent Surviving Yield for GP Intact 19. Percent Surviving Yield determine the percent in exhibit 7B expressed in hundredths. 19. Percent Surviving Yield with GP Intact 20. Total Percent Surviving Yield with GP Intact 21. Percent Plants with GP Damaged 22. Factor for Computing Percent Surviving Yield for GP Damaged 23. Percent Surviving Yield for GP Damaged 24. Total Percent Surviving Yield with GP Damaged 25. Total Percent Surviving Yield of GP Damaged 26. APH Yield 27. Total Pounds per Acre 28 33. Make no entry. Applicable only to Capsule Count Method. Sum of entries in column 27.	1.4	G : : G, 1	NT 1 C1: 1 /
point putting on new leaves is considered a live plant. 15. % Surviving Yield Factor for percent of surviving yield from exhibit 7A. 16. Percent Leaf Loss Percent of leaf area destroyed in 10 successive plants. 17. Percent Plants with Growing Point (GP) Intact Intact 18. Factor for Computing Percent Surviving Yield for GP Intact 19. Percent Surviving Stand with GP Intact Precent Surviving Yield with GP Intact 20. Total Percent Surviving Yield with GP Intact Pamaged 21. Percent Plants with GP Damaged 22. Factor for Computing Percent Surviving Yield for GP Damaged 23. Percent Surviving Stand with GP Intact Stand with GP Damaged 24. Total Percent Surviving Yield with GP Damaged 25. Total Percent Surviving Yield with GP Damaged 26. APH Yield Approved APH yield entered in whole pounds from APH form. 27. Total Pounds per Acre Power of plants with GP surviving Yield entered in whole pounds from APH form. Paccent Plants with GP Damaged Captor Make no entry. Applicable only to Capsule Count Method.	14.	Surviving Stand	Number of live plants remaining in the representative sample (see
 15. % Surviving Yield Pactor for percent of surviving yield from exhibit 7A. 16. Percent Leaf Loss Percent of leaf area destroyed in 10 successive plants. 17. Percent Plants with Growing Point (GP) Intact Surviving Percent of plants in the representative sample that have the main stem growing point intact (not broken off or dangling), rounded to hundredths. 18. Factor for Computing Percent Surviving Yield for GP Intact 19. Percent Surviving Multiply item 15 (Percent of Surviving Stand Yield) by item 17 (Percent of Plants with GP Intact), rounded to hundredths. 20. Total Percent Surviving Yield with GP Intact Subtract item 17 (Percent of Plants with GP Intact) by item 19 (Percent Surviving Stand with GP Intact) by item 19 (Percent Surviving Stand with GP Intact), rounded to hundredths. 21. Percent Plants with GP Subtract item 17 (Percent of Plants with GP Intact) from 1.00. 22. Factor for Computing Percent Surviving Yield for GP Damaged 23. Percent Surviving Yield for GP Damaged 24. Total Percent Surviving Yield with GP Damaged 25. Total Percent Surviving Yield with GP Damaged 26. APH Yield Approved APH yield entered in whole pounds from APH form. 27. Total Pounds per Acre Result of multiplying item 25 by item 26, rounded to pounds. 28. — 33. 			
16. Percent Leaf Loss Percent of leaf area destroyed in 10 successive plants. 17. Percent Plants with Growing Point (GP) Intact Stand with GP Intact Percent Surviving Yield with GP Intact Percent Plants with GP Intact 18. Factor for Computing Percent Surviving Yield for GP Intact Percent Surviving Stand with GP Intact Percent Surviving Yield with GP Intact Percent Plants with GP Intact 19. Percent Surviving Yield with GP Intact Percent Surviving Yield with GP Intact Percent Plants with GP Intact 20. Total Percent Surviving Yield for GP Damaged Percent Surviving Percent Surviving Stand With GP Intact of GP			
17. Percent Plants with Growing Point (GP) Intact 18. Factor for Computing Percent Surviving Yield for GP Intact 19. Percent Surviving Stand with GP Intact 20. Total Percent Plants with GP Damaged 21. Percent Plants with GP Damaged 22. Factor for Computing Percent Surviving Yield for GP Damaged 23. Percent Surviving Yield for GP Damaged 24. Total Percent Surviving Yield with GP Damaged 25. Total Percent Surviving Yield with GP Damaged 26. APH Yield 27. Total Pounds per Acre Result of multiplying item 25 by item 25 by item 25 punds from APH form. 28. Approved APH yield entered in welfasting in the representative sample that have the main stem growing point intact (not broken off or dangling), rounded to hundredths. Use the percent leaf loss (item 16) and the growth stage (item 9) to determine the percent of Surviving Stand Yield) by item 17 (Percent of Plants with GP Intact), rounded to hundredths. 26. APH Yield 27. Total Pounds per Acre 28. Pageneth Plants with GP Damaged 28. Aph Yield 29. Approved APH yield entered in whole pounds from APH form. 20. Percent Plants with GP Damaged 20. Approved APH yield entered in whole pounds from APH form. 20. Percent Plants with GP Damaged 21. Total Percent Surviving Yield with GP Damaged 22. Total Percent Surviving Yield with GP Damaged 23. Percent Surviving Yield with GP Damaged 24. Total Percent Surviving Yield with GP Damaged 25. Total Percent Surviving Yield with GP Damaged 26. APH Yield 27. Total Pounds per Acre 28. APH Yield 29. Approved APH yield entered in whole pounds from APH form. 29. Total Pounds per Acre 20. Make no entry. Applicable only to Capsule Count Method.	_	-	•
Section of Computing Percent Surviving Yield for GP Intact Stand with GP Intact			
Intact hundredths. 18. Factor for Computing Percent Surviving Yield for GP Intact 19. Percent Surviving Stand with GP Intact (Percent of Plants with GP Intact) 20. Total Percent Surviving Yield with GP Intact (Percent of Plants with GP Intact) 21. Percent Plants with GP Damaged 22. Factor for Computing Percent Surviving Yield for GP Damaged 23. Percent Surviving Stand with GP Damaged 24. Total Percent Surviving Yield with GP Damaged 25. Total Percent Surviving Yield with GP Damaged 26. Total Percent Surviving Parcent Surviving Percent Surviving Yield with GP Damaged 26. APH Yield Approved APH yield entered in whole pounds from APH form. Percent Surviving Yield determine the percent leaf loss (item 16) and the growth stage (item 9) to determine the factor in exhibit 7C. Subtract item 17 (Percent of Plants with GP Intact) from 1.00. Use the Percent Leaf Loss (item 16) and the Growth Stage (item 9) to determine the factor in exhibit 7C. Whitiply item 15 (Percent of Surviving Stand Yield) by item 21 (Percent of Plants with GP Damaged), rounded to hundredths. 26. APH Yield Approved APH yield entered in whole pounds from APH form. 27. Total Pounds per Acre Amaged Nultiply item 15 (Percent of Surviving Yield with GP Damaged). Amaged Approved APH yield entered in whole pounds from APH form. Result of multiplying item 25 by item 26, rounded to pounds.	17.	Percent Plants with	± ±
18. Factor for Computing Percent Surviving Yield for GP Intact 19. Percent Surviving Stand with GP Intact (Percent of Plants with GP Intact) 20. Total Percent Surviving Yield with GP Intact (Percent of Plants with GP Intact), rounded to hundredths. 21. Percent Plants with GP Damaged (Percent Surviving Yield for GP Damaged) 22. Factor for Computing Percent Surviving Yield for GP Damaged (Percent Surviving Yield for GP Damaged) 23. Percent Surviving Stand with GP (Percent of Plants with GP Damaged) 24. Total Percent Surviving Yield with GP Damaged (Percent Surviving Yield with GP Damaged) 25. Total Percent Surviving Yield with GP Damaged (Percent Surviving Yield with GP Damaged) 26. APH Yield Approved APH yield entered in whole pounds from APH form. 27. Total Pounds per Acre (Percent leaf Loss (item 16) and the growth stage (item 9) to determine the percent Surviving Stand with GP Damaged), rounded to hundredths. 28. — 33. Maltiply item 15 (Percent of Surviving Stand Yield) by item 21 (Percent of Plants with GP Damaged), rounded to hundredths. 29. Total Percent Surviving Yield for Leaf and GP Damaged). 20. APH Yield Approved APH yield entered in whole pounds from APH form. 20. Multiply item 15 (Percent of Surviving Yield with GP Damaged). 21. Total Pounds per Acre (Percent Surviving Yield with GP Damaged). 22. Total Pounds per Acre (Percent Surviving Yield entered in whole pounds from APH form. 23. Make no entry. Applicable only to Capsule Count Method.		Growing Point (GP)	stem growing point intact (not broken off or dangling), rounded to
Percent Surviving Yield for GP Intact 19. Percent Surviving Stand with GP Intact 20. Total Percent Surviving Yield with GP Intact 21. Percent Plants with GP Damaged 22. Factor for Computing Percent Surviving Yield for GP Damaged 23. Percent Surviving Stand with GP Intact Stand with GP Damaged 24. Total Percent Surviving Yield with GP Damaged 25. Total Percent Surviving Yield with GP Damaged 26. Total Percent Surviving Yield for GP Damage 27. Total Pounds per Acre 28. APH Yield 29. APH Yield 20. Total Pounds per Acre 29. APH Yield 20. Total Pounds per Acre 20. Total Pounds per Acre 20. Total Pounds per Acre 20. APH Yield with GP Intact Multiply item 15 (Percent of Plants with GP Intact) from 1.00. 20. Subtract item 17 (Percent of Plants with GP Intact) from 1.00. 20. Subtract item 17 (Percent of Plants with GP Intact) from 1.00. 21. Percent Surviving Yield determine the factor in exhibit 7C. 22. Percent Surviving Yield with GP Damaged 23. Percent Surviving Multiply item 15 (Percent of Surviving Stand Yield) by item 21 (Percent of Plants with GP Damaged), rounded to hundredths. 24. Total Percent Surviving Multiply item 22 (Factor for Computing Percent Surviving Yield for GP Damaged) by item 23 (Percent Surviving Stand with GP Damaged), rounded to hundredths. 25. Total Percent Surviving Result of adding item 20 (Total Percent Surviving Yield with GP Damaged). 26. APH Yield 27. Total Pounds per Acre 28. Approved APH yield entered in whole pounds from APH form. 29. Total Pounds per Acre 29. Result of multiplying item 25 by item 26, rounded to pounds. 20. Make no entry. Applicable only to Capsule Count Method.		Intact	
Percent Surviving Yield for GP Intact 19. Percent Surviving Stand with GP Intact 20. Total Percent Surviving Yield with GP Intact 21. Percent Plants with GP Damaged 22. Factor for Computing Percent Surviving Yield for GP Damaged 23. Percent Surviving Stand with GP Intact Stand with GP Damaged 24. Total Percent Surviving Yield with GP Damaged 25. Total Percent Surviving Yield with GP Damaged 26. Total Percent Surviving Yield for GP Damage 27. Total Pounds per Acre 28. APH Yield 29. APH Yield 20. Total Pounds per Acre 29. APH Yield 20. Total Pounds per Acre 20. Total Pounds per Acre 20. Total Pounds per Acre 20. APH Yield with GP Intact Multiply item 15 (Percent of Plants with GP Intact) from 1.00. 20. Subtract item 17 (Percent of Plants with GP Intact) from 1.00. 20. Subtract item 17 (Percent of Plants with GP Intact) from 1.00. 21. Percent Surviving Yield determine the factor in exhibit 7C. 22. Percent Surviving Yield with GP Damaged 23. Percent Surviving Multiply item 15 (Percent of Surviving Stand Yield) by item 21 (Percent of Plants with GP Damaged), rounded to hundredths. 24. Total Percent Surviving Multiply item 22 (Factor for Computing Percent Surviving Yield for GP Damaged) by item 23 (Percent Surviving Stand with GP Damaged), rounded to hundredths. 25. Total Percent Surviving Result of adding item 20 (Total Percent Surviving Yield with GP Damaged). 26. APH Yield 27. Total Pounds per Acre 28. Approved APH yield entered in whole pounds from APH form. 29. Total Pounds per Acre 29. Result of multiplying item 25 by item 26, rounded to pounds. 20. Make no entry. Applicable only to Capsule Count Method.	18.	Factor for Computing	Use the percent leaf loss (item 16) and the growth stage (item 9) to
for GP Intact 19. Percent Surviving Stand with GP Intact 20. Total Percent Surviving Yield with GP Intact 21. Percent Plants with GP Damaged 22. Factor for Computing Percent Surviving Yield for GP Damaged 23. Percent Surviving Stand with GP Intact paraged 24. Total Percent Surviving Yield with GP Damaged 25. Total Percent Surviving Yield with GP Damaged 26. APH Yield 27. Total Pownds per Acre 28. Total Pownds per Acre 29. Percent Surviving Yield with GP Damaged 20. Total Percent Surviving Yield with GP Damaged 20. Total Percent Surviving Stand With GP Damaged 21. Percent Surviving Yield for GP Damaged 22. Factor for Computing Percent Leaf Loss (item 16) and the Growth Stage (item 9) to determine the factor in exhibit 7C. 23. Percent Surviving Stand With GP Damaged 24. Total Percent Surviving Yield with GP Damaged 25. Total Percent Surviving Yield for GP Damaged 26. APH Yield 27. Total Pounds per Acre Auditiply item 15 (Percent of Surviving Stand Yield) by item 21 (Percent of Plants with GP Damaged), rounded to hundredths. Auditiply item 22 (Factor for Computing Percent Surviving Yield for GP Damaged) by item 23 (Percent Surviving Stand with GP Damaged), rounded to hundredths. 28. APH Yield Approved APH yield entered in whole pounds from APH form. Applicable only to Capsule Count Method.		Percent Surviving Yield	determine the percent in exhibit 7B expressed in hundredths.
Stand with GP Intact Total Percent Surviving Yield with GP Intact Percent Plants with GP Intact Total Percent Surviving Yield with GP Intact Yield with GP Intact Percent Plants with GP Intact Use the Percent Leaf Loss (item 16) and the Growth Stage (item 9) to determine the factor in exhibit 7C. White Paraged White Percent of Plants with GP Intact) from 1.00. White Percent Surviving Yield for GP Damaged White Percent Surviving Stand With GP Intact) from 1.00. White Percent Leaf Loss (item 16) and the Growth Stage (item 9) to determine the factor in exhibit 7C. White Percent of Surviving Stand Yield) by item 21 (Percent of Plants with GP Damaged) White Percent of Plants with GP Damaged), rounded to hundredths. White Percent Surviving Yield for GP Damaged) by item 23 (Percent Surviving Stand with GP Damaged), rounded to hundredths. Total Percent Surviving Yield with GP Damaged), rounded to hundredths. Result of adding item 20 (Total Percent Surviving Yield with GP Damaged). Result of adding item 20 (Total Percent Surviving Yield with GP Damaged). APH Yield Approved APH yield entered in whole pounds from APH form. Result of multiplying item 25 by item 26, rounded to pounds. Make no entry. Applicable only to Capsule Count Method.		for GP Intact	
Stand with GP Intact Total Percent Surviving Yield with GP Intact Percent Plants with GP Intact Total Percent Surviving Yield with GP Intact Yield with GP Intact Percent Plants with GP Intact Use the Percent Leaf Loss (item 16) and the Growth Stage (item 9) to determine the factor in exhibit 7C. White Paraged White Percent of Plants with GP Intact) from 1.00. White Percent Surviving Yield for GP Damaged White Percent Surviving Stand With GP Intact) from 1.00. White Percent Leaf Loss (item 16) and the Growth Stage (item 9) to determine the factor in exhibit 7C. White Percent of Surviving Stand Yield) by item 21 (Percent of Plants with GP Damaged) White Percent of Plants with GP Damaged), rounded to hundredths. White Percent Surviving Yield for GP Damaged) by item 23 (Percent Surviving Stand with GP Damaged), rounded to hundredths. Total Percent Surviving Yield with GP Damaged), rounded to hundredths. Result of adding item 20 (Total Percent Surviving Yield with GP Damaged). Result of adding item 20 (Total Percent Surviving Yield with GP Damaged). APH Yield Approved APH yield entered in whole pounds from APH form. Result of multiplying item 25 by item 26, rounded to pounds. Make no entry. Applicable only to Capsule Count Method.	19.	Percent Surviving	Multiply item 15 (Percent of Surviving Stand Yield) by item 17
Yield with GP Intact GP Intact) by item 19 (Percent Surviving Stand with GP Intact), rounded to hundredths. 21. Percent Plants with GP Damaged 22. Factor for Computing Percent Surviving Yield for GP Damaged 23. Percent Surviving Stand with GP Damaged 24. Total Percent Surviving Yield with GP Damaged 25. Total Percent Surviving Yield with GP Damaged 26. APH Yield 27. Total Pounds per Acre GP Intact) by item 19 (Percent Surviving Flants) with GP Intact), rounded to hundredths. GP Intact) by item 19 (Percent of Plants with GP Intact) from 1.00. Subtract item 17 (Percent of Plants with GP Intact) from 1.00. GP Damaged Loss (item 16) and the Growth Stage (item 9) to determine the factor in exhibit 7C. (Percent of Surviving Stand Yield) by item 21 (Percent of Plants with GP Damaged), rounded to hundredths. Multiply item 22 (Factor for Computing Percent Surviving Yield for GP Damaged) by item 23 (Percent Surviving Stand with GP Damaged), rounded to hundredths. Result of adding item 20 (Total Percent Surviving Yield with GP Damaged). Approved APH yield entered in whole pounds from APH form. Result of multiplying item 25 by item 26, rounded to pounds. Make no entry. Applicable only to Capsule Count Method.			(Percent of Plants with GP Intact), rounded to hundredths.
rounded to hundredths. 21. Percent Plants with GP Damaged 22. Factor for Computing Percent Surviving Yield for GP Damaged 23. Percent Surviving Stand with GP Damaged 24. Total Percent Surviving Yield with GP Damaged 25. Total Percent Surviving Yield for Leaf and GP Damaged 26. APH Yield 27. Total Pounds per Acre rounded to hundredths. Subtract item 17 (Percent of Plants with GP Intact) from 1.00. Subtract item 17 (Percent of Plants with GP Intact) from 1.00. Subtract item 17 (Percent of Plants with GP Intact) and the Growth Stage (item 9) to determine the factor in exhibit 7C. Multiply item 15 (Percent of Surviving Stand Yield) by item 21 (Percent of Plants with GP Damaged), rounded to hundredths. Multiply item 22 (Factor for Computing Percent Surviving Yield for GP Damaged) by item 23 (Percent Surviving Stand with GP Damaged), rounded to hundredths. 25. Total Percent Surviving Yield for Leaf and GP Damaged). Approved APH yield entered in whole pounds from APH form. 26. APH Yield Approved APH yield entered in whole pounds from APH form. Result of multiplying item 25 by item 26, rounded to pounds. Make no entry. Applicable only to Capsule Count Method.	20.	Total Percent Surviving	Multiply item 18 (Factor for Computing Percent Surviving Yield for
 21. Percent Plants with GP Damaged 22. Factor for Computing Percent Surviving Yield for GP Damaged 23. Percent Surviving Stand with GP Damaged 24. Total Percent Surviving Yield with GP Damaged 25. Total Pounds Parcent Surviving Yield for Leaf and GP Damaged 26. APH Yield 27. Total Pounds per Acre 28. Sactor for Computing Percent Leaf Loss (item 16) and the Growth Stage (item 9) to determine the factor in exhibit 7C. 29. Use the Percent Leaf Loss (item 16) and the Growth Stage (item 9) to determine the factor in exhibit 7C. 30. Whitiply item 15 (Percent of Surviving Stand Yield) by item 21 (Percent of Plants with GP Damaged), rounded to hundredths. 31. Whitiply item 22 (Factor for Computing Percent Surviving Yield for GP Damaged) by item 23 (Percent Surviving Stand with GP Damaged). 32. Total Percent Surviving Parcent Surviving Yield with GP Damaged). 33. Approved APH yield entered in whole pounds from APH form. 33. Make no entry. Applicable only to Capsule Count Method. 		Yield with GP Intact	GP Intact) by item 19 (Percent Surviving Stand with GP Intact),
Damaged 22. Factor for Computing Percent Surviving Yield for GP Damaged 23. Percent Surviving Stand with GP Damaged 24. Total Percent Surviving Yield with GP Damaged 25. Total Percent Surviving Yield for Leaf and GP Damage 26. APH Yield 27. Total Pounds per Acre Damaged Damaged Use the Percent Leaf Loss (item 16) and the Growth Stage (item 9) to determine the factor in exhibit 7C. Wultiply item 15 (Percent of Surviving Stand Yield) by item 21 (Percent of Plants with GP Damaged), rounded to hundredths. Multiply item 22 (Factor for Computing Percent Surviving Yield for GP Damaged) by item 23 (Percent Surviving Stand with GP Damaged), rounded to hundredths. Result of adding item 20 (Total Percent Surviving Yield with GP Intact) and item 24 (Total Percent Surviving Yield with GP Damaged). Approved APH yield entered in whole pounds from APH form. Result of multiplying item 25 by item 26, rounded to pounds. Make no entry. Applicable only to Capsule Count Method.			rounded to hundredths.
 22. Factor for Computing Percent Surviving Yield for GP Damaged 23. Percent Surviving Stand with GP Damaged 24. Total Percent Surviving Yield with GP Damaged 25. Total Percent Surviving Yield for Leaf and GP Damage 26. APH Yield 27. Total Pounds per Acre 28 33. Use the Percent Leaf Loss (item 16) and the Growth Stage (item 9) to determine the factor in exhibit 7C. determine the factor in exhibit 7C. Multiply item 15 (Percent of Surviving Stand Yield) by item 21 (Percent of Plants with GP Damaged), rounded to hundredths. Multiply item 22 (Factor for Computing Percent Surviving Yield for GP Damaged) by item 23 (Percent Surviving Stand with GP Damaged), rounded to hundredths. Result of adding item 20 (Total Percent Surviving Yield with GP Damaged). Approved APH yield entered in whole pounds from APH form. Result of multiplying item 25 by item 26, rounded to pounds. Make no entry. Applicable only to Capsule Count Method. 	21.	Percent Plants with GP	Subtract item 17 (Percent of Plants with GP Intact) from 1.00.
Percent Surviving Yield for GP Damaged 23. Percent Surviving Stand with GP Stand with GP Damaged 24. Total Percent Surviving Yield with GP Damaged 25. Total Percent Surviving Yield for Leaf and GP Damage 26. APH Yield 27. Total Pounds per Acre Result of multiplying item 24 (Total Percent Surviving Yield entered in whole pounds from APH form. Result of multiplying item 25 by item 26, rounded to pounds. Auditiply item 27. Surviving Stand Yield by item 28. Applicable only to Capsule Count Method.		Damaged	
for GP Damaged 23. Percent Surviving Stand With GP (Percent of Plants with GP Damaged), rounded to hundredths. 24. Total Percent Surviving Yield with GP Damaged) by item 23 (Percent Surviving Stand with GP Damaged) by item 23 (Percent Surviving Stand with GP Damaged), rounded to hundredths. 25. Total Percent Surviving Yield for Leaf and GP Damage Damaged). 26. APH Yield Approved APH yield entered in whole pounds from APH form. 27. Total Pounds per Acre Result of multiplying item 25 by item 26, rounded to pounds. Multiply item 15 (Percent of Surviving Stand Yield) by item 21 (Percent Surviving Yield for Computing Percent Surviving Yield for GP Damaged), rounded to hundredths. 28. – 33. Approved APH yield entered in whole pounds from APH form. Make no entry. Applicable only to Capsule Count Method.	22.	Factor for Computing	Use the Percent Leaf Loss (item 16) and the Growth Stage (item 9) to
 Percent Surviving Stand With GP Stand with GP Damaged Total Percent Surviving Yield with GP Damaged Total Percent Surviving Yield with GP Damaged Total Percent Surviving Yield for GP Damaged Stand With GP Damaged Total Percent Surviving Yield for GP Damaged Stand With GP Damage Stand GP Damage Stand With GP Damage Stand GP Damage Stand With GP Damage Stand GP Damaged Stand With GP Damage Stand GP Damage Stand With GP Damaged Stand With GP D		Percent Surviving Yield	determine the factor in exhibit 7C.
Stand with GP Damaged 24. Total Percent Surviving Yield with GP Damaged 25. Total Percent Surviving Yield for Leaf and GP Damage 26. APH Yield Approved APH yield entered in whole pounds from APH form. Result of multiplying item 25 by item 26, rounded to hundred to hundred to pounds. Result of multiplying item 25 by item 26, rounded to pounds. Multiply item 22 (Factor for Computing Percent Surviving Yield for GP Damaged) by item 23 (Percent Surviving Stand with GP Damaged), rounded to hundredths. Result of adding item 20 (Total Percent Surviving Yield with GP Damaged). Approved APH yield entered in whole pounds from APH form. Result of multiplying item 25 by item 26, rounded to pounds. Make no entry. Applicable only to Capsule Count Method.		for GP Damaged	
Damaged 24. Total Percent Surviving Yield with GP Yield with GP Damaged 25. Total Percent Surviving Yield of Approved APH yield entered in whole pounds from APH form. 26. APH Yield Approved APH yield entered in whole pounds from APH form. 27. Total Pounds per Acre Result of multiplying item 25 by item 26, rounded to pounds. Multiply item 22 (Factor for Computing Percent Surviving Yield for GP Damaged) by item 23 (Percent Surviving Stand with GP Damaged), rounded to hundredths. Result of adding item 20 (Total Percent Surviving Yield with GP Damaged). Approved APH yield entered in whole pounds from APH form. Result of multiplying item 25 by item 26, rounded to pounds. Make no entry. Applicable only to Capsule Count Method.	23.	Percent Surviving	Multiply item 15 (Percent of Surviving Stand Yield) by item 21
 24. Total Percent Surviving Yield with GP Damaged Damaged), rounded to hundredths. 25. Total Percent Surviving Yield of APH Yield for Leaf and GP Damaged). 26. APH Yield Approved APH yield entered in whole pounds from APH form. 27. Total Pounds per Acre Result of multiplying item 25 by item 26, rounded to pounds. 28 33. Make no entry. Applicable only to Capsule Count Method. 		Stand with GP	(Percent of Plants with GP Damaged), rounded to hundredths.
Yield with GP Damaged Damaged) by item 23 (Percent Surviving Stand with GP Damaged), rounded to hundredths. 25. Total Percent Surviving Yield for Leaf and GP Damage Damaged). 26. APH Yield Approved APH yield entered in whole pounds from APH form. 27. Total Pounds per Acre Result of multiplying item 25 by item 26, rounded to pounds. Make no entry. Applicable only to Capsule Count Method.		Damaged	-
Damaged Damaged), rounded to hundredths. 25. Total Percent Surviving Yield with GP Yield for Leaf and GP Damage Damaged). 26. APH Yield Approved APH yield entered in whole pounds from APH form. 27. Total Pounds per Acre Result of multiplying item 25 by item 26, rounded to pounds. Make no entry. Applicable only to Capsule Count Method.	24.	Total Percent Surviving	Multiply item 22 (Factor for Computing Percent Surviving Yield for
 Total Percent Surviving Yield with GP Yield for Leaf and GP Damage Damaged). APH Yield Approved APH yield entered in whole pounds from APH form. Total Pounds per Acre Result of multiplying item 25 by item 26, rounded to pounds. Make no entry. Applicable only to Capsule Count Method. 		Yield with GP	GP Damaged) by item 23 (Percent Surviving Stand with GP
Yield for Leaf and GP Damage Damaged). 26. APH Yield Approved APH yield entered in whole pounds from APH form. 27. Total Pounds per Acre Result of multiplying item 25 by item 26, rounded to pounds. Make no entry. Applicable only to Capsule Count Method.		Damaged	Damaged), rounded to hundredths.
Damage Damaged). 26. APH Yield Approved APH yield entered in whole pounds from APH form. 27. Total Pounds per Acre Result of multiplying item 25 by item 26, rounded to pounds. 28. – 33. Make no entry. Applicable only to Capsule Count Method.	25.		Result of adding item 20 (Total Percent Surviving Yield with GP
26. APH YieldApproved APH yield entered in whole pounds from APH form.27. Total Pounds per AcreResult of multiplying item 25 by item 26, rounded to pounds.28. – 33.Make no entry. Applicable only to Capsule Count Method.		Yield for Leaf and GP	Intact) and item 24 (Total Percent Surviving Yield with GP
27. Total Pounds per Acre Result of multiplying item 25 by item 26, rounded to pounds. 28. – 33. Make no entry. Applicable only to Capsule Count Method.		<u> </u>	Damaged).
28. – 33. Make no entry. Applicable only to Capsule Count Method.	26.	APH Yield	
	27.	Total Pounds per Acre	Result of multiplying item 25 by item 26, rounded to pounds.
34. Subtotal Sum of entries in column 27.	28		
	34.	Subtotal	Sum of entries in column 27.

Capsule Count Appraisal Method

For additional information refer to paragraph 27.

E	lement/Item Number	Description
14	- 25.	Make no entry.
26.	APH Yield	Approved APH yield entered in whole pounds from APH form.
27.	Total Pounds per Acre	Make no entry.
28.	Sample Number	Sample identification numbers are on the appraisal form. If more
		than 6 samples are needed, use additional pages and number the
		samples 7, 8, 9, etc.
29.	Number of Capsules	The number of capsules in the representative sample. Refer to
		paragraph <mark>27</mark> .
30.	Average Seed Weight	The number, in grams, is found in exhibit 8 based on the phenotype
	per Capsule	of the sesame in the field (branching style, and capsules per leaf
		axil), and whether or not the field is irrigated.
31.	Sample Weight in	Multiply item 29 (Number of Capsules) by item 30 (Average Seed
	Grams	Weight per Capsule), rounded to whole number.
32.	Convert Grams to	Divide sample weight in grams by 454, the number of grams in a
	Pounds	pound, rounded to three decimal places.
33.	Total Pounds per Acre	Multiply item 32 by 1,000.
34.	Subtotal	Sum of entries in column 33.

Harvested Production Appraisal Method

For additional information refer to paragraph 28.

Element/Item Number	Description
14. Square Feet Harvested	Number of square feet harvested. Refer to the LAM for information
	on RSAs.
15a. Total Pounds Harvested	Net weight of sample, entered in pounds rounded to hundredths.
	Refer to paragraph 28 for calculation.
15b. Total Pounds per Acre	Divide item 15a (Total Pounds Harvested) by item 14 (Square Feet
	Harvested), then multiply the result by 43,560 (the number of square
	feet in an acre), rounded to whole pounds.
16 25.	Make no entry.
26. APH Yield	Approved APH yield entered in whole pounds from APH form.
27. Total Pounds per Acre	Transfer entry from 15b.
28 33.	Make no entry. Applicable only to Capsule Count Method.
34. Subtotal	Sum of entries in column 27.

All Appraisal Methods

E	lement/Item Number	Description
35.	Number of Samples	The number of samples used in the appraisal.
36.	Pounds per Acre Appraisal	Result of dividing item 34 by item 35, rounded to whole pounds.
37.	Remarks	Enter pertinent information about the appraisal, including but not limited to: (1) the number of days after planting that the damage occurred, and (2) for production in the mid-bloom stage, indicate the number of node pairs.
		Include any appropriate calculations.

The following required entries are not illustrated on the Appraisal Worksheet examples below.

E	lement/Item Number	Description
38.	Adjuster's Signature,	Signature of adjuster, code number, and date signed after the insured
	Code No. and Date	(or insured's authorized representative) has signed. If the appraisal is
		performed prior to signature date, document the date of appraisal in
		the Remarks section of the Appraisal Worksheet (if available);
		otherwise, document the appraisal date in the Narrative of the PW.
39.	Insured's Signature and	Insured's (or insured's authorized representative's) signature and
	Date	date. Before obtaining insured's signature, review all entries on the
		Appraisal Worksheet with the insured, particularly explaining codes,
		etc., which may not be readily understood.
	Page Numbers	Page numbers - (Example: Page 1 of 1, Page 1 of 2, Page 2 of 2,
		etc.).

STAND REDUCTION APPRAISAL METHOD

	SESAME APPRAISAL WORKSHEET				1. COMPANY N	AME:				2. INSURED'S N	IAME	3. F	OLICY NUMBE	R		4. UNIT NUMBER	
			on Method)		ANY COMPANY					I.M. INSURED			XXXXXXX			0002-0002 BU	
For Illu	For Illustration Purposes 5. DATE OF DAMAGE			MAGE	6. CLAIM NUMBER 7. CROP YEAR 8.					HENOTYPE		9. PHASE/STA (DAYS AFT	AGE ER PLANTING)		10. ACRE	CRES 11. PRACTICE	
	Only		June		XXXX	(XXX	YYYY			SINGLE/SIN	GLE	Vegetative	e / Seedling (25)	13.0		002
Sample No.	Field ID	Surviving Stand	% Surviving Yield ***	Percent L Loss	eaf % Plants With GP Intact	Factor for Computing % Surviving Yield For GP Intact ***	% Surviving Stand With GP Intact (15 X 17)	Tota Survi Yield GP Ir (18X	iving With ntact	% Plants With GP Damaged (1.00-17)	Factor for Computing % Surviving Yield For GF Damaged ***	Stand with		S Y Lea	Total % Surviving Yield For af And GP Damage 20 + 24)	APH Yiel	Total Pounds Per Acre (15X26)
12	13	14	15	16	17	18	19	2	0	21	22	23	24		25	26	27
1	В	6	0.05													1000	50
2	В	12	0.16													1000	160
3	В	16	0.30	NO ENTRY REQUIRED								1000	300				
4	В	18	<mark>0.37</mark>					NO	ENIK	Y REQUIRED						1000	<mark>370</mark>
5																	
6																	
SAN NUN	BER	NUMBER CAPSULE		T PER (grams) *	SAMPLE WEIGHT (grams) (29X30) 31	CONVERT GRAMS TO POUNDS (31/454) 32	TOTAL PC PER A((32X1,0	CRE DOO)						S	TAND RED	UCTION M	THOD
			·	·			·			3	34. SUB-TOTA	AL.				<mark>880</mark>	
	NO ENTRY REQUIRED									35. NUMBER OF SAMPLES						4	
										36. POUNI	DS PER ACRE	APPRAISAL				<mark>220</mark>	
37. REN		ged by drou	ght during the 2	0 days fro	m planting. Field	d was appraised	d 35 days after	plantir	ng.				l				

PLANT DAMAGE APPRAISAL METHOD

			SAME	_	1.	COMPANY NAME				INSURED'S N			POLICY NU	JMBER		4. UN	IT NUMBER
			. WORKSHEET nage Method			ANY C	COMPANY		I.M. INSURED				XXXXXXX			-0001 BU	
For Illi	ustratio	n Purposes	5. DATE OF	DAMAGE	6.	CLAIM NUMBER	R 8	8. PHE	NOTYPE		9. PHASE/ (DAYS A	STAGE .FTER PLAN	TING)	10. ACRES	5	11. PRACTICE	
	Onl	•		MM/DD		XXXXXXXX	YYYY			SINGLE/SIN	IGLE		CTIVE / MID (54)		20.0		002
Sample No.	Field ID	Surviving Stand	% Surviving Yield ***	Percent Leaf Loss	% Plant With G Intact	P Wield For GP	% Surviving Stand With GP Intact (15 X 17)	Total Surviv Yield W GP Int (18 X 2	ving Vith tact	I % Plants I (omniiting I		Stand W	ng Tota Survi Sith Yield Good Ed Dama	Yield With GP Damaged		APH Yie	Total Pounds Per Acre (25X26)
12	13	14	15	16	17	18	19	20		21	22	23	24	1	25	26	27
1	Α	28	0.71	0.42	0.73	0.93	0.52	0.48	8	0.27	0.85	0.19	0.1	.6	0.64	1000	640
2	Α	10	0.09	0.51	0.31	0.90	0.03	0.03	3	0.69	0.78	0.06	0.0)5	0.08	1000	80
3	Α	26	0.65	0.21	0.94	1.00	0.61	0.61	1	0.06	1.00	0.04	0.0)4	0.65	1000	650
4	А	22	0.51	0.35	0.80	0.95	0.41	0.39	9	0.20	0.89	0.10	0.0	.09 0.48		1000	480
5																	
6																	
SAM NUM	BER	NUMBER O CAPSULES 29		T PER W (grams) (g	MPLE EIGHT (rams) 29X30 31	CONVERT GRAMS TO POUNDS (31/454) 32	TOTAL PC PER AG (32X1,0	CRE 000)							PLANT DA	Mage Me ⁻	THOD
					À		·			3	34. SUB-TOTA	AL.				1,850	
	NO ENTRY REQUIRED									35. NUMBER OF SAMPLES 4							
										36. POUN	DS PER ACRE	APPRAISED				463	
37. REM	ARKS																
ield A w	as dama	ged by hail 43	days after pla	nting. Field wa	s apprais	sed 54 days after p	lanting. Mid-	Bloom:	8 node	e pairs.							

CAPSULE COUNT APPRAISAL METHOD

			SAME		1.	L. COMPANY NAME:	<u>L'COUN</u>	AII	2. INSURED'S NAM			3. POLICY NUMBER		4	. UNIT N	UMBE	R
		APPRAISAL (Capsule Co				ANY	COMPANY		I.M	I.M. INSURED XXXXX					XX 0001-0001 BU		
For Illu	or Illustration Purposes 5. DATE OF DAMAGE				6	6. CLAIM NUMBER 7. CROP YEAR 8. P			PHENOTYPE		9. PHASE/ (DAYS A	STAGE FTER PLANTING)		10. AC	RES	11. PF	RACTICE
	Or	nly		MM/DD		XXXXXXX	YYYY		BRANCHED/S	INGLE	DRYING /	LATE DRYDOWN (1	L35)	25	5.0		002
Sample No.	Field ID	Original Stand Surviving Stand	% Surviving Yield ***	Percent Leaf Loss	% Plan With 0 Intac	GP % Surviving	Stand With	Total 9 Survivir Yield W GP Inta (18 X 1	With GP Surviving Stand With GP Surviving GP GP GP CT (1.00-17) Damaged CT (1.00-17) Damaged CT (2.00-17) Damaged Damaged CT (2.00-17)		Su Yi Lea D	Fotal % urviving ield For of And GF Damage 20 + 24)	APH Yield		Total Pounds Per Acre		
12	13	14	15	16	17	18	19	20	21	22	23	24		25	26		27
1	С														120	00	
2	С														120	00	
3	С														120	00	
4	С														120	00	
5																	
6																	
SAM NUM	BER	NUMBER OF CAPSULES	AVG S WEIGH CAPS (grai **	T PER W ULE (g ms) (2	MPLE EIGHT ams) 9X30)	CONVERT GRAMS TO POUNDS (31/454)	I () I A I D()	CRE	_					CAPS	ULE COU	NT ME	THOD
1		1,701	.18	35	315	0.694	694			34. SUB-	TOTAL						
2		795	.18		47	0.324	324		34.300 TOTAL						1,88	33	
3		1,124	.18	35	208	0.458	458		35. NUMBER OF SAMPLES				4				
4		1,000	.18	35	.85	0.407	407		33. NOWIDER OF SAMILLES			,		4			
5									36. PC	36. POUNDS PER ACRE APPRAISAL 471				1			

37. REMARKS

Field C was damaged by hail 80 days after planting. Field was appraised 135 days after planting as adjuster was waiting on sesame to dry down to 6% moisture. Field was irrigated.

HARVESTED PRODUCTION APPRAISAL METHOD

			AME	-	1. COMPANY NAM	E:		2. INSURED'S NAME		3. POLICY NUMBER	1		4. UNIT I	NUMBER
	(H	APPRAISAL Harvested Pro			ANY	COMPANY		I.M. INSURED	I.M. INSURED				00	03-0003 BU
5. DATE OF DAMAGE			DAMAGE	6. CLAIM NUMBER	7. CROP YEAR	8.	PHENOTYPE	9. PHASE/ PLANTING	STAGE (DAYS AFTEI)	R	10. AC	RES	11. PRACTICE	
		u. poses 0,	1	MMM/DD	XXXXXXXX	YYYY		SINGLE/SINGLE	DRYDOW	N / FULL DRYDOWN	(140)	1	0.0	002
Sample No.	Field ID	Square feet harvested	Total lbs	Total pounds per acre (43,560X15a/14)									APH Yi	Total Pounds Pe Acre (15b)
12	13	14	15a	15b	<u>.</u>					<u> </u>			26	27
1	D	7200	19.86	120									1000	120
2	D	6000	20.67	150									1000	150
3	D	12000	30.84	112									1000	112
4														
5														
6														
										ŀ	HARVES	STED PR	ODUCTIO	N METHOD
					أ الرا			34. SUB-T	OTAL				382	
								35. NUMBER O	SAMPLES				3	
								36. POUNDS PER A	CRE APPRAISA	AL			127	
37. REM		ged by hail 43 d	avs after plar	iting. AIP deferred a	opraisal until use of h	arvested production m	etho	od of appraisal could be use	d					

Verify and/or make the following entries for each PW element/item number. A completed PW example is at the end of this exhibit. For general form standards and other general information, refer to subparagraph 2D and paragraph 41.

]	Element/Item Number	Description
1.	Crop/Code #	"Sesame" (0396)
2.	Unit #	Unit number from the Summary of Coverage after it is verified to be correct.
3.	Location Description	Land location that identifies the legal description, if available, and the location of the unit (e.g., section, township, and range; FSA Farm Numbers; FSA Common Land Units and tract numbers; GPS identifications; or Grid identifications) as applicable for the crop.
4.	Date(s) of Damage	First three letters of the month(s) during which the determined insured damage occurred for the inspection and cause(s) of loss listed in item 5 below. If no entry in item 5 below, make no entry. For progressive damage, enter the month that identifies when the majority of the insured damage occurred. Include the specific date where applicable as in the case of hail damage (e.g., Aug 11). Enter additional dates of damage in the extra spaces, as needed. If more space is needed, document the additional dates of damage in the Narrative (or on a Special Report). Refer to the illustration in item 6. If there is no insurable cause of loss and a no indemnity due claim will be completed, make no entry.
5.	Cause(s) of Damage	Name of the determined insured cause(s) of damage for this crop as listed in the LAM for the date of damage listed in item 4 above. If an insured cause(s) of damage is coded as "Other," explain in the Narrative. Enter additional causes of damage in the extra spaces, as needed. If more space is needed, document the additional determined insured causes of damage in the Narrative (or on a Special Report). Refer to the example in item 6 below. If it is evident that no indemnity is due, enter "No Indemnity Due" across the columns in item 5 (refer to the LAM for more information on no indemnity due claims).
6.	Insured Cause %	Final: Whole percent of damage for the insured cause of damage listed in item 5 above. Enter additional "Insured Cause %" in the extra spaces, as needed. If additional space is needed, enter the additional determined "Insured Cause %" in the Narrative (or on a Special Report). The total of all "Insured Cause %" including those entered in the Narrative must equal 100%.

Element/Item Number		Description				
6.	Insured Cause %	If there is no insurable cause of loss, and a no indemnity due claim will				
	(continued)	be completed, make no entry.				
		Example: Entries for items 4-6 and the Narrative, reflecting entries for multiple dates of damage, the corresponding insured causes of damage and insured cause percentages:				
			4. Date(s) of Damage	MAY	JUN 30	JUN 30
			5. Cause(s) of Damage	Excess Moisture	Tornado	Hail
			6. Insured Cause %	55	10	15
			Narrative: Addition of Damage – Droug		•	
7.	Company/Agency	Name of the	company and agency	servicing the	contract.	
8.	Name of Insured		nsured that identifies	exactly the pe	erson (legal e	ntity) to
		whom the pol	•			
9.	Claim #		r as assigned by the A	AIP.		
10.	Policy #		gned policy number.	.1 1. 6	111111	
11.	Crop Year	Four-digit crop year, as defined in the policy, for which the claim is filed.				
12.	Additional Units	Preliminary:	Make no entry.			
		final inspection been complete PW.	number(s) for all non- on. A non-loss unit is ed. Additional non-loss s are needed for non-loss	any unit for voss units may	which a PW has be entered on	as not a single
		1 -	'Non-Loss Units," in			· ·
		Special Repor				
13.	Est. Prod. Per Acre	Preliminary:	Make no entry.			
			ated yield per acre, in t the time of final insp	-	s, of all non-l	loss units
14.	Date(s) of Notice of Loss	Preliminary:				
		unit in i	e first or second notice tem 2, in the 1st or 2n e date (MM/DD/YYY	d space, as ap	plicable. En	
		needed) for a thi	e of damage or loss for requires an additional representation of PWs.	l set of PWs.	Enter the dat	e of notice

Element/Item Number	Description	
14. Date(s) of Notice of Loss (continued)	Reserve the "Final" space on the first page of the first set of PWs for the date of notice for the final inspection.	
	(4) If the inspection is initiated by the AIP, enter "Company Insp." instead of the date.	
	(5) If the notice does not require an inspection, document as directed in the Narrative instructions.	
15 Communican Bellins (a)	Final: Transfer the last date (in the 1st or 2nd space from the first or second set of PWs) to the final space on the first page of the first set of PWs if a final inspection should be made as a result of the notice. Always enter the complete date of notice (MM/DD/YYYY) for the final inspection in the final space on the first set of PWs. For a delayed notice of loss or delayed claim, refer to the LAM.	
15. Companion Policy(s)	(1) If no other person has a share in the unit (insured has 100 percent share), make no entry.	
	(2) In all cases where the insured has less than a 100 percent share of a loss-affected unit, ask the insured if the other person sharing in the unit has a multiple-peril crop insurance contract (i.e., not crop-hail, fire, etc.). If the other person does not, enter "None."	
	(a) If the other person has a multiple-peril crop insurance contract and it can be determined that the same AIP services it, enter the contract number. Handle these companion policies according to AIP instructions.	
	(b) If the other person has a multiple-peril crop insurance contract and a different AIP or agent services it, enter the name of the AIP and/or agent (and contract number) if known.	
	(c) If unable to verify the existence of a companion contract, enter "Unknown" and contact the AIP for further instructions.	
	(3) Refer to the LAM for further information regarding companion contracts.	

Section I – Determined Acreage Appraised, Production, and Adjustments

Make separate line entries for varying:

- (1) Rate classes, types, classes, sub-classes, intended uses, irrigated practices, cropping practices, or organic practices, as applicable;
- (2) APH yields;
- (3) Appraisals;
- (4) Stages or intended use(s) of acreage;
- (5) Shares (e.g., 50 percent and 75 percent shares on the same unit); or
- (6) Appraisals for damage due to hail or fire if Hail and Fire Exclusion is in effect.

Element/Item Number	Description	
16. Field ID	The field or subfield identification symbol from a sketch map or an aerial photo. Refer to the Narrative instructions.	
17. Multi-Crop Code	The applicable two-digit code for first crop and second crop. Refer to the LAM for instructions regarding entry of first crop and second crop codes.	
18. Reported Acres	In the event of over-reported acres, handle in accordance with the individual AIP's instructions. In the event of under-reported acres, enter the reported acres to tenths for the field or sub field. If there are no under-reported acres, make no entry.	
19. Determined Acres	Refer to the LAM for definition of acceptable determined acres used herein. Enter the determined acres to tenths for the field or subfield for which consent is given for other use and/or: (1) Put to other use without consent;	
	 (2) Abandoned; (3) Damaged by uninsured causes; or (4) For which the insured failed to provide acceptable records of production. 	
	Refer to the LAM for procedures regarding when estimated acres are allowed and documentation requirements. Acreage breakdowns within a unit or field may be estimated (refer to the LAM) if a determination is impractical.	
	Account for all planted acreage in the unit.	

Element/Item N	Tumber Description
20. Interest or Sha	are Insured's interest in the crop to three decimal places as determined at
	the time of inspection. If shares vary on the same unit, use separate
	line entries.
21. Risk	Three-digit code for the correct "Rate" specified on the actuarial
	documents. If a "Rate" or "High Risk Area" is not specified on the
	actuarial documents, make no entry. Verify with the Summary of
	Coverage and if the "Rate" is found to be incorrect, revise according
	to the AIP's instructions. Refer to the LAM.
	Unrated land is uninsurable without a WA.
22. Type	Three-digit code number, entered exactly as specified on the actuarial
	documents for the type grown by the insured. If "No Type
	Specified" or "No Variety Specified" is shown in the actuarial
	documents, enter the appropriate three-digit code number from the
	actuarial documents (e.g., 997). If a type (or variety) is not specified
22 61	on the actuarial documents, make no entry.
23. Class	Three-digit code number, entered exactly as specified on the actuarial
	documents for the class grown by the insured. If "No Class
	Specified" is shown in the actuarial documents, enter the appropriate
	three-digit code number from the actuarial documents (e.g., 997). If
24 0 1 01	a class is not specified on the actuarial documents, make no entry.
24. Sub-Class	Three-digit code number, entered exactly as specified on the actuarial
	documents for the sub-class grown by the insured. If "No Sub-Class
	Specified" is shown in the actuarial documents, enter the appropriate
	three-digit code number from the actuarial documents (e.g., 997). If
	a sub-class is not specified on the actuarial documents, make no entry.
25. Intended Use	Three-digit code number, entered exactly as specified on the actuarial
25. Intellided Osc	documents for the intended use of the crop grown by the insured. If
	"No Intended Use Specified" is shown in the actuarial documents,
	enter the appropriate three-digit code number from the actuarial
	documents (e.g., 997). If an intended use is not specified on the
	actuarial documents, make no entry.
26. Irr. Practice	Three-digit code number, entered exactly as specified on the actuarial
	documents for the irrigated practice carried out by the insured. If
	"No Irrigated Practice Specified" is shown in the actuarial
	documents, enter the appropriate three-digit code number from the
	actuarial documents (e.g., 997). If an irrigated practice is not
	specified on the actuarial documents, make no entry.

Element/Item Number	Description
27. Cropping Practice	Three-digit code number, entered exactly as specified on the actuarial documents for the cropping practice (or practice) carried out by the insured. If "No Cropping Practice Specified" or "No Practice Specified" is shown in the actuarial documents, enter the appropriate three-digit code number from the actuarial documents (e.g., 997). If a cropping practice is not specified on the actuarial documents, make no entry.
28. Organic Practice	Three-digit code number, entered exactly as specified on the actuarial documents for the organic practice carried out by the insured. If "No Organic Practice Specified" is shown in the actuarial documents, enter the appropriate three-digit code number from the actuarial documents (e.g., 997). If an organic practice is not specified on the actuarial documents, make no entry.
29. Stage	Final: Stage abbreviation as shown below. Stage Explanation "P"
	Gleaned Acreage: Refer to the LAM for information on gleaning.

Element/Item Number	Description
30. Use of Acreage	Use the following "Intended Use" abbreviations.
	Use Explanation "Not Replanted"Acreage not replanted or not qualifying for a replanting payment "To Millet"Use made of the acreage "WOC"Other use without consent "SU"Solely uninsured "ABA"Abandoned without consent "H"Harvested "UH"Unharvested
	Verify any "Intended Use" entry. If the final use of the acreage was not as indicated, strike out the original line and initial it. Enter all data on a new line showing the correct "Final Use."
	Gleaned Acreage: Refer to the LAM for information on gleaning.
31. Appraised Potential	Per-acre appraisal in whole pounds of potential production for the acreage appraised as shown on the appraisal worksheet. (Refer to Part 4, "Appraisals" for additional instructions.) If there is no potential on UH acreage enter "0." Refer to the LAM for procedures for documenting zero yield appraisals.
32a. – 32b.	Make no entry.
33. Shell%, Factor, or Value	Make no entry.
34. Production Pre QA	Result of multiplying column 31 times column 19 rounded to whole pounds. If no entry in column 31, make no entry.
35. Quality Factor	Make no entry, unless:
	Under section 15(j) of the BP, if due to insured causes, a Federal or State agency has ordered the appraised insured crop or production to be destroyed, enter the factor ".000." Instruct the insured to complete and submit a Certification Form stating the date the crop or production was destroyed and the method of destruction (refer to item 40 and the Narrative instructions). Refer to the LAM for additional information.
36. Production Post QA	If there is no entry in column 35, transfer entry from column 34. Otherwise, enter the result of multiplying column 34 times column 35 rounded to whole pounds.
37. Uninsured Causes	Result of per acre appraisal for uninsured causes (taken from appraisal worksheet or other documentation) multiplied by column 19, rounded to whole pounds. Refer to the LAM for information on how to determine uninsured cause appraisals. If no uninsured causes, make no entry.

Element/Item Number	Description	
37. Uninsured Causes	(1) Hail and Fire exclusion NOT in effect.	
(continued)	(a) Enter the result of multiplying column 19 entry by not less than the insured's production guarantee per-acre in whole pounds, for the line, (calculated by multiplying the elected coverage level percentage times the approved APH yield per acre shown on the APH form) for any "P" stage acreage.	
	(b) On preliminary inspections, advise the insured to keep the harvested production from any acreage damaged solely by uninsured causes separate from other production. Refer to the LAM for information on how to determine uninsured cause appraisals.	
	(c) For acreage that is damaged partly by uninsured causes, enter the result of multiplying the appraised uninsured loss of production per acre in whole pounds, by column 19 entry for any such acreage.	
	(2) The late planting provisions of the BP are not applicable for sesame.	
	(3) Refer to the LAM when a Hail and Fire Exclusion is in effect and damage is from hail or fire.	
	(4) Enter the result of adding uninsured cause appraisals to hail and fire exclusion appraisals.	
	(5) For fire losses, if the insured also has other fire insurance (double coverage), refer to the LAM.	
38. Total to Count	Result of adding item 36 and item 37.	
39. Total	Preliminary: Make no entry.	
	Final: Total determined acres (column 19), to tenths.	

E	lement/Item Number	Description
40.	Quality	Check "None", unless, under section 15(j) of the BP, if due to insured causes, a Federal or State agency has ordered the appraised crop or production to be destroyed: Check "Other" and document in the Narrative (or on a Special Report): (a) A description of the condition; and (b) The name of the controlling authority that considers this
		condition to be injurious to human or animal health and why.
41.	Mycotoxins exceed FDA, State, or other health organization maximum limits?	Make no entry.
42.	Totals	Total of entries in columns 34, 36, 37 and 38. If a column has no entries, make no entry.

Narrative Instructions

If more space is needed, document on a Special Report, and enter "See Special Report." Attach the Special Report to the PW.

a.	If no acreage is released on the unit, enter "No acreage released," adjuster's initials, and date.
b.	If notice of damage was given and no inspection is required, enter "No Inspection," the unit
	number(s), date, and adjuster's initials (do not enter unit numbers for which notice has not
	been given). The insured's signature is not required.
c.	Explain any uninsured causes, unusual, or controversial cases.
d.	If there is an appraisal in Section I, column 37 for uninsured causes due to a hail/fire
	exclusion, show the original hail/fire liability per acre and the hail/fire indemnity per acre.
e.	Document the actual appraisal date if an appraisal was performed prior to the adjuster's
	signature date on the appraisal worksheet, and the date of the appraisal is not recorded on the
	appraisal worksheet.
f.	State that there is "No other fire insurance" when fire damages or destroys the insured crop
	and it is determined that the insured has no other fire insurance. Also refer to the LAM.
gj	Explain any errors found on the Summary of Coverage.
h.	Explain any commingled production. Refer to the LAM.
i.	Explain any entry for "Production Not to Count" in Section II, column 62 and/or any
	production not included in Section II, column 56 or column 49-52 entries (e.g., harvested
	production from uninsured acreage that can be identified separately from the insured acreage
	in the unit).
j.	Explain a "NO" checked in item 44, "Damage Similar to Other Farms in the Area?"

k.	Attach a sketch map or aerial photo to identify the total unit:
	 If consent is or has been given to put part of the unit to another use or to replant; If uninsured causes are present; or For unusual or controversial cases.
	Indicate on the aerial photo or sketch map, the disposition of acreage destroyed or put to other use with or without consent.
1.	Explain any difference between the date of inspection and signature dates. For an absentee insured, enter the date of the inspection and the date of mailing the PW for signature.
m.	When any other adjuster or supervisor accompanied the adjuster on the inspection, enter the code number of the other adjuster or supervisor and the date of inspection.
n.	Explain the reason for a "No Indemnity Due" claim. "No Indemnity Due" claims are to be distributed in accordance with the AIP's instructions.
0.	Explain any delayed notices or delayed claims as instructed in the LAM.
p.	Document any authorized estimated acres, as instructed in the LAM, shown in Section I, column 19.
q.	Document the method and calculation used to determine acres for the unit. Refer to the LAM.
r.	Specify the type of insects or disease when the insured cause of damage or loss is listed as insects or disease. List the control measures used and explain why they did not work
s.	Document the name and address of the charitable organization when gleaned acreage is applicable. Refer to the LAM for more information on gleaning.
t.	Document any other pertinent information, including any data to support any factors used to calculate the production. If on an attachment, enter "See attachment."
u.	If a Federal or State destruction order has been issued, attach to the PW a copy of the Federal or State destruction order and the insured's completed Certification Form. Refer to the LAM for additional documentation requirements.

Section II – Determined Harvested Production

- (1) Account for all harvested production (for all entities sharing in the crop) except production appraised before harvest and shown in Section I because the quantity cannot be determined later (e.g., released for other uses, etc.).
- (2) Columns 49 through 52 are for structure measurement entries (Rectangular, Round, Conical Pile, etc.). If structures are a combination of shapes, break into a series of average measurements, if possible. Enter "Odd Shape" if production is stored in an odd shaped structure. Document measurements on a Special Report or other worksheet used for this purpose.
- (3) If farm-stored production has been weighed prior to storage and acceptable weight tickets are available showing gross weights, enter "Weighed and Stored on Farm" in columns 49 through 52. Refer to the LAM for acceptable weight tickets.
- (4) For production commercially stored, sold, etc., make entries in columns 49 through 52 as follows:
 - (a) Name and address of storage facility or buyer.
 - (b) "Seed," "Fed," etc.
- (5) If acceptable sales or weight tickets are not available, refer to the LAM.
- (6) If additional lines are necessary, the data may be entered on a continuation sheet. Use separate lines for:
 - (a) Separate storage structures.
 - (b) Varying names and addresses of buyers of sold production.
 - (c) Different types; i.e. white sesame versus black sesame.
 - (d) Varying shares; e.g., 50 percent and 75 percent shares on same unit.
 - (e) Conical piles. Do not add the cone in the top or bottom of a bin to the height of other grain in the structure. For computing the production in cones and conical piles, refer to the LAM.
- (7) There will generally be no harvested production entries in columns 47 through 66 for preliminary inspections.
- (8) If there is harvested production from more than one insured practice (or type) and a separate approved APH yield has been established for each, the harvested production also must be entered on separate lines in columns 47 through 66 by type or practice. If production has been commingled, refer to the LAM.

E	lement/Item Number	Description	
43.	Date Harvest	Preliminary: Make no entry.	
	Completed: (Used to determine if there is a delayed notice or a delayed claim. Refer to the LAM.)	Final: (1) The earlier of the date the entire acreage on the unit was (1) harvested, (2) totally destroyed, (3) put to other use, (4) a combination of harvested, destroyed, or put to other use, or (5)	
	the Li III.)	the calendar date for the end of the insurance period. (2) If at the time of final inspection (if prior to the end of the insurance period), there is any unharvested insured acreage on the unit that the insured does not intend to harvest, enter	
		"Incomplete."(3) If at the time of final inspection (if prior to the end of the insurance period), none of the insured acreage on the unit has been harvested, and the insured does not intend to harvest such acreage, enter "No Harvest."	
		(4) If the case involves a Certification Form, enter the date from the Certification Form when the entire unit is put to another use, etc. Refer to the LAM.	
44.	Damage Similar to	Preliminary: Make no entry.	
	Other Farms in the Area?	Final: Check "Yes" or "No." Check "Yes" if the amount and cause of damage due to insurable causes is similar to the experience of other farms in the area. If "No" is checked, explain in the Narrative.	
45.	Assignment of	Check "Yes" only if an assignment of indemnity is in effect for the	
16	Indemnity?	crop year; otherwise, check "No." Refer to the LAM.	
46.	Transfer of Right to Indemnity?	Check "Yes" only if a transfer of right to indemnity is in effect for the unit for the crop year; otherwise, check "No." Refer to the LAM.	
47a	Share	Record only varying shares on same unit to three decimal places.	
	Field ID	(1) If only one practice and/or type of harvested production is listed in Section I, make no entry.	
		(2) If more than one practice and/or type of harvested production is listed in Section I, and a separate approved APH yield exists, indicate for each practice/type the corresponding Field ID (from Section I, column 16).	
48.	Multi-Crop Code	The applicable two-digit code for first crop and second crop. Refer to the LAM for instructions regarding entry of first crop and second crop codes.	

Element/Item Number		Description
49.	Length or Diameter	Internal measurement in feet to tenths of structural space occupied by
		crop.
		(1) Length if rectangular.
		(2) Diameter if round or conical pile. Refer to the LAM to convert
		circumference to diameter if internal diameter measurement is not possible.
50.	Width	Internal width measurement in feet to tenths of space occupied by
		crop in structure if rectangular. If round enter "RND." If conical
<u>~ 1</u>	D 4	pile, enter "Cone."
51.	Depth	Depth measurement in feet to tenths of space occupied by crop in rectangular or round structure. If conical pile, enter the height of the
		cone. If there is production in the storage structure from other units
		or sources, refer to the LAM.
52.	Deductions	Cubic feet, to tenths, of crop space displaced by chutes, vents, studs,
50	N. C.I. F.	crossties, etc. Refer to LAM for computation instructions.
53.	Net Cubic Feet	Net cubic feet of crop in the storage structure. Refer to the LAM for computation instructions.
54.	Conversion Factor	Enter Conversion Factor as 36.2 (One bushel is 2,150.42 cubic
	Conversion ructor	inches. One cubic foot is 1,728 cubic inches. Factor – 1,728 /
		2,150.42 * 45 = 36.2).
55.	Gross Prod.	Multiply column 53 times column 54, and enter rounded to whole
5.0	Dec Terr I be Cont	pounds of field run sesame.
56.	Bu., Ton, Lbs., Cwt.	Circle "Lbs." in column heading. Enter production of net whole pounds of clean dry sesame seed based on laboratory test of a sample
		from the delivery or the storage structure. Calculate by multiplying
		gross production in column 55 by the ratio of net weight of the
		sample (as defined in the harvested production appraisal standards).
		If the insured has multiple processor contracts with varying base
		contract prices within the same unit, the AIP will value the
		production to count by using the highest base contract price first and
		will continue in decreasing order to the lowest base contract price
		based on the amount of production insured at each base contract
57	- 60b.	price. Make no entry.
61.	Adjusted Production	Transfer entry from column 56.
62.	Prod. Not to Count	Net production not to count, in whole pounds, when acceptable
		records identifying such production are available, from harvested
		acreage which has been assessed an appraisal of not less than the
		guarantee per acre, or from other sources (e.g., other units or
		uninsured acreage) in the same storage structure (if the storage entries include such production).
		entres merade such production).

Element/Item Number	Description
62. Prod. Not to Count	This entry must never exceed production shown on the same line.
(continued)	Explain the total bin contents (storage structure sesame depth, etc.)
	and any "Production Not to Count" in the Narrative.
63. Production Pre-QA	Result of subtracting column 62 from column 61.
64a. Value	Make no entry.
64b. Mkt. Price	Enter the base contract price per pound, in dollars and cents.
65. Quality Factor	Make no entry, unless:
	Under section 15(j) of the BP, if due to insured causes, a Federal or State agency has ordered the appraised insured crop or production to be destroyed, enter the factor ".000." Instruct the insured to complete and submit a Certification Form stating the date the crop or production was destroyed and the method of destruction (refer to item 40 and the Narrative instructions). Refer to the LAM for additional information.
66. Production to Count	If there is no entry in column 65, transfer entry from column 63. Otherwise, enter the result of multiplying column 63 times column 65 rounded to whole pounds.
67. Total	Total of column 63. If no entry in column 63, make no entry.

For items 68-72. When separate line entries are made for varying shares, stages, APH yields, price elections, types, etc., within the unit, and totals need to be kept separate for calculating indemnities, make no entry and follow the AIP's instructions. Otherwise, make the following entries.

Element/Item Number	Description
68. Section II Total	Preliminary: Make no entry.
	Final: Total of Column 66, in whole pounds.
69. Section I Total	Preliminary: Make no entry.
	Final: Enter figure from Section I, column 38 total.
70. Unit Total	Preliminary: Make no entry.
	Final: Total of items 68 and 69.
71. Allocated Prod.	Refer to the LAM for instructions for determining allocated
	production. Enter the total production, rounded to whole pounds,
	allocated to this unit that is included in Section I or II of the PW.
	Document how allocated production was determined and record
	supporting calculations in the Narrative or on a Special Report.
72. Total APH Prod.	Result of subtracting the total of column 37 (item 42 "Totals") and
	item 71 (Allocated Prod.) from item 70 (Unit Total). If no entries in
	item 37 and item 71, transfer the entry in item 70. Make no entry
	when separate APH yields are maintained by type, practice, etc.,
	within the unit.

The following required entries are not illustrated on the following PW example.

E	lement/Item Number	Description
73.	Insured's Signature and Date	Insured's (or insured's authorized representative's) signature and date. Before obtaining insured's signature, review all entries on the PW with the insured (or insured's authorized representative), particularly explaining codes, etc., that may not be readily understood.
74.	Adjuster's Signature, Code #, and Date	Final indemnity inspections should be signed on bottom line. Signature of adjuster, code number, and date signed after the insured (or insured's authorized representative) has signed. For an absentee insured, enter adjuster's code number only. The signature and date will be entered after the absentee has signed and returned the PW.
		Final indemnity inspections should be signed on bottom line.
75.	Page	Preliminary: Page numbers – "1," "2," etc., at the time of inspection.
		Final: Page numbers - (Example: Page 1 of 1, Page 1 of 2, Page 2 of 2, etc.).

-										P	RODUC	CTION	WOR	KSHE	ET								
1. Cr	op/Code	e #	2. Un	it#	3. Loca	ation Desc	cription	7.	Compa	ny		ANY	COMPAN	1		8. Name	of Insured						
	Sesa								Agency ANY AGENCY					I.M. INSURED									
	039			001 BU		SE6-140	ON-50W									9. Claim	#			11. Crc	p Year		
	. ,	Damage	_	UG 10	(OCT 1												(XXXXX				YYY	
5. Ca	iuse(s) o	f Damage		HAIL	F	reeze										10. Polic	cy #			XX	XXXX		
6. Ins	sured Ca	iuse %		60		40										14. Date	e(s)	1 st		2nd	F	inal	
12. A	ddition	al Units	0002	2-0002 BU	0003	-0003 BU										Notice o	f Loss	MM/	DD/YYYY	MM/	DD/YYYY	MM/D	D/YYYY
13. E	st. Prod	. Per Acre	:	1,100		1,500										15. Com	panion Pol	icy(s)					
SECT	ION I –	DETERMIN	ED ACI	REAGE A	APPRAISE	ED, PROD	UCTION	AND AD.	JUSTME	NTS													
A. A(CTUARI	AL														B. POTEN	ITIAL YIELI)					
16.	17.	18.		19.	20.	21.	22.	23.	24.	25.	26.	27.	28.	29.	30.	31.	32a. 32b.	·· 33.	34.	35.	36.	37.	38.
	Multi-				Interest												Moisture %	Shell %,					
Field ID	Crop Code	Reported Acres		rmined cres	or Share	Risk	Туре	Class	Sub- Class	Intende Use	d Irr Practice	Cropping Practice	Organic Practice	Stage	Use of Acreage	Appraised Potential	Factor	Factor, or Value	Production Pre QA	Quality Factor	Production Post QA	Uninsure Causes	Total to Count
Α	NS		2	20.0	1.000		341					002		UH	UH	463			9,260		9,260		9,260
В	NS	13.0	1	12.5	1.000		341					002		Н	Н								
С	NS		2	25.0	1.000		341					002		UH	UH	471			11,775		11,775		11,775
		39. TOTA		57.5	Sclerc 41. Myco	tinia 🗆 toxins exc	Ergoty □ ceed FDA	CoFo C	Othe other he	r □ No alth org	anization n	naximum l	imits? Yes	s 🗆			4.	2. TOTALS	21,035		21,035		21,035
NAKKA	ATIVE (IT n	nore space is r	ieeaea, a	attach a S	ресіаі керс	ort):.Acreag	ge determi	ned based o	n permar	ent FSA 1	rieid measure	ements. Fie	la B 12,000	ibs narves	tea.								
SECT	ION II –	DETERMIN	IED HA	R\/FSTI		LICTION																	
		vest Comple		WALD II			age cimil	ar to other	farms i	the ar	932		15 Acc	ianment	of Indemi	nity			46 Tran	efer of Rig	ht to Indem	nity?	
TJ. D	ate nai	MM/DI				TT. Dain	age sirriii	Yes		No T	7		75. A33	giiiiciic	Yes	No	Х		40. II dii	Yes	No	x	
A M	EASLIR	EMENTS	,,,,,,,			B. GROS	SS PROD	-	1 ~ 1	_	ADJUSTM	IENTS TO	HABVES.	TED DRC					I	103	I		
47a		LIVILIVIS				b. GNO.	T	OCTION	1	<u> </u>		58a.	59a.	60a.	T	<u> </u>				64a.			
47b	/1 Q	. 49.	50.	51.	52.	53.	54.	55.	56		57	58b.	59b.	60b.	61	L.	62.	63.		64b.	- 65.		66.
Shar	e Mul	ti- Length				Net	Conver	-	Cti	(Shell/	FM%	Moisture	Test W	T Adjus	sted		Product	tion	Value		1	Production
	Cro		Width	Depth	Deduc-	Cubic	sion	Gross		,	Sugar		%		Produ	ction	od. Not	Pre-Q	Α		- Quality Fa	actor	to Count
Field ID	Cod	le Diameter			tion	Feet	Facto	r Prod.	. (Lb	S.)		actor	Factor	Factor		to	Count		M	kt. Price			
	···· NS				E ELEVATO wn, Any Sta				12,0	00					12,0	000		12,00	o -	0.28	-		12,000
																					-		
																6	7. TOTAL	12,00	0	6	8. Section I	I Total	12,000
																	<u>L</u>			(59. Section	l Total	21,035
		FER				1. 1		11 4	4. 22		• 1	.4 . •4			4						70. Uni	t Total	33,035
		1	nis to	orm e	examp	ie doe	s not 1	iiustra	ite all	requ	iired ei	ntry ite	ems (e.	g., sıg	gnatur	es, date	es, etc.)	•		7:	1. Allocated	Prod.	*
																				72	P. Total APH	Prod.	33.035

ACRES IN FIELD	MINIMUM NO. OF SAMPLES
0.1 - 10.0	3

Add one additional sample for each additional 40.0 acres (or fraction thereof) in the field or subfield.

In all samples, the length is measured at the base of the plants at soil level. Any plant within the length is considered part of the sample even if branches from those plants extend out beyond the sample length. Branches of plants outside the sample area that extend into the sample area will not be counted.

ROW WIDTH	ROW LENGTH FOR 1/1000 ACRE					
42 inches	12.4 feet					
40 inches	13.1 feet					
38 inches	13.8 feet					
36 inches	14.5 feet					
34 inches	15.4 feet					
32 inches	16.3 feet					
30 inches	17.4 feet					
28 inches	18.7 feet					
26 inches	20.1 feet					
24 inches	21.8 feet					
22 inches	23.8 feet					
20 inches	26.1 feet					
18 inches	29.0 feet					
15 inches	34.8 feet					
7.5 inches	2 rows wide by 34.8 feet					

For row widths not listed in the table, use the following formula:

EXAMPLE:

$$43,560 \text{ sq. ft./acre} \div \frac{25"}{12"} = \frac{43,560 \text{ sq. ft.} \div 2.083}{1000} = 20.9 \text{ ft. row length}$$

For double or other multiple rows, use as the row width the measurement from the center of one double row to the center of the next double row and then take all of the rows in the distance computed. For example, in double row 38s, use 13.8 feet of the double row as the sample.

A. Stand Reduction

Use the table below to determine the surviving yield from stand reduction based on phenotype. Use the first row for single stem types (single or triple capsules) and the second row for branched stem types (single or triple capsules). See exhibit 9 for instructions on determining phenotypes. A stand of 40 plants per 1/1000 of an acre is considered a full stand and there is 100% surviving yield. For odd numbers of stands round up, e.g., a count of 29 becomes 30.

		Surviving stands per 1/1000 of an acre																		
Phenotype	≥ 40	38	36	34	32	30	28	26	24	22	20	18	16	14	12	10	8	6	4	2
Single stem	1.00	.95	.91	.87	.82	.77	.71	.65	.58	.51	.44	.37	.30	.23	.16	.09	.07	.05	.03	.02
Branched	1.00	.99	.95	.91	.86	.81	.75	.69	.62	.55	.48	.41	.34	.27	.20	.13	.11	.09	.07	.06

B. Defoliation with Growing Point Intact

Use the table below to determine the surviving yield from defoliation with the main stem growing point intact. Round % leaf loss. For the lower two of the four numbers between two row headings, round down. For the higher two, round up.

			G	Frowth stage		
% leaf loss	Pre-reproductive	Early bloom (0-5 node pairs)	Mid bloom (6-10 node pairs)	Mid bloom (11-15 node pairs)	Mid bloom (>15 node pairs)	Late bloom
5	1.00	1.00	1.00	1.00	1.00	1.00
10	1.00	1.00	1.00	1.00	1.00	.97
15	1.00	1.00	1.00	1.00	.97	.94
20	1.00	1.00	1.00	.98	.95	.91
25	1.00	1.00	.98	.96	.92	.88
30	1.00	.99	.97	.94	.90	.85
35	.99	.97	.95	.92	.87	.82
40	.98	.96	.93	.89	.85	.79
45	.97	.95	.92	.87	.82	.76
50	.95	.94	.90	.85	.80	.73
55	.94	.92	.88	.83	.77	.71
60	.93	.91	.87	.81	.74	.68
65	.92	.90	.85	.79	.72	.65
70	.91	.89	.83	.77	.69	.62
75	.90	.87	.81	.75	.67	.59
80	.88	.86	.80	.72	.64	.56
85	.87	.85	.78	.70	.62	.53
90	.86	.84	.76	.68	.59	.50
95	.85	.82	.75	.66	.57	.47
100	.84	.81	.73	.64	.54	.44
		Fac	tor for percent of yie	eld remaining after def	oliation loss	

C. Defoliation with Growing Point Damaged

Use the table below to determine the surviving yield from defoliation with the main stem growing point damaged.

For % leaf loss, round to the nearest % listed (for the lower two of the four numbers between two row headings, round down; for the higher two, round up).

			Growt	h stage		
% leaf loss	Pre-reproductive	Early bloom (0-5 node <mark>pairs</mark>)	Mid bloom (6-10 node <mark>pairs</mark>)	Mid bloom (11-15 node <mark> pairs</mark>)	Mid bloom (>15 node pairs)	Late bloom
5	1.00	1.00	1.00	1.00	1.00	1.00
10	1.00	1.00	1.00	1.00	1.00	.95
15	1.00	1.00	1.00	1.00	.95	.90
20	1.00	1.00	1.00	.96	.91	.85
25	1.00	1.00	.96	.92	.86	.80
30	1.00	.97	.93	.87	.82	.75
35	.98	.94	.89	.83	.77	.70
40	.97	.91	.85	.79	.72	.65
45	.95	.88	.82	.75	.68	.60
50	.94	.85	.78	.70	.63	.55
55	.92	.82	.74	.66	.59	.51
60	.91	.79	.71	.62	.54	.46
65	.89	.75	.67	.58	.49	.41
70	.88	.72	.63	.53	.45	.36
75	.86	.69	.59	.49	.40	.31
80	.85	.66	.56	.45	.35	.26
85	.83	.63	.52	.41	.31	.21
90	.82	.60	.48	.36	.26	.16
95	.80	.57	.45	.32	.22	.11
100	.78	.54	.41	.28	.17	.06
		Facto	for percent of yield re	emaining after defoliatio	n loss	

These values in this table are 93% of the total potential seed weight per capsule, taking into account a 7% loss in potential yield due to weather during the drying stage and combine header loss.

	_	nt per capsule rams)
Plant Phenotype	Irrigated	Non-Irrigated
Single stem, single capsule	0.192	0.169
Single stem, triple capsule	0.145	0.128
Branched, single capsule	0.185	0.163
Branched, triple capsule	0.122	0.107

A. Phenotype

A phenotype is any observable characteristic or trait of an organism, such as its morphology, development, biochemical or physiological properties, or behavior. The genotype of an organism is the inherited instructions it carries within its genetic code. Not all organisms with the same genotype look or act the same way because appearance and behavior are modified by environmental and developmental conditions. Similarly, not all organisms that look alike necessarily have the same genotype.

The variations of sesame genotypes/phenotypes are as follows:

- (1) Single stem with single capsule;
- (2) Single stem with triple capsules;
- (3) Branched with single capsule; or
- (4) Branched with triple capsules.

Walking into a field and looking at a limited number of plants at the edge can lead to a misidentification of the phenotype. In low populations, single stem genotypes can put on branches and single capsule genotypes can have a few node pairs with triple capsules. In high populations, branched genotypes can have no branches and triple capsule genotypes can have all single capsules. In low moisture/fertility, branched genotypes may not have branches and triple capsule genotypes may have few node pairs with triple capsules.

A. Phenotype (continued)

Phenotype	Illustration
Single stem form will have a dominant mainstem, although occasional branches may develop in thin stands, in skips or if the mainstem node is damaged. Capsules (single or triple) usually begin forming at node 6.	
Single capsule form showing a capsule at each of a node pair.	
Branched form will develop 4-6 producing stems from basal nodes 2-6. There may be a single capsule or triple capsules per node.	
Triple capsule form showing only one of the two opposite nodes on a stem. There will be 6 capsules at each node pair.	

B. Branching Characteristics

- (1) The key to identifying whether a line is branched or single stem is the length of the branches versus the point of origin on the plant. In a branched line, the longest branch will grow out of the leaf axil pair below the nodes that formed the first flowers, with shorter branches above each lower node pair. Essentially, the longest branches are above the shorter branches. In single stem lines, the branches will generally form only after the plants shed their lower leaves. Since the lowest leaves are shed first, the branches will form at the base of the plant, and they will be the longest branches with shorter branches on higher node pairs.
- (2) Branching is a dominant genetic character, making it difficult to purify. In every branched line there will be single stem plants, and vice versa. The identification of the branching must be based on looking at many plants in normal populations.
- (3) Branched lines can be subdivided into lines with few branches and many branches. However, this delineation does not affect the appraisal methods, and is not discussed in this document.
- (4) Direct sunlight has a tremendous effect on the amount of branching. In order for a branch to form, light needs to strike the leaf axil. In some single stem lines, there is no branching under all circumstances. However, most single stem and branched lines have the potential of making a branch in every leaf axil in the open. The amount of light that reaches the branches is dependent on population and/or leaf area. Higher populations and lines with larger leaves shade the leaf axils preventing branches from growing and developing flowers and then capsules. In order for a branch to keep growing, it needs light at the growing tip.
- (5) Latitude and row spacing can affect branching. With wider row spacing, more light gets to the lower part of the plant. In northern latitudes, there are longer days in the summer providing more light. Areas like the Caprock of Texas with wide row spacing and higher latitude have the most branching.
- (6) Some lines have the potential to form secondary branches on the branches, and a few have the potential for tertiary branches.
- (7) In a low moisture/fertility field, there may be no branches.

C. Capsules per Leaf Axil Characteristics

(1) The key to identifying whether a line has single or triple capsules is to look at the middle part of the main stem in a normal population. The single capsule line will have single capsules per leaf axil, and the triple capsule line will have 2 to 3 (rarely 4 to 5) capsules per leaf axil. The average for a triple capsule line across all nodes of a plant is 1.7 capsules per leaf axil.

C. Capsules per Leaf Axil Characteristics (continued)

- (2) As with branching, the formation of capsules depends on light to the leaf axil. The pattern of flowering in a triple capsule line is that the central flower will open first while the axillary flowers open 2-5 days later. As the plant grows, the leaves get larger, and the leaves may shade out the axillary flowers. In a low light situation, the axillary flowers may not develop at all.
- (3) In triple capsule lines, the lowest and highest node pairs normally will have a single capsule per leaf axil in low, normal, and high populations. In single capsule lines, in wide row spacing, high moisture/fertility, and higher latitudes, there may be plants with triple capsules in the middle of the main stem, but these will be the exception rather than the rule.
- (4) In single capsule lines, there are nectaries on each side of the capsule. These are yellow and round. They are rudimentary flowers, but will rarely make a flower. They do produce nectar that is harvested by some insects.
- (5) In a low moisture/fertility field, there may be no axillary capsules. In a few lines, with adequate future moisture, the axillary capsules may form later.